

594.08

.M18

Moll.

M:07

YM

(An autographed
copy is in the Museum)

9-

Catalogue
of the
Mollusca
in the
Collection
of the
Government Central
Museum, Madras.

PURCHASED BY
WHELDON & WESLEY LTD.
MAY 1954.

Madras
1867.

Division of Mollusks
Sectional Library





350982

5 K 4.00
M18
moll.

THIS Catalogue is published with the three-fold object of affording a guide to the collection ; of making known its deficiencies (which are many,) ; and to show what the Museum has to offer in exchange for shells not yet in the collection.

Those species of which there are duplicates are marked with one, two, or three asterisks ; the first indicates that the number is very limited ; the second that it is greater ; and the third that a considerable number is available for exchange.

Examples of shells not in this Catalogue will be thankfully received either as donations or in exchange.

J. MITCHELL, CAPTAIN,

Superintendent.

MADRAS, 15th May 1867.

CATALOGUE
OF THE
Mollusca,
IN THE COLLECTION OF
THE GOVERNMENT CENTRAL MUSEUM, MADRAS.

CLASS I.—CEPHALOPODA. *Cuvier*, 1798.

ORDER I.—DIBRANCHIATA. *Owen*, 1838.

SUB-ORDER I.—OCTOPODA. *Leach*, 1817.

FAMILY 1.—OCTOPIDÆ. *D'Orbigny*, 1837.

GENUS.—OCTOPUS. *Lamarck*, 1799.

- | | | | | |
|-----------------------|------------|---------|---|-------------------|
| 1 <i>O. aranea</i> . | D'Orbigny. | Madras. | } | Young, in spirit. |
| 2 <i>O. Indicus</i> . | Ruppell. | ,, | } | |

FAMILY 3.—ARGONAUTIDÆ. *Reeve*, 1841.

GENUS.—ARGONAUTA. *Linnaeus*, 1758.

- | | | |
|---------------------------|----------|---------|
| 1 <i>A. tuberculosa</i> . | Lamarck. | Brazil. |
|---------------------------|----------|---------|

SUB-ORDER 2.—DECAPODA. *Leach*, 1817.

FAMILY 8.—LOLIGIDÆ. *D'Orbigny*, 1837.

GENUS.—LOLIGO. *Lamarck*, 1799.

- | | | | | |
|---------------------------|------------|---------|---|-------------------|
| 1 <i>L. Duvaucellii</i> . | D'Orbigny. | Madras. | } | Young, in spirit. |
|---------------------------|------------|---------|---|-------------------|

FAMILY 12.—SPIRULIDÆ. *D'Orbigny*, 1837.

GENUS.—SPIRULA. *Lamarck*, 1799.

- | | | |
|-----------------------|----------|---------------|
| 1 <i>S. Peronii</i> . | Lamarck. | Indian Seas.* |
|-----------------------|----------|---------------|

ORDER 2.—TETRABRANCHIATA. *Owen*, 1838.

FAMILY.—NAUTILIDÆ. *Owen*, 1838.

GENUS.—NAUTILUS. *Linnaeus*, 1757.

- | | | |
|----------------------------|-----------|-------------------------|
| 1 <i>N. Pompilius</i> . | Linnaeus. | a Indian Archipelago.* |
| | | b Port Blair, Andamans. |
| | | Lt. McGoun. |
| 2 <i>N. stenomphalus</i> . | Sowerby. | Dr. Gamach. |

CLASS II.—PTEROPODA. *Cuvier*, 1804.

FAMILY 1.—HYALIDÆ. *D'Orbigny*, 1837.

GENUS.—HYALÆA. *Lamarck*, 1799.

- | | | |
|--------------------------|----------|---------------------------------|
| 1 <i>H. gibbosa</i> . | Rang. | Hab. ? |
| 2 <i>H. inflexa</i> . | Lesueur. | " |
| 3 <i>H. labiata</i> . | Rang. | " |
| 4 <i>H. tridentata</i> . | Lamarck. | Mediterranean &
Indian Seas. |
| 5 <i>H. uncinata</i> | Rang. | Hab. ? |

GENUS.—DIACRIA. *Gray*, 1840.

- | | | |
|------------------------|----------|-----------------------------|
| 1 <i>D. trispinosa</i> | Lesueur. | Straits of Gibralt-
tar. |
|------------------------|----------|-----------------------------|

GENUS.—CLEODORA. *Peron and Lesueur*, 1810.

- | | | |
|--------------------------|----------|----------------------------------|
| 1 <i>C. obtusa</i> . | Quoy. | Hab. ? |
| 2 <i>C. pyramidata</i> . | Lamarck. | American Seas. |
| 3 <i>C. spinifera</i> . | Rang. | Indian and Euro-
pean Oceans. |

CLASS III.—HETEROPODA. *Lamarck*, 1812.

FAMILY 1.—IANTHINÆ. *Lamarck*, 1812.

GENUS.—IANTHINA. *Bolten*, 1798.

- | | | |
|------------------------|-----------|----------------|
| 1 <i>I. africana</i> . | Reeve. | Madras Coast.* |
| 2 <i>I. fragilis</i> . | Lamarck. | West Indies. |
| 3 <i>I. globosa</i> . | Swainson. | Hab. ? |
| 4 <i>I. iricolor</i> . | Reeve. | Madras. |

FAMILY 4.—FIROLIDÆ.

GENUS.—CARINARIA. *Lamarck*, 1801.

- | | | |
|------------------------|-------------------------|----------------|
| 1 <i>C. fragilis</i> . | Bory de St.
Vincent. | Mediterranean. |
|------------------------|-------------------------|----------------|

CLASS IV.—GASTEROPODA. *Cuvier*, 1798.

SUB-CLASS 1.—PROSOBRANCHIATA. *Milne Edwards*, 1848.

ORDER I.—PECTINIBRANCHIATA. *Cuvier*, 1817.

SUB-ORDER 1.—PROBOSCIDIFERA. *H. and A. Adams*, 1853.

FAMILY 1.—MURICIDÆ. *Fleming*, 1828.

SUB-FAMILY 1.—MURICINÆ. *H. and A. Adams*.

GENUS.—MUREX. *Linnaeus*, 1758.

1	<i>M. adustus.</i>	Lamarck.	<i>a</i> Philippines and Ceylon. <i>b</i> Port Blair, An- damans.	
2	<i>M. affinis.</i>	Reeve.	Pacific Ocean.	Sir W. Denison.
3	<i>M. anguliferus.</i>	Lamarck. var. entirely brown.	<i>a</i> Ceylon. <i>b</i> „ <i>c</i> Madras.	
4	<i>M. brassica.</i>	Lamarck.	Gulf of California.	
5	<i>M. erinaceus.</i>	Linnaeus.	Mediterranean and British Coasts.	
6	<i>M. fiscellum.</i>	Chemnitz.	Philippines.	
7	<i>M. haustellum.</i>	Linnaeus.	Ceylon.*	
8	<i>M. inconspicuus.</i>	Sowerby.	English Channel.	
9	<i>M. Martinianus.</i>	Reeve.	Port Blair, An- damans.	Dr. Gamach.
10	<i>M. maurus.</i>	Broderip.	Port Blair, An- damans.	„
11	<i>M. nigrispinosus.</i>	Reeve.	Port Blair, An- damans. Singapore.	„
12	<i>M. palma-rosæ.</i>	Lamarck.	Ceylon.	
13	<i>M. pinnatus.</i>	Wood.	China.	
14	<i>M. ramosus.</i>	Linnaeus.	<i>a</i> Port Blair, An- damans. <i>b</i> Nassibe. <i>c</i> Young-shell, Eastern seas.	Captain W. H. Edgcome. Sir W. Denison.
15	<i>M. regius.</i>	Wood.	Pacific Ocean.	
16	<i>M. salebrosus.</i>	King.	California.	
17	<i>M. ternispina.</i>	Lamarck.	<i>a</i> Philippines.* <i>b</i> Madras.*	
18	<i>M. tenuispina.</i>	„	Trincomallee.	
19	<i>M. tribulus.</i>	Linnaeus.	Vizagapatam.	Major Fraser.
20	<i>M. triqueter.</i>	Born.	Port Blair, An- damans.	Dr. Walters.
21	<i>M. truncatus.</i>	?	Toulon.	M. Robillard.
22	<i>M. trunculus.</i>	Linnaeus.	Black Sea.	

SUB-FAMILY 2.—FUSINÆ. *H. and A. Adams, 1853.*

GENUS.—FUSUS. *Lamarck, 1799.*

1	<i>F. colus.</i>	Lamarck.	<i>a</i> Ceylon. <i>b</i> Madras.	
---	------------------	----------	--------------------------------------	--

2	<i>F. corneus.</i>	Deshayes.	British Seas.
3	<i>F. laticostatus.</i>	„	Ceylon.
4	<i>F. longicauda.</i>	Bory.	Vizagapatam.
5	<i>F. multicarinatus.</i>	Lamarck.	Red Sea.
6	<i>F. proboscidiiformis.</i>	„	New Holland.

GENUS.—PYRULA.

1	<i>P. bezoar.</i>	Lamarck.	Hab. ?
2	<i>P. bucephala.</i>	„	Mexico.
3	<i>P. bulbosa.</i>	Solander.	<i>a</i> Eastern Seas. <i>b</i> do.
4	<i>P. cochlidium.</i>	Linnæus.	<i>a</i> Torres Straits. <i>b</i> do.
5	<i>P. galeodes.</i>	Lamarck.	Philippines, &c.
6	<i>P. melongena.</i>	„	<i>a</i> West Indies and Eastern Seas. <i>b</i> do.
7	<i>P. Paradisiaca.</i>	Reeve.	<i>a</i> Ceylon, &c. <i>b</i> do.
8	<i>P. pugilina.</i>	Born.	Negapatam.
9	<i>P. spirillus.</i>	Lamarck.	Eastern Seas.

SUB-GENUS.—CYRTULUS. *Hinds, 1843.*

1	<i>C. serotinus.</i>	Hinds.	Marquesas.
---	----------------------	--------	------------

FAMILY 2.—PLEUROTOMIDÆ. *H. and A. Adams.*SUB-FAMILY 1.—PLEUROTOMINÆ. *Swainson, 1840.*GENUS.—PLEUROTOMA. *Lamarck, 1799.*

1	<i>P. crenularis.</i>	Lamarck.	Tranquebar.
2	<i>P. grandis.</i>	Gray.	Indian & Chinese Seas.
3	<i>P. Javana.</i>	DeRoissy.	<i>a</i> Madras.* <i>b</i> Vizagapatam.
4	<i>P. marmorata.</i>	Lamarck.	Malacca.
5	<i>P. nodifera.</i>	„	Madras.*
6	<i>P. virginea.</i>	Beck.	Mouth of the Gambia.

FAMILY 3.—TRITONIIDÆ. *H. and A. Adams.*GENUS.—TRITON. *Lamarck, 1822.*

1	<i>T. ægrotus.</i>	Reeve.	China.
2	<i>T. aquatilis.</i>	„	Philippines.
3	<i>T. bracteatus.</i>	Hinds.	Kingsmill Island. M. Robillard.
4	<i>T. chlorostoma.</i>	Lamarck.	Pacific Ocean.

5	<i>T. cingulatus.</i>	Pfeiffer.	<i>a</i> Philippines. <i>b</i> Madras Coast.
6	<i>T. clandestinus.</i>	Lamarck.	Ceylon.
7	<i>T. clavator.</i>	„	Philippines.
8	<i>T. decipiens.</i>	Reeve.	<i>a</i> „ <i>b</i> Madras Coast. <i>c</i> Vizagapatam.
9	<i>T. doliarius.</i>	Lamarck.	Cape of Good Hope.
10	<i>T. lampas.</i>	„	Philippines.
11	<i>T. lotorium.</i>	„	Ceylon.
12	<i>T. Pfeifferianus.</i>	Reeve.	„
13	<i>T. pilearis.</i>	Lamarck.	The Antilles.*
14	<i>T. reticulatus.</i>	DeBlainville.	Mediterranean.
15	<i>T. retusus.</i>	Lamarck.	Ceylon.
16	<i>T. rubecula.</i>	„	Philippines.
17	<i>T. tuberosus.</i>	„	Pacific Ocean.
18	<i>T. variegatus.</i>	„	Eastern Seas.
19	<i>T. vespaceus.</i>	„	New Holland.

GENUS.—PERSONA. *Montfort*, 1810.

1	<i>P. anus.</i>	Lamarck.	Ceylon.
---	-----------------	----------	---------

GENUS.—RANELLA. *Lamarck*, 1812.

1	<i>R. albovaricosa.</i>	Reeve.	Ceylon.
2	<i>R. bitubercularis.</i>	Lamarck.	Philippines.
3	<i>R. bufonia.</i>	„	„
4	<i>R. foliata.</i>	Broderip.	<i>a</i> Mauritius. <i>b</i> Madras Coast.*
5	<i>R. granifera.</i>	Lamarck.	<i>a</i> Philippines. <i>b</i> Madras Coast.* <i>c</i> Port Blair, Andamans.
6	<i>R. gyrinus.</i>	Deshayes.	Mediterranean and Eastern Seas.
7	<i>R. margaritula.</i>	Deshayes.	Indian Seas.
8	<i>R. spinosa.</i>	Lamarck.	<i>a</i> Ceylon.* <i>b</i> Madras Coast.*
9	<i>R. subgranosa.</i>	Beck.	Bay of Manilla.
10	<i>R. tuberculata.</i>	Broderip.	<i>a</i> Malacca. <i>b</i> Vizagapatam.* <i>c</i> Port Blair, Andamans. Dr. Walters.
11	<i>R. tuberosissima.</i>	Reeve.	Philippine Islands.

FAMILY 4.—BUCCINIDÆ.

GENUS.—BUCCINUM. *Linnaeus*, 1767.

1	<i>B. aciculatum.</i>	Lamarck.	Martinique.	
2	<i>B. anomalum.</i>	Reeve.	Hab. ?	
3	<i>B. balteatum ?</i>	„	Torres Straits.	
4	<i>B. cingillum ?</i>	„	Hab. ?	
5	<i>B. dentiferum.</i>	Powis	Coast of Chili.	
6	<i>B. erythrostoma.</i>	Reeve.	Madras.*	
7	<i>B. melanostoma.</i>	Sowerby.	Ceylon.	
8	<i>B. obscurum. ?</i>	Kiener.	Coast of Chili.	
9	<i>B. obsoletum.</i>	Say.	Hab. ?*	
10	<i>B. plicosum.</i>	Menke.	„	
11	<i>B. proteus.</i>	Reeve.	Ceylon & Philip- pines.	
12	<i>B. rubiginosum.</i>	„	Red Sea.	
13	<i>B. sericatum ?</i>	Hancock.	Port Blair, An- damans.	Dr. Walters.
14	<i>B. sertum ?</i>	Bruguère.	„	„
15	<i>B. Tranquebari- cum.</i>	Martini.	Tranquebar.	
16	<i>B. Tritonoides.</i>	Cuming.	Port Blair, An- damans.	Dr. Gamach.
17	<i>B. trivittatus.</i>	Say.	Hab. ?	
18	<i>B. undatum.</i>	Lamarck.	Atlantic Ocean.	
19	<i>B. undosum.</i>	Linnaeus.	<i>a</i> Tahiti. <i>b</i> Straits of Ma- lacca.	M. Robillard.

GENUS.—BULLIA. *Gray*, 1835.

1	<i>B. belangeri.</i>	Kiener.	Madras.* * *
2	<i>B. livida.</i>	Reeve.	„ * * *
3	<i>B. mauritiana.</i>	Gray.	Madagascar.
4	<i>B. vittata.</i>	Linnaeus.	<i>a</i> Trincomallee.* * <i>b</i> Madras.* * *

GENUS.—PHIOS. *DeMontfort*, 1810.

1	<i>P. senticosus.</i>	DeMontfort.	Philippines.
---	-----------------------	-------------	--------------

GENUS.—CYLLENE. *Gray*, 1833.

1	<i>C. fuscata.</i>		China Seas.
---	--------------------	--	-------------

GENUS —NASSA. *Lamarck, 1799.*

1	<i>N. arcularia.</i>	Linnaeus.	Philippines.* *	
2	<i>N. Bronni.</i>	Philippi.	Java.	
3	<i>N. callospira.</i>	A. Adams.	Philippines.*	
4	<i>N. collaria.</i>	Gould.	<i>a</i> Panama. <i>b</i> Madras.*	
5	<i>N. coromandel.</i>	? Blanford.	Pulicat lake, and Adyar, Madras.*	
6	<i>N. coronata.</i>	Lamarck.	Madagascar.	
7	<i>N. crenulata.</i>	Bruguère.	<i>a</i> Philippines. <i>b</i> Madras.*	
8	<i>N. gaudiosa, var.</i>	Hinds.	Kingsmill Island.	Sir W. Denison.
9	<i>N. gemmulata.</i>	Lamarck.	Philippines.	
10	<i>N. globosa.</i>	Quoy & Gaimard.	New Ireland, &c.	
11	<i>N. granifera.</i>	Kiener.	Society Islands.	Sir W. Denison.
12	<i>N. incrassata.</i>	Müller.	British Seas.	
13	<i>N. labida.</i>	Reeve.	Hab. ?	
14	<i>N. olivacea.</i>	Bruguère.	<i>a</i> West Indies. <i>b</i> Port Blair, Andamans.*	
15	<i>N. ornata.</i>	Kiener.	Ceylon.	
16	<i>N. papillosa.</i>	Linnaeus.	Port Blair, Andamans.	Dr. Walters.
17	<i>N. planicostata.</i>	A. Adams.	Labuan.	
18	<i>N. pulla.</i>	Linnaeus.	Philippines.	
19	<i>N. pygmaea.</i>	?	Hab. ?	
20	<i>N. retecosa.</i>	A. Adams.	Labuan.*	
21	<i>N. reticulata.</i>	Linnaeus.	British Seas.*	
22	<i>N. seminodoso.</i>	A. Adams.	South Seas.	
23	<i>N. suturalis.</i>	Lamarck.	Madras Coast.	
24	<i>N. Thersites.</i>	Bruguère.	Philippines.*	

GENUS.—EBURNA, *Lamarck, 1801.*

1	<i>E. spirata.</i>	Lamarck.	<i>a</i> Ceylon.* <i>b</i> Madras.**	Dr. W. Traill. Dr. A. Hunter.
2	<i>E. zeylanica.</i>	„	<i>a</i> Ceylon.* <i>b</i> Madras.*	Dr. W. Traill.

FAMILY 6.—PURPURIDÆ.

GENUS. PURPURA. *Bruguère, 1789.*

1	<i>P. armigera.</i>	Lamarck.	Reunion.	M. Robillard.
2	<i>P. bitubercularis.</i>	„	Philippine Islands.	

3	<i>P. bufo.</i>	Lamarck.	<i>a</i> Madras* *	Miss Mitchell.
			<i>b</i> Pulicat lake* *	
4	<i>P. carinifera.</i>	„	Hab. ?*	
5	<i>P. chocolat.</i>	Duclos.	Peru.	
6	<i>P. echinata.</i>	DeBlainville.	Hab. ?	
7	<i>P. echinulata.</i>	Lamarck.	Philippines.	
8	<i>P. hippocastanum.</i>	Linnæus.	Eastern Seas.*	
9	<i>P. hystrix.</i>	Lamarck.	Radock Island.	Sir W. Denison.
10	<i>P. imperialis,</i> (young.)	DeBlainville.	Hab. ?	
11	<i>P. inerma.</i>	Reeve.	St. Thomas', West Indies.	
12	<i>P. lapillus.</i>	Linnæus.	<i>a</i> Shores of Eu- rope.*	
			<i>b</i> Britain.	
13	<i>P. madreporum.</i>	?	Reunion.	M. Robillard.
14	<i>P. mancinella.</i>	Linnæus.	Philippines.	
15	<i>P. muricina.</i>	DeBlainville.	„	
16	<i>P. musiva.</i>	Kiener.	„	
17	<i>P. patula.</i>	Linnæus.	„	
18	<i>P. persica.</i>	Lamarck.	Moulmein.	
19	<i>P. pica.</i>	DeBlainville.	<i>a</i> Ceylon.	Sir W. Denison.
			<i>b</i> Port Blair, An- damans.	Capt. Edgcome
20	<i>P. Rudolphi.</i>	Lamarck.	<i>a</i> Philippines.	
			<i>b</i> Andamans.	Lieut. McGoun.
			<i>c</i> Madras.*	
21	<i>P. sacellum.</i>	Chemnitz.	Sadras Coast.	
22	<i>P. trigona.</i>	Reeve.	China & Malacca.	

GENUS.—RICINULA. *Lamarck, 1812.*

1	<i>R. arachnoides.</i>	Lamarck.	Philippines.*	
2	<i>R. aspera.</i>	„	<i>a</i> „	
			<i>b</i> Vizagapatam.	
3	<i>R. cancellata.</i>	?	Reunion.	M. Robillard.
4	<i>R. clathrata.</i>	Lamarck.	Elizabeth Island.	
5	<i>R. horrida.</i>	„	<i>a</i> Philippines.*	
			<i>b</i> Port Blair, An- damans.	Dr. Gamach.
6	<i>R. morus. ?</i>	„	Sandwich Islands, (young.)	M. Robillard.
7	<i>R. mutica.</i>	„	Island of Reunion.	„

- | | | | | |
|---|-------------------------|---------------|-----------------------------------|-------------------|
| 8 | <i>R. spectrum</i> ? | Reeve. | <i>a</i> Reunion. | M. Robillard. |
| | - | | <i>b</i> Mauritius. | „ |
| 9 | <i>R. tuberculata</i> . | DeBlainville. | <i>a</i> Lord Hood's Is-
land. | |
| | | | <i>b</i> Vizagapatam. | Sir W. Denison.** |

SUB-GENUS.—MORULA. *Schumacher*, 1817.

- | | | | |
|---|---------------------------|---|--------------|
| 1 | <i>M. bituberculata</i> . | ? | Philippines. |
|---|---------------------------|---|--------------|

GENUS.—MONOCEROS. *Lamarck*, 1809.

- | | | | | |
|---|-----------------------|----------|---------------|---------------|
| 1 | <i>M. cornigera</i> . | ? | California. | M. Robillard. |
| 2 | <i>M. lugubris</i> . | Sowerby. | Nootka Sound. | |

GENUS.—CONCHOLEPAS. *Lamarck*, 1801.

- | | | | |
|---|------------------------|----------|----------------|
| 1 | <i>C. peruvianus</i> . | Lamarck. | Coast of Peru. |
|---|------------------------|----------|----------------|

FAMILY 7.—CORALLIOPHILIDÆ.

GENUS.—LEPTOCONCHUS. *Ruppel*, 1834.

- | | | | |
|---|------------------------|---|--------|
| 1 | <i>L. ellipticus</i> . | ? | Japan. |
|---|------------------------|---|--------|

GENUS.—MAGILUS. *Montfort*, 1810.

- | | | | | |
|---|----------------------|----------|------------------------------------|--------------|
| 1 | <i>M. antiquus</i> . | Lamarck. | <i>a</i> Red Sea. | |
| | | | <i>b</i> Port Blair An-
damans. | Dr. Walters. |

FAMILY 8.—OLIVIDÆ.

GENUS.—OLIVA. *Bruguère*, 1789.

- | | | | | |
|---|--------------------------|-----------|-------------------------------------|--------------------------|
| 1 | <i>O. angulata</i> . | Chemnitz. | Lower California. | Sir W. Denison. |
| 2 | <i>O. cruenta</i> . | Dillwyn. | <i>a</i> Zanzibar. | |
| | | | <i>b</i> Port Blair, An-
damans. | |
| 3 | <i>O. elegans</i> . | Lamarck. | Feejee Islands. | |
| 4 | <i>O. erythrostoma</i> . | „ | South of the Cape of
Good Hope. | |
| 5 | <i>O. fimbriata</i> . | Reeve. | West Indies.* | |
| 6 | <i>O. gibbosa</i> . | Born. | <i>a</i> Ceylon.* * * | |
| | | | <i>b</i> Madras Coast.* | |
| 7 | <i>O. inflata</i> . | Lamarck. | Zanzibar. | |
| 8 | <i>O. irisans</i> . | „ | <i>a</i> Mauritius.* | |
| | | | <i>b</i> Port Blair, An-
damans. | Dr. Gamach. |
| 9 | <i>O. ispidula</i> . | Linnaeus. | <i>a</i> Philippines.* * | |
| | | | <i>b</i> Port Blair, An-
damans. | Dr. Walters.* |
| | | | <i>c</i> Madras Coast. | Surgeon E.
Balfour.** |

10	<i>O. ligneola.</i>	Reeve.	Hab. ?	
11	<i>O. maura.</i>	Lamarck.	<i>a</i> Labuan.*	
			<i>b</i> Port Blair, An-	Dr. Gamach.**
			damans.	
12	<i>O. mustelina.</i>	„	Singapore.	
13	<i>O. mutica.</i>	Say.	West Indies.	
14	<i>O. nebulosa.</i>	Lamarck.	Hab. ?	
15	<i>O. oryza.</i>	„	West Indies.	Dr. W. Traill.
16	<i>O. peruviana.</i>	„	Coast of Peru.	
17	<i>O. ponderso.</i>	Duclos.	Mauritius.	
18	<i>O. porphyria.</i>	Linnaeus.	Panama.	
19	<i>O. reticularis.</i>	Lamarck.	<i>a</i> Gulf of Califor-	
			nia.	
			<i>b</i> Guayra.	
20	<i>O. splendidula.</i>	Sowerby.	Island of Tobago.	
21	<i>O. textilina.</i>	Lamarck.	Philippines.*	
22	<i>O. tremulina.</i>	„	Mauritius.	
23	<i>O. tricolor.</i>	„	„	
24	<i>O. volutella.</i>	„	Panama.	
25	<i>O. zonalis.</i>	„	Mexico.	

GENUS.—ANCILLARIA. *Lamarck*, 1811.

1	<i>A. ampla.</i>	Gmelin.	Madras.* *	
2	<i>A. glabrata.</i>	Swainson.	Gulf of Mexico.	
3	<i>A. torosa.</i>	Meuschen.	Isle of St. Maurice.	

FAMILY 9.—FASCIOLARIIDÆ.

GENUS.—FASCIOLARIA. *Lamarck*, 1799.

1	<i>F. filamentosa.</i>	Lamarck.	<i>a</i> Ceylon.*	
			<i>b</i> Andamans.	Lieut, McGoun.
2	<i>F. persica.</i>	Reeve.	Hab. ?*	
3	<i>F. trapezium.</i>	Lamarck.	<i>a</i> Philippines.	
			<i>b</i> Port Blair, An-	Dr. Walters.
			damans.	
			<i>c</i> Mauritius.	M. Robillard.

FAMILY 10.—TURBINELLIDÆ.

GENUS—TURBINELLA. *Lamarck*, 1799.

1	<i>T. candelabrum.</i>	Reeve.	Hab. ?	
2	<i>T. cornigera.</i>	Lamarck.	<i>a</i> Moluccas.*	
			<i>b</i> Radock Island.	Sir W. Denison
3	<i>T. gibbula.</i>	Deshayes.	New Holland.	
4	<i>T. polygona.</i>	Lamarck.	Philippines.	

5	<i>T. pyrum.</i>	Lamarck.	<i>a</i> Ceylon. <i>b</i> Madras.	
6	<i>T. rapa.</i>	„	Hab. ?*	
7	<i>T. smaragdulus.</i>	Deshayes.	Andamans.	Lieut. McGoun

FAMILY 11.—VOLUTIDÆ.

GENUS.—VOLUTA. *Lamarck, 1802.*

1	<i>V. Elliotti.</i>	Sowerby.	W. Australia.	Sir W. Denison.
2	<i>V. imperialis.</i>	Lamarck.	Philippines.	
3	<i>V. interpuncta.</i>	Martyn.	Ceylon.	
4	<i>V. musica.</i>	Linnaeus.	W. Indies.	
5	<i>V. rupestris.</i>	Gmelin.	China.	
6	<i>V. scapha.</i>	„	Singapore.	
7	<i>V. undulata.</i>	Lamarck.	Tasmania.	
8	<i>V. vesperilio.</i>	Linnaeus.	Philippines.	
9	<i>V. vexillum.</i>	Chemnitz.	Ceylon.	

GENUS.—CYMBIUM. *Klein, 1753.*

1	<i>C. Indica.</i>	Gmelin.	Eastern Seas.*	
2	<i>C. diadema ?</i>	Lamarck.	Rogers Straits.	Sir W. Denison.

GENUS.—MITRA. *Lamarck, 1799.*

1	<i>M. acuminata.</i>	Swainson.	Caroline Isle.	M. Robillard.
2	<i>M. adusta.</i>	Lamarck.	Island of Annaa.	
3	<i>M. amphorella.</i>	„	Labuan.	
4	<i>M. caffra.</i>	„	Philippines.	
5	<i>M. cinctella.</i>	„	Moluccas.	
6	<i>M. coniformis.</i>	?	Tahiti.	M. Robillard.
7	<i>M. corrugata.</i>	Lamarck.	Labuan.	
8	<i>M. crebrilirata.</i>	Reeve.	Ceylon.	Sir W. Denison.
9	<i>M. crenulata.</i>	Lamarck.	Port Blair, Andamans.	Dr. Gamach.
10	<i>M. cucumerina.</i>	„	Sandwich Islands.	M. Robillard.
11	<i>M. digitalis.</i>	Chemnitz.	Port Blair, Andamans.	Dr. Walters.
12	<i>M. episcopalis.</i>	D'Argenville.	Ceylon.	
13	<i>M. ferruginea.</i>	Lamarck.	Sandwich Islands.	M. Robillard.
14	<i>M. filosa.</i>	„	Tahiti.	Sir W. Denison.
15	<i>M. filum.</i>	Wood.	Seychelle Islands.	M. Robillard.
16	<i>M. inquinata.</i>	Reeve.	Hab. ?	?
17	<i>M. literata.</i>	Lamarck.	Howland Isles.	M. Robillard.
18	<i>M. melongena.</i>	„	Singapore.	
19	<i>M. papalis.</i>	„	Island of Annaa.	
20	<i>M. paupercula.</i>	„	Kingsmill Island.	M. Robillard.

21	<i>M. plicata.</i>	Klein.	Labuan.
22	<i>M. pontificalis.</i>	Lamarck.	Island of Annaa.
23	<i>M. sphærolata.</i>	Martyn.	Philippines.
24	<i>M. stigmataria.</i>	Lamarck.	Mauritius.
25	<i>M. vulpecula, var.</i>	„	Labuan.

GENUS.—MARGINELLA. *Lamarck, 1799.*

1	<i>M. angustata, var.</i>	Sowerby.	Indian Ocean.
2	<i>M. cornea.</i>	Lamarck.	Senegal, W. Africa.
3	<i>M. cylindracea.</i>	?	Sandwich Islands. M. Robillard.
4	<i>M. prunum.</i>	Gmelin.	<i>a</i> Panama. <i>b</i> Senegal.
5	<i>M. quinqueplicata.</i>	Lamarck.	Indian Ocean.*

GENUS.—ERATO. *Risso, 1826.*

1	<i>E. Maugeriae.</i>	Gray.	Panama.
---	----------------------	-------	---------

FAMILY 2.—COLUMBELLINÆ.

GENUS.—COLUMBELLA. *Lamarck, 1799.*

1	<i>C. avara.</i>	Say.	Bay of Massachusetts.
2	<i>C. discors.</i>	Gmelin.	Philippines.
3	<i>C. Duclosiana.</i>	Sowerby.	Malacca.
4	<i>C. flava.</i>	Bruguère.	Hab. ?
5	<i>C. fulgurans.</i>	Lamarck.	Philippines.
6	<i>C. lævigata.</i>	Linnaeus.	Ceylon. Dr. W. Traill.
7	<i>C. mendicaria.</i>	Lamarck.	<i>a</i> Indian Seas. <i>b</i> Port Blair, Andamans. Dr. Walters.
8	<i>C. mercatoria.</i>	Linnaeus.	West Indies.
9	<i>C. nitida.</i>	Lamarck.	„
10	<i>C. pardalina.</i>	„	Philippines.
11	<i>C. rustica.</i>	Linnaeus.	Dalmatia.
12	<i>C. tæniata. ?</i>	Adams and Reeve	Borneo.*
13	<i>C. Terpsichore.</i>	Sowerby.	<i>a</i> Ceylon.* * <i>b</i> Northern Circars. Sir W. Denison.
14	<i>C. varians.</i>	„	Tahiti. M. Robillard.
15	<i>C. versicolor.</i>	„	Philippines.

FAMILY 13.—HARPIDÆ.

GENUS.—HARPA. *Lamarck, 1799.*

1	<i>H. minor.</i>	Rumphius.	<i>a</i> Philippines. <i>b</i> Port Blair, Andamans. Dr. Walters.
---	------------------	-----------	--

- | | | | |
|---|-----------------------|-----------|---------------|
| 2 | <i>H. nobilis.</i> | Rumphius. | Philippines. |
| 3 | <i>H. ventricosa.</i> | Lamarck. | Mauritius.* * |

FAMILY 14.—CASSIDIDÆ.

GENUS.—CASSIS. *Lamarck, 1799.*

- | | | | |
|---|-------------------------|----------|---|
| 1 | <i>C. areola.</i> | Lamarck. | <i>a</i> Island of Negros,
Philippines.
<i>b</i> Madras Coast.* |
| 2 | <i>C. canaliculata.</i> | „ | <i>a</i> Philippine Is-
lands.
<i>b</i> Madras Coast.* |
| 3 | <i>C. cornuta.</i> | „ | Moluccas, &c. |
| 4 | <i>C. decussata.</i> | „ | Singapore. |
| 5 | <i>C. glauca.</i> | „ | Philippines.* |
| 6 | <i>C. pila.</i> | Reeve. | China. |
| 7 | <i>C. rufa.</i> | Lamarck. | Moluccas.* |
| 8 | <i>C. torquata.</i> | Reeve. | New Holland. |
| 9 | <i>C. vibex.</i> | Lamarck. | Port Blair, An- Dr. Walters.
damans. |

GENUS.—CASSIDARIA. *Lamarck, 1812.*

- | | | | |
|---|------------------------|----------|---------|
| 1 | <i>C. echinophora.</i> | Lamarck. | Sicily. |
|---|------------------------|----------|---------|

GENUS.—ONISCIA. *Sowerby, 1825.*

- | | | | |
|---|-----------------------|----------|-------------|
| 1 | <i>O. cancellata.</i> | Sowerby. | China Seas. |
|---|-----------------------|----------|-------------|

FAMILY 15.—DOLIIDÆ

GENUS.—DOLIUM. *Lamarck, 1801.*

- | | | | |
|---|-----------------------|-----------|--|
| 1 | <i>D. Chinense.</i> | Deshayes. | China Seas. |
| 2 | <i>D. costatum.</i> | „ | Ceylon. Sir W. Denison. |
| 3 | <i>D. fasciatum.</i> | Lamarck. | <i>a</i> Philippine Ilds.
<i>b</i> Madras Coast.
and Ceylon.* |
| 4 | <i>D. fimbriatum.</i> | Sowerby. | Philippines. |
| 5 | <i>D. maculatum.</i> | Lamarck. | Eastern Seas.* * |
| 6 | <i>D. olearium.</i> | „ | Ceylon. |
| 7 | <i>D. perdix.</i> | „ | Eastern Seas.* |
| 8 | <i>D. pomum.</i> | „ | <i>a</i> Philippines and
Ceylon.
<i>b</i> Port Blair, An-
damans. |
| 9 | <i>D. variegatum.</i> | Lamarck. | New Holland. |

GENUS.—FICULA. *Swainson, 1835.*

- | | | | |
|---|----------------------|-------|--------|
| 1 | <i>F. decussata.</i> | Wood. | Hab. ? |
|---|----------------------|-------|--------|

2	<i>F. Dussumieri.</i>	Valenciennes	China.
3	<i>F. lævigata.</i>	Linnæus.	Eastern Seas.*
4	<i>F. reticulata.</i>	Lamarck.	<i>a</i> Sooloo Sea. Borneo. <i>b</i> Negapatam.*

FAMILY 16.—VELUTINIDÆ. *H. and A. Adams.*GENUS.—VELUTINA. *Blainville, 1819.*

1	<i>V. lævigata.</i>	Fleming.	West of England.
---	---------------------	----------	------------------

FAMILY 17.—NATICIDÆ.

GENUS.—NATICA. *Adamson, 1757.*

1	<i>N. ala-papilionis.</i>	Chemnitz.	Philippines.*	
2	<i>N. albumen.</i>	Lamarck.	Ceylon.	Sir W. Denison.
3	<i>N. aurantia.</i>	„	Philippines.	
4	<i>N. Campeachiensis.</i>	Récluz.	Campeachy Bay.	
5	<i>N. Chinensis.</i>	Lamarck.	China and Philip- pine Islands.	
6	<i>N. columnaris.</i>	Récluz.	Philippines.	
7	<i>N. fluctuata.</i>	Sowerby.	„	
8	<i>N. glauca.</i>	Humboldt.	West Columbia.*	
9	<i>N. globosa.</i>	Chemnitz.	Singapore.	
10	<i>N. lineata.</i>	Lamarck.	<i>a</i> Singapore. <i>b</i> Madras.*	
11	<i>N. maculosa.</i>	„	Singapore.	
12	<i>N. mamilla.</i>	„	<i>a</i> Philippines.* <i>b</i> Port Blair, An- damans.	Capt. Edgcome.
13	<i>N. Marochiensis.</i>	„	West Indies.	
14	<i>N. melanostoma.</i>	„	Seychelle Islands	
15	<i>N. monilifera.</i>	„	European Seas.	
16	<i>N. picta.</i>	Récluz.	Philippines.	Sir W. Denison.
17	<i>N. plumbea.</i>	Lamarck.	Brisbane Water, East Coast of Australia.	
18	<i>N. Raynaudiana.</i>	Récluz.	Ceylon.	Sir W. Denison.
19	<i>N. rufa.</i>	Lamarck.	„	„
20	<i>N. simiæ.</i>	Deshayes.	Philippines.	
21	<i>N. tincturata</i>	Reeve.	Madras Coast.	
22	<i>N. triseriata.</i>	Say.	Massachusetts Bay.	
23	<i>N. Zanzibarica.</i>	Récluz.	Thorn.	

GENUS.—SIGARETUS. *Lamarck*, 1801.

- | | | | | |
|---|------------------------|------------------|--|---------------|
| 1 | <i>S. concavus.</i> | <i>Lamarck.</i> | Bay of Callao,
Peru. | |
| 2 | <i>S. Neritoideus.</i> | <i>Linnaeus.</i> | <i>a</i> Vizagapatam.
<i>b</i> West Indies ?* | Major Frazer. |

FAMILY 18.—SCALARIDÆ.

GENUS.—SCALARIA. *Lamarck*, 1801.

- | | | | | |
|---|----------------------|-----------------|--------------------|--|
| 1 | <i>S. lamelloso.</i> | <i>Lamarck.</i> | Mediterranean Sea. | |
|---|----------------------|-----------------|--------------------|--|

FAMILY 19.—TEREBRIDÆ.

GENUS.—TEREBRA. *Bruguière*, 1789.

- | | | | | |
|----|------------------------|------------------|---|--|
| 2 | <i>T. affinis.</i> | <i>Gray.</i> | Island of Radock. | <i>M. Robillard.</i> |
| 3 | <i>T. chlorata</i> | <i>Lamarck.</i> | <i>a</i> Island of Radock.
<i>b</i> „ | <i>M. Robillard.</i>
<i>Sir W. Denison.</i> |
| 4 | <i>T. cingula.</i> | <i>Kiener.</i> | West Indies. | |
| 5 | <i>T. cingulifera.</i> | <i>Lamarck.</i> | Philippines. | |
| 6 | <i>T. crenulata.</i> | <i>Linnaeus.</i> | <i>a</i> Moluccas.
<i>b</i> Pacific Ocean. | <i>Sir W. Denison.</i> |
| 7 | <i>T. dimidiata.</i> | „ | Society Islands.* | |
| 8 | <i>T. duplicata.</i> | „ | Zanzibar.* | |
| 9 | <i>T. maculata.</i> | „ | Society Islands. | |
| 10 | <i>T. muscaria.</i> | <i>Lamarck.</i> | Philippines. | |
| 11 | <i>T. myuros.</i> | „ | <i>a</i> Moluccas, &c.
<i>b</i> Madras Coast* | |
| 12 | <i>T. oculata.</i> | „ | Pacific Ocean. | <i>Sir W. Denison.</i> |
| 13 | <i>T. strigata.</i> | <i>Sowerby.</i> | Panama, &c. | |
| 14 | <i>T. strigilata.</i> | <i>Linnaeus.</i> | Philippines. | |
| 15 | <i>T. subulata.</i> | „ | <i>a</i> Society Islands.
<i>b</i> Port Blair, Andamans. | <i>Dr. Walters.</i> |
| 16 | <i>T. tigrina.</i> | <i>Gmelin.</i> | Island of Radock. | <i>M. Robillard.</i> |
| 71 | <i>T. Traillii.</i> | <i>Deshayes.</i> | <i>a</i> Vizagapatam.
<i>b</i> „ | <i>Major Fraser.</i>
<i>Sir W. Denison.</i> |

FAMILY 20.—PUSIONELLIDÆ. *Gray*, 1857.GENUS.—PUSIONELLA. *Gray*, 1850.

- | | | | | |
|---|--------------------|---------------|----------|--|
| 1 | <i>P. rapulum.</i> | <i>Reeve.</i> | Malacca. | |
|---|--------------------|---------------|----------|--|

FAMILY 21.—PYRAMIDELLIDÆ.

GENUS.—PYRAMIDELLA. *Lamarck*, 1796.

- | | | | | |
|---|-----------------------|------------------|--------------|-----------------------|
| 1 | <i>P. cincta.</i> | <i>Reeve.</i> | Philippines. | |
| 2 | <i>P. punctata.</i> | <i>Chemnitz.</i> | Moluccas. | |
| 3 | <i>P. terebellum.</i> | <i>Lamarck.</i> | West Indies. | <i>Dr. W. Traill.</i> |

GENUS.—RINGICULA. *Deshayes*, 1838.

- 1 *R. caron*. Philippines.

GENUS.—CHEMNITZIA. *D'Orbigny*, 1839.

- 1 *C. rufa*. Britain.

GENUS.—ODOSTOMIA. *Fleming*, 1848.

- 1 *O. conoides*. Britain.
2 *O. unidentata*. Fleming. Loch Fine.

GENUS.—MONOPTYGMA. *Lea*, 1833.

- 1 *M. striata*. ? Japan.

FAMILY 22.—EULIMIDÆ. *H. and A. Adams*, 1854.GENUS.—EULIMA. *Risso*, 1826.

- 1 *E. distorta*. Deshayes. European Ocean.
2 *E. polita*. Linnæus. „

FAMILY 23.—STYLIFERIDÆ.

GENUS.—STYLIFER. *Broderip*, 1832.

- 1 *S. Turtoni*. Broderip. Britain.

FAMILY 25.—SOLARIIDÆ.

GENUS.—SOLARIUM. *Lamarck*, 1799.

- 1 *S. lævigatum*. Lamarck. Madras Coast.*
2 *S. maximum*. Philippi. Java & Ceylon.*
3 *S. perspectivum*. Lamarck. Indian Ocean.*
4 *S. stramineum*. „ Covalum, near Madras.

SUB-ORDER 2.—TOXIFERA. *Gray*.FAMILY 27.—CONIDÆ. *H. and A. Adams*.GENUS.—CONUS. *Linnæus*, 1758.

- 1 *C. achatinus*. Chemnitz. Indian Ocean.
2 *C. acuminatus*. Hwass. Red Sea.
3 *C. amadis*. Martini Ceylon.*
4 *C. araneosus*. Hwass. a „
b Port Blair, An- Capt. Edgcome.
damans.
5 *C. arenatus*. „ Ceylon.
6 *C. augur*. „ „ &c.
7 *C. aulicus*. Linnæus. „
8 *C. betulinus*. „ „ *

9	<i>C. capitaneus.</i>	Linnæus.	<i>a</i> Asiatic Seas.	
			<i>b</i> Port Blair, An-	Dr. Gamach.
			damans.	
10	<i>C. catus.</i>	Hwass.	"	"
11	<i>C. consors.</i>	Sowerby.	Ceylon.	
12	<i>C. distans.</i>	Hwass.	Reunion.	M. Robillard.
13	<i>C. eburneus.</i>	"	Ceylon.	
14	<i>C. episcopus.</i>	Lamarck.	<i>a</i> "	
			<i>b</i> Port Blair, An-	Dr. Gamach.
			damans.	
15	<i>C. figulinus.</i>	Linnæus.	<i>a</i> Ceylon*	
			<i>b</i> Madras.*	
16	<i>C. flavidus.</i>	Lamarck.	Kingsmill Island.	M. Robillard.
17	<i>C. generalis.</i>	Linnæus.	Ceylon.	
18	<i>C. geographus.</i>	"	<i>a</i> Mauritius, &c.	
			<i>b</i> Port Blair, An-	Capt. Edgcome.
			damans.	
19	<i>C. glans.</i>	Hwass.	Philippines.	
20	<i>C. gubernator.</i>	"	Diego.	M. Robillard.
21	<i>C. hebræus.</i>	Linnæus.	<i>a</i> Ceylon.	
			<i>b</i> Port Blair, An-	Capt. Edgcome.
			damans.	
22	<i>C. imperialis</i>	Linnæus.	Philippines.	
23	<i>C. interruptus.</i>	Broderip and		
		Sowerby.	Pacific Ocean.	
24	<i>C. literatus</i>	Linnæus.	<i>a</i> Ceylon.	
			<i>b</i> Andamans.	Lt. McGoun.
25	<i>C. lividus.</i>	Hwass.	Society Islds.*	
26	<i>C. magus.</i>	Linnæus.	Philippines.	
27	<i>C. mallaccanus.</i>	Lamarck.	Hab. ?	
28	<i>C. marmoreus.</i>	Linnæus.	Ceylon, &c.	Sir W. Denison.
29	<i>C. miles.</i>	"	<i>a</i> "	
			<i>b</i> Port Blair, An-	Dr. Walters.
			damans.	
30	<i>C. miliaris.</i>	Hwass.	China.	
31	<i>C. millepunctatus</i>	Lamarck.	Island of Annaa.	
32	<i>C. minimus.</i>	Linnæus.	Sandwich Islands	Sir W. Denison.
33	<i>C. mitratus.</i>	Hwass.	Port Blair, An-	Dr. Gamach.
			damans.	
34	<i>C. monile.</i>	"	Ceylon.*	
35	<i>C. mustellinus.</i>	"	Isld. of Bohol, &c.	

36	<i>C. nussatella.</i>	Linnæus.	<i>a</i> Philippines. <i>b</i> Port Blair, An- damans.	Capt. Edgcome.
37	<i>C. obesus.</i>	Hwass.	Ceylon.*	
38	<i>C. obscurus.</i>	Humphreys.	<i>a</i> Philippines. <i>b</i> Port Blair, An- damans.	
39	<i>C. papilionaceus.</i>	Hwass.	Mouth of the Gambia.	
40	<i>C. pulicarius.</i>	„	Moluccas.	
41	<i>C. punctatus.</i>	Chemnitz.	Vizagapatam.	Sir W. Denison.
42	<i>C. quercinus.</i>	Hwass.	Ceylon.	
43	<i>C. regularis.</i>	Sowerby.	Gulf of Nicoya, &c.	
44	<i>C. sponsalis.</i>	?	Kingsmill Island.	M. Robillard.
45	<i>C. striatus.</i>	Linnæus.	<i>a</i> Ceylon.* <i>b</i> Port Blair, An- damans.	
46	<i>C. sulcatus.</i>	Hwass.	China.	
47	<i>C. Taheitensis.</i>	„	Tahiti.	M. Robillard.
48	<i>C. terebellum.</i>	Martini.	Philippines.	
49	<i>C. terminus.</i>	Lamarck.	Ceylon.	
50	<i>C. tessellatus.</i>	Born.	„ *	
51	<i>C. textile.</i>	Linnæus.	<i>a</i> „ <i>b</i> Andamans. <i>c</i> „	Capt. Edgcome. Lt. McGoun.
52	<i>C. tulipa.</i>	Linnæus.	Island of Annaa.	
53	<i>C. vermiculatus.</i>	?	Reunion.	M. Robillard.
54	<i>C. vexillum.</i>	Martini.	Philippines.	
55	<i>C. virgo.</i>	Linnæus.	Ceylon, &c.*	
56	<i>C. viridulus.</i>	Lamarck.	„	Sir W. Denison.
57	<i>C. vitulinus.</i>	Hwass.	Tahiti.	„
58	<i>C. zonatus.</i>	„	Eastern Ocean.	

SUB-ORDER 3.—ROSTRIFERA. *Gray.*FAMILY 28.—STROMBIDÆ. *D'Orbigny.*GENUS.—STROMBUS. *Linnæus, 1740.*

1	<i>S. auris, Dianæ</i>	Linnæus.	Ind. Archipelago.	
2	<i>S. australis.</i>	Sowerby.	W. Australia.	Sir W. Denison.
3	<i>S. canarium.</i>	Linnæus.	<i>a</i> Ceylon.* <i>b</i> Labuan.	
4	<i>S. dentatus.</i>	„	Indian Seas.	

5	<i>S. elegans.</i>	Sowerby.	Burmah.	
6	<i>S. epidromus.</i>	Linnæus.	Philippines.	
7	<i>S. floridus.</i>	Lamarck.	<i>a</i> Seychelle Islds.	
			<i>b</i> Mauritius.	
8	<i>S. gibberulus.</i>	Linnæus.	<i>a</i> Philippines.	
			<i>b</i> Port Blair, An-	Dr. Walters.
			damans.	
			<i>c</i> Isld. of Radock.	Sir W. Denison.
9	<i>S. gigas.</i>	Linnæus.	The Antilles.	
10	<i>S. granulatus.</i>	Gray.	South Seas.	
11	<i>S. Isabella.</i>	Lamarck.	Singapore.	
12	<i>S. lentiginosus.</i>	Linnæus.	<i>a</i> Indian Seas.	
			<i>b</i> „, young.	
13	<i>S. Luhuanus.</i>	„	Indian Seas.	
14	<i>S. maculatus.</i>	Nuttall.	Kingsmill Island.	M. Robillard.
15	<i>S. marginatus.</i>	Linnæus.	Indian Seas.	
16	<i>S. Mauritianus.</i>	Lamarck.	Ceylon.*	
17	<i>S. papilio.</i>	Chemnitz.	„	Sir W. Denison.
18	<i>S. pugilis.</i>	Linnæus.	The Antilles.	
19	<i>S. succinctus.</i>	„	Indian Seas.*	
20	<i>S. tricornis.</i>	Lamarck.	Red sea.	
21	<i>S. urceus.</i>	Linnæus.	<i>a</i> Singapore.	
			<i>b</i> Indian Seas.	
22	<i>S. variabilis.</i>	Swainson.	<i>a</i> Philippines.	
			<i>b</i> Port Blair, An-	Dr. Walters.
			damans.	
23	<i>S. vittalus.</i>	Linnæus.	Philippines.	

GENUS.—PTEROCERA. *Lamarck*, 1799.

1	<i>P. aurantia.</i>	Lamarck.	<i>a</i> Ceylon.	
			<i>b</i> „, young.	
2	<i>P. bryonia.</i>	Chemnitz.	<i>a</i> „ *	
			<i>b</i> Port Blair, An-	Capt. Edgcome.
			damans.	
3	<i>P. chiragra.</i>	Linnæus.	Ceylon.	
4	<i>P. lambis.</i>	„	Indian Seas.*	
5	<i>P. scorpius.</i>	„	<i>a</i> „	
			<i>b</i> Port Blair, An-	Dr. Gamach.
			damans.	
6	<i>P. violacea.</i>		Cargados Island,	M. Robillard.
			very rare.	

GENUS.—ROSTELLARIA. *Lamarck*, 1799.

- | | | | | |
|---|-------------------------|-----------------|--|-----------------|
| 1 | <i>R. cancellata.</i> | <i>Lamarck.</i> | <i>a</i> Ceylon.
<i>b</i> Burmah. | |
| 2 | <i>R. curvirostris.</i> | „ | <i>a</i> Red Sea.
<i>b</i> Nassibe. | Sir W. Denison. |
| 3 | <i>R. fusus.</i> | <i>Linnæus.</i> | Labuan. | |

GENUS.—CHENOPUS. *Philippi*, 1836.

- | | | | |
|---|-------------------------|-----------------|-------------------|
| 1 | <i>C. pes-pelecani.</i> | <i>Lamarck.</i> | Coasts of Europe. |
|---|-------------------------|-----------------|-------------------|

GENUS.—STRUTHIOLARIA. *Lamarck*, 1812.

- | | | | |
|---|---------------------|----------------|--------------|
| 1 | <i>S. papulosa.</i> | <i>Martyn.</i> | New Zealand. |
|---|---------------------|----------------|--------------|

GENUS.—TEREBELLUM. *Lamarck*, 1809.

- | | | | |
|---|----------------------|-----------------|---------|
| 1 | <i>T. punctatum.</i> | <i>Linnæus.</i> | Ceylon. |
|---|----------------------|-----------------|---------|

FAMILY 29.—CYPRÆIDÆ. *Gray*, 1824.GENUS.—CYPRÆA. *Linnæus*, 1740.

- | | | | | |
|---|----------------------------|-----------------|---|----------------|
| 1 | <i>C. algoensis.</i> | <i>Reeve.</i> | Algoa Bay, South Africa. | |
| 2 | <i>C. annulus.</i> | <i>Linnæus.</i> | <i>a</i> Eastern Seas.*
<i>b</i> Port Blair, Andamans. | Dr. Walters. |
| 3 | <i>C. Arabica.</i> | „ | <i>a</i> Eastern Seas.* *
<i>b</i> Port Blair, Andamans. | Dr. Walters. |
| 4 | <i>C. Arabicula.</i> | <i>Lamarck.</i> | St. Elena, West Columbo. | |
| 5 | <i>C. Argus.</i> | <i>Linnæus.</i> | Port Blair, Andamans. | Dr. Walters. |
| 6 | <i>C. assellus.</i> | „ | <i>a</i> West Indies.
<i>b</i> Port Blair, Andamans. | Dr. Walters. |
| | | | <i>c</i> „ | Capt. Edgcome. |
| 7 | <i>C. australis.</i> | <i>Lamarck.</i> | New Holland. | |
| 8 | <i>C. caput-serpentis.</i> | <i>Linnæus.</i> | <i>a</i> Pacific Ocean.*
<i>b</i> Port Blair, Andamans. | Dr. Walters. |
| | | | <i>c</i> „ | Capt. Edgcome. |
| 9 | <i>C. carneola.</i> | „ | <i>a</i> Isle of Annaa.*
<i>b</i> Port Blair, Andamans. | Dr. Gamach. |

10 <i>C. caurica</i> .	Linnaeus.	<i>a</i> Eastern Seas.* *	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
11 <i>C. Childreni</i> .	Grey.	Isle of Annaa.	
12 <i>C. cicerula</i> .	Linnaeus.	<i>a</i> „	
		<i>b</i> Port Blair, An-	
		damans.	
13 <i>C. clandestina</i> .	„	<i>a</i> Ceylon.	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
14 <i>C. cribaria</i> .	„	<i>a</i> Ceylon.	Sir W. Denison.
		<i>b</i> „ , young.	„
		<i>c</i> Port Blair, An-	Dr. Gamach.
		damans.	
15 <i>C. cylindrica</i> .	Born.	Ceylon.	
16 <i>C. diliculum</i> .	Linnaeus.	Philippines.	
17 <i>C. erronea</i> .	„	<i>a</i> Eastern Seas.*	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
18 <i>C. erosa</i> .	„	<i>a</i> Ceylon, Mauri-	Dr. Walters.*
		tius, &c.	
		<i>b</i> Andamans.	Lieut. McGoun.
19 <i>C. Europæa</i>	Montague.	Shores of Britain.*	
20 <i>C. felina</i> .	Gray.	<i>a</i> Madras.	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
21 <i>C. fimbriata</i> .	Gmelin.	Japan.	
22 <i>C. gangrenosa</i> .	Solander	Hab. ?	
23 <i>C. globulus</i> .	Linnaeus.	<i>a</i> East Indies.	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
24 <i>C. helvola</i>	„	Ceylon.*	
25 <i>C. insecta</i> .	?	Sandwich Islands.	M. Robillard.
26 <i>C. interrupta</i> .	Gray.	Ceylon.	
27 <i>C. Isabella</i> .	Linnaeus	<i>a</i> Mauritius.*	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
28 <i>C. Lamarkii</i> ?	Gray.	Ceylon.	Sir W. Denison.
29 <i>C. lynx</i> .	Linnaeus.	<i>a</i> „ *	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
		<i>c</i> „	Capt. Edgcome.

30	<i>C. maculata.</i>	Barnes.	Polynesian Islands.	Sir W. Denison.
31	<i>C. mappa.</i>	Linnæus.	<i>a</i> Isle of Annaa. <i>b</i> Port Blair, An- damans.	Dr. Walters.
32	<i>C. Mauritiana.</i>	„	<i>a</i> Mauritius.* <i>b</i> Port Blair, An- damans. <i>c</i> „ <i>d</i> „	Capt. Edgcome. Lieut. McGoun. Dr. Walters.
33	<i>C. miliaris.</i>	Gmelin.	Japan.	
34	<i>C. moneta.</i>	Linnæus.	<i>a</i> Tahiti.* <i>b</i> Madras.	
35	<i>C. mus.</i>	„	Hab. ?	
36	<i>C. neglecta.</i>	Sowerby.	Mauritius.	
37	<i>C. nucleus.</i>	Linnæus.	<i>a</i> Hab. ? <i>b</i> Port Blair, An- damans.	
38	<i>C. ocellata.</i>	„	<i>a</i> Eastern Seas.* <i>b</i> Vizagapatam.	Major Fraser.
39	<i>C. onyx.</i>	Linnæus.	<i>a</i> California. <i>b</i> Port Blair, An- damans.	Dr. Walters.
40	<i>C. oryza.</i>	Lamarek.	<i>a</i> Philippines. <i>b</i> Port Blair, An- damans.	Dr. Gamach.
41	<i>C. pantherina.</i>	Solander.	Red Sea.	
42	<i>C. pediculus.</i>	Linnæus.	West Indies.	
43	<i>C. piperata.</i>	Solander.	New Holland.	
44	<i>C. poraria.</i>	Linnæus.	Tahiti.	
45	<i>C. punctata.</i>	„	Port Blair, An- damans.	Dr. Gamach.
46	<i>C. pustulata.</i>	Lamarek.	Island of Plata, N. America.	
47	<i>C. pyriformis.</i>	Gray.	Ceylon.	
48	<i>C. quadrimaculata.</i>	„	Hab. ?	
49	<i>C. reticulata.</i>	Martyn.	Eastern Seas.	
50	<i>C. Scottii</i>	Broderip.	W. Australia.	Sir W. Denison.
51	<i>C. scurra.</i>	Chemnitz.	<i>a</i> Isle of Annaa. <i>b</i> Port Blair, An- damans.	Dr. Walters.
52	<i>C. spurca.</i>	Linnæus.	Adriatic Gulph.	M. Robillard.

53	<i>C. staphylea.</i>	Linnæus.	<i>a</i> Philippines.	
			<i>b</i> Port Blair, Andamans.	Dr. Gamach.
54	<i>C. stolid.</i>	„	Ceylon.	
55	<i>C. talpa.</i>	„	<i>a</i> Eastern Seas.	
			<i>b</i> Port Blair, Andamans.	Dr. Walters.
			<i>c</i> „	Capt. Edgcome.
56	<i>C. testitudinaria.</i>	„	Mauritius.	
57	<i>C. thersites.</i>	Gascoigne.	Australia.	
58	<i>C. tigris.</i>	Linnæus.	<i>a</i> Eastern Seas.*	
			<i>b</i> Port Blair, Andamans.	Lieut. McGoun.
			<i>c</i> „	Capt. Edgcome.
59	<i>C. turdus.</i>	Lamarck.	Hab. ?	
60	<i>C. ventriculus</i>	„	Isle of Annaa.	
61	<i>C. vitellus.</i>	Linnæus.	Port Blair, Andamans.*	Dr. Walters.
62	<i>C. zigzag.</i>	„	Mozambique.	

GENUS.—OVULUM. *Bruguère, 1789.*

1	<i>O. ovum.</i>	Linnæus.	<i>a</i> Port Blair, Andamans.	Dr. Walters.*
			<i>b</i> „	Capt. Edgcome.
			<i>c</i> „	Dr. Gamach.
2	<i>O. verrucosum.</i>	„	Port Blair, Andamans.	Dr. Walters.
3	<i>O. volva.</i>	„	West Indies.	Sir W. Denison.

FAMILY 30.—CANCELLARIIDÆ. *H. and A. Adams.*

GENUS.—CANCELLARIA. *Lamarck, 1799.*

1	<i>C. bifasciata.</i>	Deshayes.	Straits of Malacca.	
2	<i>C. hystrix.</i>	Reeve.	Mauritius.	
3	<i>C. lamellosa.</i>	Hinds.	Indian Archipelago.	
4	<i>C. Littorinæformis.</i>	Sowerby.	Ceylon.	Sir W. Denison.
5	<i>C. mangelioides.</i>	Reeve.	Hab. ?	

FAMILY 31.—TRICHOTROPIDÆ.

GENUS.—TRICHOTROPIS. *Sowerby and Broderip, 1826.*

1	<i>T. cancellata.</i>	Hinds.	Vancouver's Isl.	
---	-----------------------	--------	------------------	--

FAMILY.—CERITHIIDÆ.

GENUS.—CERITHIUM. *Bruguère, 1789.*

1	<i>C. alveola.</i>	?	Tahiti.	Sir W. Denison.
---	--------------------	---	---------	-----------------

2	<i>C. granosum.</i>	Kiener.	New Holland.	
3	<i>C. litteratum.</i>	Born.	West Indies.	
4	<i>C. morus.</i>	Lamarck.	<i>a</i> Bay of Bengal.	
			<i>b</i> Vizagapatam.	Major Fraser.
5	<i>C. nodulosum.</i>	Bruguère.	<i>a</i> Port Blair, Andamans.	Capt. Edgcome.
			<i>b</i> Red Sea.	
6	<i>C. palustre.</i>	„	<i>a</i> Port Blair, Andamans.	Dr. Gamach.
			<i>b</i> East Indies.*	
7	<i>C. reticulatum.</i>	Costa.	Cornwall, England.	
8	<i>C. rugosum.</i>	Wood.	<i>a</i> Tahiti.	Sir W. Denison.
			<i>b</i> New Holland.	

GENUS.—VERTAGUS. *Klein.*

1	<i>V. fasciatus.</i>	Bruguère.	East Indies.	
2	<i>V. gemmatus.</i>	Hinds?	Acapulco.	Sir W. Denison.
3	<i>V. lineatus.</i>	Lamarck.	Port Blair, Andamans.	Capt. Edgcome.
4	<i>V. obeliscus.</i>	Bruguère.	<i>a</i> Singapore.*	
			<i>b</i> Labuan.	
			<i>c</i> Port Blair, Andamans.	Dr. Walters.
			<i>d</i> Kingsmill Island.	M. Robillard.
5	<i>V. Sowerbyi.</i>	Kiener.	Hab.?	
6	<i>V. vulgaris.</i>	Schumacher.	<i>a</i> East Indies.*	
			<i>b</i> Port Blair, Andamans.	Dr. Gamach.

GENUS.—TELESCOPIUM. *Montfort, 1810.*

1	<i>T. fuscum.</i>	Schumacher.	<i>a</i> East Indies.	
			<i>b</i> Pulicat Lake.	

GENUS.—CERITHIDEA. *Swainson, 1840.*

1	<i>C. decollata.</i>	Linnaeus.	Hab.?	
2	<i>C. Lafondii.</i>	Michaud.	Jamaica.	
3	<i>C. obtusa.</i>	Wood.	Seas of Timor.	
4	<i>C. quadrata.</i>	Sowerby.	Malacca.	

FAMILY 33.—MELANIIDÆ.

GENUS.—MELANIA. *Lamarck, 1799.*

1	<i>M. acuta.</i>	Lea.	Georgia, U. States.	
2	<i>M. Australis.</i>	Reeve.	Victoria River, N. Australia.*	

3	<i>M. balteata.</i>	Reeve.	Ceylon.	
4	<i>M. collistrieta.</i>	„	Madras.* * *	
5	<i>M. corrugata.</i>	Lamarck.	India.*	
6	<i>M. crenulata.</i>	Chemnitz.	<i>a</i> River Irrawadi, Burmah. <i>b</i> Philippine Islands.	
7	<i>M. episcopalis.</i>	Lea.	Malacca.	
8	<i>M. flammulata.</i>	Von dem Busch.	Labuan.	
9	<i>M. gemmulata.</i>	Reeve.	Calcutta.	
10	<i>M. gracilior.</i>	Anthony.	Ohio.	
11	<i>M. Herculea.</i>	Gould.	Ceylon.	
12	<i>M. lyrata.</i>	Menke.	Sikkim-Himalaya.	
13	<i>M. mancinsis.</i>	?	Sandwich Islands.	M. Robillard.
14	<i>M. Newcombi.</i>	?	„	„
15	<i>M. pyramis.</i>	Benson.	<i>a</i> Borneo.* <i>b</i> Ceylon, var.	
16	<i>M. spinulosa.</i>	Lamarck.	<i>a</i> „ <i>b</i> Calcutta.	
	„ young.			
17	<i>M. subsolida.</i>	Lea.	Indiana.	
18	<i>M. tuberculata.</i>	Müller.	Calcutta & vicinity of Madras.* * *	
19	<i>M. variabilis.</i>	Benson.	Bengal.	
20	<i>M. virgulata.</i>	Ferussac.	Pulla River, near Cuddapah.*	Miss S. Mitchell.

GENUS.—LEPTOXIS. *Rafinesque*, 1819.

1	<i>L. geniculatus.</i>	Haldeman.	Tennessee, United States.
---	------------------------	-----------	---------------------------

GENUS.—MELANOPSIS. *Ferussac*, 1807.

1	<i>M. cariosa.</i>	Linnaeus.	Spain ?
2	<i>M. prærosa.</i>	„	„

GENUS.—PIRENA. *Lamarck*, 1812.

1	<i>P. atra.</i>	Müller.	Calcutta & Ceylon.	
2	<i>P. spinosa.</i>	Lamarck.	Madagascar.	Sir W. Denison.

FAMILY 34.—LITTORINIDÆ. *Gray*, 1840.

GENUS.—LITTORINA. *Ferussac*, 1821.

1	<i>L. carnifera.</i>	Menke.	Java.*	
2	<i>L. columellaris.</i>	D'Orbigny.	Pernambuco.	
3	<i>L. conica.</i>	Philippi.	Japan.	M. Robillard.
4	<i>L. conspersa.</i>	?	Panama.	Sir W. Denison.
5	<i>L. fasciata.</i>	Gray.	„	„

6	<i>L. irrorata.</i>	Sáy.	Sitka, U. States.	Sir W. Denison.
7	<i>L. lævis.</i>	Philippi.	<i>a</i> Calcutta.	
			<i>b</i> Island of Reunion.	M. Robillard.
8	<i>L. littoralis.</i>	Linnaeus.	Britian, &c.*	
9	<i>L. littorea.</i>	„	Atlantic shores of Europe.	
10	<i>L. Malaccana.</i>	Philippi.	<i>a</i> Ceylon.	
			<i>b</i> Madras.**	
11	<i>L. melanostoma.</i>	Gray.	Singapore.	
12	<i>L. muricata.</i>	Linnaeus.	West Indies.	
13	<i>L. Newcombi.</i>	Reeve.	Sandwich Islands.	M. Robillard.
14	<i>L. obesa.</i>	Sowerby.	Philippines.	
15	<i>L. obligata.</i>	Say.	Maine, U. States.	
16	<i>L. palliata.</i>	„	United States.*	
17	<i>L. picta.</i>	Philippi.	Sandwich Islands.	M. Robillard.
18	<i>L. pintado.</i>	Wood.	Island of Reunion.	„
19	<i>L. plena.</i>	?	San Francisco.	„
20	<i>L. reticulata.</i>	?	Island of Reunion.	„
21	<i>L. rudis.</i>	Donovan.	Britain, & U. States.	
22	<i>L. scabra.</i>	Linnaeus.	Philippines.	
23	<i>L. Sitchana.</i>	Philippi.	Sitka, North West Coast, America.	Sir W. Denison.
24	<i>L. tenebrosa.</i>	Montagu.	Britain, & U. States.	
25	<i>L. trochoides.</i>	Gray.	Ceylon.	
26	<i>L. zigzag.</i>	Chemnitz.	„	

GENUS.—LACUNA. *Turton, 1827.*

27	<i>L. crassior.</i>	Montagu.	Britain.
28	<i>L. vineta.</i>	„	„

GENUS.—CREMNOBATES. *W. T. Blandford, 1863.*

1	<i>C. carmatus.</i>	Layard.	Mahableswhar.	Mr. W. T. Blandford.
2	<i>C. conicus.</i>	W. T. Blandford.	Torna, Dukhun.	„
3	<i>C. Syhadrensis.</i>	„	Western Ghats.	„

FAMILY 35.—PLANAXIDÆ. *H. and A. Adams.*GENUS —PLANAXIS. *Lamarck, 1822.*

1	<i>P. boricinoides.</i>	?	Tahiti.	M. Robillard.
2	<i>P. Judicularis.</i>	Lamarck.	West Indies.	
3	<i>P. lineolatus.</i>	Gould.	Tahiti.	Sir W. Denison.
4	<i>P. plumbea.</i>	Pease.	Sandwich Islands.	„

- | | | | |
|---|-------------------------|----------|--|
| 5 | <i>P. semisulcatus.</i> | Sowerby. | Hab. ? |
| 6 | <i>P. sulcatus.</i> | Lamarck. | <i>a</i> Ceylon.*
<i>b</i> Vizagapatam. |

SUB-GENUS.—QUOYIA. *H. and A. Adams, 1854.*

- | | | | |
|---|----------------------|----------------------|------------------|
| 1 | <i>Q. decollata.</i> | Quoy and
Gaimard. | North Australia. |
|---|----------------------|----------------------|------------------|

FAMILY 37.—RISSOIDÆ. *H. and A. Adams.*

GENUS.—RISSOA. *Fréminville, 1814.*

- | | | | | |
|---|------------------------|----------|--------------------------|-----------------|
| 1 | <i>R. cingilla.</i> | Fleming. | Plymouth, &c. | |
| 2 | <i>R. fulgida.</i> | ? | Britain. | |
| 3 | <i>R. labiosa.</i> | Fleming. | „ | |
| 4 | <i>R. minuta.</i> | ? | Ceylon. | Dr. W. Traill. |
| 5 | <i>R. parva.</i> | Récluz. | Britain. | |
| 6 | <i>R. rufilabris.</i> | ? | „ | |
| 7 | <i>R. sealurella.</i> | Adams. | Jamaica. | Sir W. Denison. |
| 8 | <i>R. semistriata.</i> | Fleming. | South Coast of
Devon. | |
| 9 | <i>R. ventricosa.</i> | „ | Weymouth. | |

FAMILY 38.—PALUDINIDÆ. *H. and A. Adams.*

GENUS.—PALUDINA. *Lamarck, 1821.*

- | | | | | |
|---|------------------------|-------------|--|------------------|
| 1 | <i>P. Bengalensis.</i> | Lamarck. | <i>a</i> Madras.*
<i>b</i> Benares.
<i>c</i> Vizagapatam.* * | Mr. W. Theobald. |
| 2 | <i>P. contecta.</i> | Millet. | Central Europe. | |
| 3 | <i>P. decisa.</i> | Say. | Erie Canal.* | |
| 4 | <i>P. fallax.</i> | Frauenfeld. | Tenasserim. | Mr. W. Theobald. |
| 5 | <i>P. malleata.</i> | Reeve. | Japan. | |
| 6 | <i>P. melanostoma.</i> | Benson. | <i>a</i> Madras. * * *
<i>b</i> Bengal. | Mr. E. Blyth. |
| 7 | <i>P. vivipira.</i> | Linnaeus. | Central Europe. | |

GENUS.—PALUDOMUS. *Swainson, 1840.*

- | | | | |
|---|------------------------|---------|-----------------------------|
| 1 | <i>P. acutus.</i> | Reeve. | Courtalliar River.* * * |
| 2 | <i>P. Chilinoides.</i> | „ | Mahawelle Gunga,
Ceylon. |
| 3 | <i>P. conicus.</i> | Gray. | Sylhet, India. |
| 4 | <i>P. funiculatus.</i> | Reeve. | Rutnapoora, Ceylon. |
| 5 | <i>P. Gardneri.</i> | „ | Ceylon. |
| 6 | <i>P. lævis.</i> | Layard. | „ |

7	<i>P. loricatus.</i>	Reeve.	Ceylon.	
8	<i>P. phasianina.</i>	„	„	
9	<i>P. pictus.</i>	„	Rutnapoora, Ceylon.	
10	<i>P. Stephanus.</i>	Benson.	Bengal.	Mr. W. Theobald.
11	<i>P. sulcatus.</i>	Reeve.	Rutnapoora, Ceylon.	
12	<i>P. Tanjorica.</i>	Eydoux.	Courtalliar River.*	

GENUS.—BITHYNIA. *Gray*, 1821.

13	<i>B. cerameopoma.</i>	Benson.	Benares.	Mr. W. Theobald.
14	<i>B. impura.</i>	Lamarck.	Bordeaux.	
15	<i>B. marginata.</i>		<i>a</i> Ceylon.*	
			<i>b</i> Thoosmamundoor,	
			near Conjeveram.	
16	<i>B. minuta.</i>		Ceylon.*	
17	<i>B. pulchella.</i>	Hutton.	Madras. * * *	

FAMILY 39.—VALVATIDÆ. *Gray*.GENUS.—VALVATA. *Müller*, 1774.

1	<i>V. carinata.</i>	Say.	Hab. ?	
2	<i>V. piscinalis.</i>	Ferrussac.	Bordeaux.	

FAMILY 40.—AMPULLARIIDÆ. *D'Orbigny*, 1837.GENUS.—AMPULLARIA. *Lamarck*, 1799.

1	<i>A. adusta.</i>	Reeve.	Madagascar.	Sir W. Denison.
2	<i>A. amazonica.</i>	„	River Amazon.	
3	<i>A. carinata.</i>	Swainson.	Red Hill Lake.	
4	<i>A. glauca.</i>	Linnaeus.	„	
5	<i>A. globosa.</i>	Swainson.	„ * * *	
6	<i>A. Javanica.</i>	Reeve.	Bombay.	

FAMILY 41.—TURRITELLIDÆ. *Clark*, 1851.GENUS.—TURRITELLA. *Lamarck*, 1799.

1	<i>T. attenuata.</i>	Reeve.	Coromandel.*	
2	<i>T. bicingulata?</i>	Lamarck.	Cape de Verd Islands.	
3	<i>T. cornea.</i>	„	British Seas.	
4	<i>T. duplicata.</i>	„	Eastern Seas.**	
5	<i>T. terebra.</i>	„	Singapore.	

FAMILY 42.—CÆCIDÆ. *Gray*.GENUS.—CÆCUM. *Fleming*, 1811.

1	<i>C. trachæa.</i>	Forbes.	Britain.	
---	--------------------	---------	----------	--

FAMILY 43.—VERMETIDÆ. *D'Orbigny*, 1840.GENUS.—VERMETUS. *Adanson*, 1757.

- 1 *V. cereus*. Reeve ? Peru.

FAMILY 44.—SILICUARIIDÆ.

GENUS.—SILICUARIA. *Bruguère*, 1789.

- 1 *S. trochlearis*. ? Philippines.

FAMILY 45.—ONUSTIDÆ. *H. and A. Adams*.GENUS.—PHORUS. *Montfort*, 1810.

- 1 *P. calculiferus*. Reeve. Ceylon. Sir W. Denison.
2 *P. Indicus*. „ Cochin China.

FAMILY 46.—CALYPTRÆIDÆ. *Broderip*, 1835.GENUS.—CALYPTRÆA. *Lamarck*, 1799.

- 1 *C. spinura*. California.

GENUS.—CRUCIBULUM. *Schumacher*, 1817.

- 1 *C. corrugatum*. Carpenter. California.
2 *C. extintorum*. Lamarck. Malacca.* *
3 *C. radiatum*. Broderip. California.

GENUS.—TROCHITA. *Schumacher*, 1817.

- 1 *T. Sinensis*. Linnæus. Britain.

GENUS.—CREPIDULA. *Lamarck*, 1799.

- 1 *C. fornicata*. Linnæus. United States,
2 *C. Walshi*. Hermannson. Ceylon.

FAMILY 47.—PILEOPSIDÆ.

GENUS.—PILEOPSIS. *Lamarck*, 1812.

- 1 *P. ungaricus*. Linnæus. Britain.

GENUS.—HIPPONYX. *DeFrance*, 1819.

- 1 *H. barbata*. Sowerby. Society Islands.
2 *H. incurvata*. ? Island of Reunion. M. Robillard.

FAMILY 48.—NERITOPSIDÆ.

GENUS.—NARICA. *Récluz*, 1841.

- 1 *N. Deshayesiana* Récluz New Zealand.
2 *N. peletrina*. Tahiti. Tahiti. M. Robillard.

GENUS.—NERITOPSIS. *Grateloup*, 1832.

- 1 *N. radula*. Linnæus. Philippines.

ORDER II.—SCUTIBRANCHIATA. *H. and A. Adams.*

SUB-ORDER.—PODOPHTHALMA:

FAMILY 1.—NERITIDÆ.

GENUS.—NERITA. *Linnaeus, 1758.*

1	<i>N. albicilla.</i>	Linnaeus.	<i>a</i> Philippines.* *	
			<i>b</i> Solomon Islds.	M. Robillard.
2	<i>N. annulata.</i>	Reeve.	Vizagapatam.	
3	<i>N. antiquata.</i>	Récluz.	Philippines.	
4	<i>N. atrata.</i>	Chemnitz.	Australia.	
5	<i>N. atro-purpurea.</i>	Récluz.	Philippines.	
6	<i>N. costata</i>	Chemnitz.	Nicobar Islands.*	
7	<i>N. exuvia.</i>	Linnaeus.	Philippines.	
8	<i>N. funiculata.</i>	Reeve.	Hab. ?	
9	<i>N. lineata.</i>	Chemnitz.	Port Essington, N. Australia.	
10	<i>N. maura ?</i>	Récluz.	Solomon Islands.	M. Robillard.
11	<i>N. ornata.</i>	Sowerby.	Panama.	
12	<i>N. peloronta.</i>	Linnaeus.	West Indies.	
13	<i>N. plexa.</i>	Chemnitz.	Philippines.	
14	<i>N. plicata.</i>	Linnaeus.	West Indies.	
15	<i>N. polita.</i>	„	Philippines.* * *	
16	<i>N. præcognita.</i>	Adams.	Hab. ?	
17	<i>N. Rumphii.</i>	Récluz.	Philippines.*	
18	<i>N. semirugosa.</i>	„	Vizagapatam.	
19	<i>N. signata.</i>	Macleay.	Kingsmill Island.	Sir W. Denison.
20	<i>N. tessellata.</i>	Linnaeus.	West Indies.*	
21	<i>N. versicolor.</i>	Lamarck.	„	

GENUS.—NERITINA. *Lamarck, 1809.*

1	<i>N. auriculata ?</i>	Lamarck.	Calcutta.	
2	<i>N. chlorostoma.</i>	Broderip.	Tahiti.	M. Robillard.
3	<i>N. cornucopia, var.</i>	Benson.	Hab. ?	Mr. W. T. Blanford.
4	<i>N. corona ?</i>	Linnaeus.	Palawan.	
5	<i>N. cryptosira.</i>	Benson.	Salween River.	Mr. W. Theobald.
6	<i>N. depressa.</i>	„	<i>a</i> Calcutta. <i>b</i> Singapore.	
7	<i>N. dubia.</i>	Chemnitz.	Ceylon.	
8	<i>N. faba.</i>	Sowerby.	Hab. ?	
9	<i>N. fuliginosa.</i>	Theobald.	Ava.	Mr. W. Theobald.

10	<i>N. granosa.</i>	Sowerby.	Sandwich Islands.	M. Robillard.
11	<i>N. insculpta.</i>	Reeve.	Island of Diego.	„
12	<i>N. longispina.</i>	Récluz.	Mauritius.	Sir W. Denison.
13	<i>N. melanostoma</i>	Troschel.	Ceylon & Bengal.	
14	<i>N. meleagris ?</i>	Lamarck.	Dalmatia.	
15	<i>N. Mertonia.</i>	Récluz.	Pulicat Lake and Ceylon.*	
16	<i>N. obtusa.</i>	Benson.	River Ganges, Calcutta.	
17	<i>N. Perrotettiana.</i>	Récluz.	Madras and Neil- gherris.*	
18	<i>N. pisiformis.</i>	Récluz.	Sandwich Islands.	M. Robillard.
19	<i>N. ponderosa.</i>	?	Mauritius.	Sir W. Denison.
20	<i>N. Prevostiana.</i>	Sowerby.	Valencia.	
21	<i>N. pupa.</i>	Linnaeus.	Jamaica.	Dr. W. Traill.
22	<i>N. retifera.</i>	?	Calcutta.	*
23	<i>N. Sandwichensis.</i>	Deshayes.	Reunion & Mauri- tius.	M. Robillard.
24	<i>N. Smithii.</i>	Gray.	River Ganges, Calcutta.*	
25	<i>N. spinosa.</i>	Sowerby.	Maurice Island.	M. Robillard.
26	<i>N. Souleyetana.</i>	Récluz.	Marquesas Island.	„
27	<i>N. vespertina.</i>	Nuttall.	Tahiti.	„
28	<i>N. virginea ?</i>	Lamarck.	West Indies.	Dr. W. Traill.
29	<i>N. viridis.</i>	Linnaeus.	Martinique.	
30	<i>N. zebra.</i>	Lamarck.	Tahiti.	Sir W. Denison.
31	<i>N. zigzag.</i>	„	Labuan.	

GENUS.--NAVICELLA. *Lamarck*, 1809.

- 1 *N. tessellata.* Lamarck. Philippine Islds.*

FAMILY 2.--TROCHIDÆ.

TRIBE 1.--PHASIANELLINÆ.

GENUS.--PHASIANELLA. *Lamarck*, 1804.

- 1 *P. australis.* Gmelin. Kangaroo Island,
Australia.
- 2 *P. nivosa.* Reeve. Ceylon.*
- 3 *P. pulla.* Linnaeus. Britain.
- 4 *P. variegata.* Lamarck. The Antilles.*

TRIBE 2.--TURBININÆ.

GENUS.--TURBO. *Linnaeus*, 1758.

- 1 *T. articulatus.* Reeve. Ceylon.*
- 2 *T. Chemnitzianus.* „ Red Sea.

3	<i>T. chrysostoma.</i>	Linnæus.	Santa Cruz.	
4	<i>T. marmoratus.</i>	„	Moulmein.*	
5	<i>T. petholatus.</i>	„	Port Blair, Andamans.	Dr. Walters.
6	<i>T. setosus.</i>	Gmelin.	Kingsmill Island.	M. Robillard.
7	<i>T. spinosus.</i>	Chemnitz.	Nicobar Islands.	
8	<i>T. Ticaonicus.</i>	Reeve.	Philippines.	
9	<i>T. versicolor.</i>	„	„	

TRIBE 5.—ROTELLINÆ.

GENUS.—ROTELLA. *Lamarck*, 1822.

1	<i>R. gigantea.</i>	Lesson.	Japan ?	
2	<i>R. suturalis ?</i>	Lamarck.	Indian Seas.**	
3	<i>R. vestiaria.</i>	Linnæus.	<i>a</i> Mediterranean	
			<i>b</i> Madras Coast.***	

TRIBE 6.—TROCHILINÆ.

GENUS.—DELPHINULA. *Lamarck*, 1803.

1	<i>D. distorta.</i>	Lamarck	Nicobar Islands ?	
2	<i>D. Tyria.</i>	Reeve.	Swan River.	

GENUS.—TROCHUS. *Linnæus*, 1758.

1	<i>T. acutangulus.</i>	Chemnitz.	Philippine Islands.	
2	<i>T. ater.</i>	Lesson.	Peru.	
3	<i>T. brunneus.</i>	Philippi.	California.	Sir W. Denison.
4	<i>T. cinereus.</i>	?	?	M. Robillard.
5	<i>T. cinerarius.</i>	Linnæus.	Britain.	
6	<i>T. confragosus.</i>	G. S. K.	Tahiti.	Sir W. Denison
7	<i>T. gallinus.</i>	?	California.	„
8	<i>T. maculatus ?</i>	Lamarck.	Philippine Islds.	
9	<i>T. magus.</i>	Linnæus.	Britain.	
10	<i>T. Montagui.</i>	Wood.	Ireland.	
11	<i>T. Niloticus.</i>	Linnæus.	Eastern Seas.*	
12	<i>T. noduliferus.</i>	Lamarck.	Red Sea, Philippine Islands.	
13	<i>T. punctulatus.</i>	Martyn.	New Zealand.	
14	<i>T. pyramis.</i>	Born.	Philippine Islds.*	
15	<i>T. rhodostoma.</i>	Lamarck.	Island of Tortola, West Indies.	
16	<i>T. stellatus.</i>	Gmelin.	Malacca.	
17	<i>T. striatus.</i>	Linnæus.	Cornwall & Devon.	
18	<i>T. tentorium.</i>	Chemnitz.	Philippines.	
19	<i>T. tumidus.</i>	Linnæus.	Devon & Dorset, Britain.	

- | | | | | |
|----|------------------------|----------|-----------------|---------------|
| 20 | <i>T. umbilicatus.</i> | Pennant. | Britain. | |
| 21 | <i>T. vividus.</i> | Reeve. | Port Blair, An- | Dr. Walters.* |
| | | | damans. | |

GENUS.—CLANCULUS. *Montfort*, 1810.

- | | | | |
|---|----------------------|----------|----------|
| 1 | <i>C. Pharaonis.</i> | Linnæus. | Red Sea. |
|---|----------------------|----------|----------|

GENUS.—MONODONTA. *Lamarck*, 1799.

- | | | | | |
|---|----------------------|----------|-----------------|---------------|
| 1 | <i>M. angulata.</i> | Adams. | Jamaica. | |
| 2 | <i>M. labio.</i> | Lamarck. | Atlantic Ocean. | |
| 3 | <i>M. turbinata.</i> | Gmelin. | France. | M. Robillard. |

GENUS.—ZIZYPHINUS. *Gray*, 1840.

- | | | | | |
|---|---------------------------|-----------|--------------|----------------|
| 1 | <i>Z. conuloides.</i> | Lamarck. | Britain.* | |
| 2 | <i>Z. Tranquebaricus.</i> | Chemnitz. | Vizagapatam. | Major Frazer.* |

GENUS.—ELENCHUS. *Humphrey*, 1797.

- | | | | |
|---|-------------------|-------|------------------|
| 1 | <i>E. badius.</i> | Wood. | South Australia. |
|---|-------------------|-------|------------------|

GENUS.—BANKIVIA. *Beck*, 1848.

- | | | | |
|---|-------------------------|-----------|------------------|
| 1 | <i>B. purpurascens.</i> | Deshayes. | South Australia. |
|---|-------------------------|-----------|------------------|

GENUS.—TROCHISCUS. *Sowerby*, 1838.

- | | | | |
|---|---------------------|----------|---------------------|
| 1 | <i>T. Norrisii.</i> | Sowerby. | Vancouver's Island. |
|---|---------------------|----------|---------------------|

GENUS.—MARGARITA. *Leach*, 1819.

- | | | | |
|---|---------------------|----------|-------------|
| 1 | <i>M. undulata.</i> | Sowerby. | North Seas. |
|---|---------------------|----------|-------------|

TRIBE 7.—STOMATELLINÆ.

GENUS.—STOMATELLA. *Lamarck*, 1809.

- | | | | |
|---|----------------------|----------|------------|
| 1 | <i>S. imbricata.</i> | Lamarck. | Australia. |
|---|----------------------|----------|------------|

FAMILY 3.—HALIOTIDÆ. *Fleming*, 1829.

GENUS.—HALIOTIS. *Linnæus*, 1740.

- | | | | | |
|---|------------------------|----------|------------------|----------------|
| 1 | <i>H. asinina.</i> | Linnæus. | Port Blair, An- | Dr. Walters. |
| | | | damans. | |
| 2 | <i>H. excavata.</i> | Lamarck. | „ | „ |
| | | | „ | |
| 3 | <i>H. iris.</i> | Gmelin. | Kangaroo Island, | |
| | | | Australia. | |
| 4 | <i>H. Midæ.</i> | Linnæus. | Cape of Good | |
| | | | Hope.* | |
| 5 | <i>H. revelata.</i> | ? | Reunion. | M. Robillard. |
| 6 | <i>H. semistriata.</i> | Reeve. | Ceylon. | |
| 7 | <i>H. squamata.</i> | „ | West Australia. | Sir W. Denison |
| 8 | <i>H. tuberculata.</i> | Linnæus. | Guernsey. | |

SUB-ORDER 2.—EDRIOPHTHALMÆ.

FAMILY 4.—FISSURELLIDÆ.

GENUS.—FISSURELLA. *Bruguère*, 1789.

- | | | | |
|---|-----------------------|----------|----------|
| 1 | <i>F. reticulata.</i> | Donovan. | Britain. |
|---|-----------------------|----------|----------|

GENUS.—CEMORIA. *Leach*, 1820.

- | | | | |
|---|---------------------|-----------|----------|
| 1 | <i>C. noachina.</i> | Linnaeus. | Britain. |
|---|---------------------|-----------|----------|

GENUS.—EMARGINULA. *Lamarck*, 1801.

- | | | | |
|---|------------------|----------|----------------------|
| 1 | <i>E. rosea.</i> | Lamarck. | Devonshire, England. |
|---|------------------|----------|----------------------|

GENUS.—PARMOPHORUS. *Blainville*, 1817.

- | | | | |
|---|----------------------|-------------|--------------|
| 1 | <i>P. Australis.</i> | Blainville. | New Zealand. |
|---|----------------------|-------------|--------------|

FAMILY 5.—DENTALIIDÆ.

GENUS.—DENTALIUM. *Linnaeus*, 1740.

- | | | | |
|---|--------------------------|-----------|--------------|
| 1 | <i>D. Elephantinum.</i> | Linnaeus. | Indian Seas. |
| 2 | <i>D. entalis.</i> | „ | Britain. |
| 3 | <i>D. novemcostatum.</i> | Deshayes. | France. |
| 4 | <i>D. octogonum.</i> | „ | China Seas. |
| 5 | <i>D. tarentinum.</i> | Sowerby. | Britain. |

FAMILY 6.—SCUTELLIIDÆ.

GENUS.—TECTURA. *Audoin*, 1830.

- | | | | | |
|---|------------------------|---------------|-------|------------------|
| 1 | <i>T. fluviatilis.</i> | W.T.Blanford. | Pegu. | Mr.W.T.Blanford. |
|---|------------------------|---------------|-------|------------------|

FAMILY 7.—GADINIIDÆ.

GENUS.—GADINIA. *Gray*, 1824.

- | | | | |
|---|-----------------------|----------|--------|
| 1 | <i>G. reticulata.</i> | Sowerby. | Chili. |
|---|-----------------------|----------|--------|

FAMILY 8.—PATELLIDÆ.

GENUS.—PATELLA. *Linnaeus*, 1752.

- | | | | | |
|----|--------------------------|-----------|---------------------|---------------|
| 1 | <i>P. lima.</i> | Reeve. | Japan. | |
| 2 | <i>P. nigro-lineata.</i> | „ | Philippines. | |
| 3 | <i>P. pellucida.</i> | Linnaeus. | Britain. | |
| 4 | <i>P. rota.</i> | Chemnitz. | Island of Reunion. | M. Robillard. |
| 5 | <i>P. saccharina.</i> | Linnaeus. | Philippine Islands. | |
| 6 | <i>P. sandwichensis.</i> | | Sandwich Islands. | M. Robillard. |
| 7 | <i>P. sanguinans.</i> | Reeve. | South Africa. | |
| 8 | <i>P. testudinalis.</i> | Müller. | Britain. | |
| 9 | <i>P. testudinaria.</i> | Linnaeus. | Port Blair, An- | Dr. Walters: |
| | | | damans. | |
| 10 | <i>P. vulgata.</i> | „ | <i>a</i> Britain.* | |
| | | | <i>b</i> France. | M. Robillard. |

GENUS.—ACMÆ.

- 1 *A. persona*. Eschricht ? California. Sir W. Denison,

FAMILY 9.—CHITONIDÆ. *Guilding*.GENUS.—CHITON. *Linnaeus*, 1758.

- 1 *C. aculeatus*. Linnæus. Chili. Bellary, Local
Museum.
2 *C. cinereus*. „ Britain.
3 *C. incarnatus*. Reeve. Dalmatia.
4 *C. rusticus*. ? Island of Reunion. M. Robillard.
5 *C. siculus*. Gray. Dalmatia.

SUB-GENUS.—CHITONELLUS. *Lamarck*, 1819.

- 1 *C. Gunnii*. Reeve. New Zealand.

SUB-CLASS.—OPISTHOBRANCHIATA. *Milne Edwards*, 1848.

ORDER 1.—TECTIBRANCHIATA.

FAMILY 1.—TORNATELLIDÆ.

GENUS.—TORNATELLA, *Lamarck*, 1812.

- 1 *T. solidula*. Lamarck. Indian Ocean.

FAMILY 2.—APLUSTRIDÆ.

GENUS.—APLUSTRUM, *Schumacher*, 1817.

- 1 *A. Thallassiarchi*. Martin. Hab ?

GENUS.—HYDATINA. *Schumacher*, 1817.

- 1 *H. physis*. Linnæus. Island of Reunion. M. Robillard.

FAMILY 4.—BULLIDÆ.

GENUS.—BULLA. *Klein*, 1753.

- 1 *B. ampulla*. Linnæus. Indian Ocean.
2 *B. aplustre*. „ Island of Reunion. M. Robillard.
3 *B. australis*. Quoy. Tahiti. Sir W. Denison.
4 *B. fasciata*. Bruguière. Negapatam.
5 *B. hydatis*. Linnæus. Britain.
6 *B. naucum*. „ Indian Ocean.
7 *B. solida*. Bruguière. „
8 *B. viridis*. Rang. Seychelles. M. Robillard.

GENUS.—HAMINEA. *Leach*, 1847.

- 1 *H. curta*. Sandwich Islands. M. Robillard.
2 *H. nigro-cincta*. Tahiti. „

GENUS.—ATYS. *Montfort*, 1810.

- 1 *A. parallella*. Sandwich Islands. M. Robillard.

FAMILY 5.—BULLÆIDÆ.

GENUS.—BULLÆA. *Lamarck*, 1801.

- | | | |
|--------------|----------|----------|
| 1 B. aperta. | Lamarck. | Britain. |
|--------------|----------|----------|

FAMILY 7.—APLYSIIDÆ.

GENUS.—DOLABELLA. *Lamarck*, 1801.

- | | | |
|---------------|---------|---------------|
| 1 D. Rumphii. | Cuvier. | Indian Ocean. |
|---------------|---------|---------------|

GENUS.—APLYSIA. *Linnaeus*, 1767.

- | | | |
|----------------|---------|---------------------|
| 1 A. ocellata. | Reeve ? | Philippine Islands. |
|----------------|---------|---------------------|

FAMILY 8.—PLEUROBRANCHIDÆ

TRIBE 1.—PLEUROBRANCHINÆ.

GENUS.—PLEUROBRANCHUS. *Cuvier*, 1805.

- | | | |
|--------------------|-----------|----------|
| 1 P. membranaceus. | Montfort. | Britain. |
|--------------------|-----------|----------|

TRIBE 2.—UMBRELLINÆ.

GENUS.—UMBRELLA. *Lamarck*, 1812.

- | | | | |
|----------------|----------|-------------------|-----------------|
| 1 U. Cumingii. | Reeve. | Sandwich Islands. | |
| 2 U. Indica. | Lamarck. | Eastern Seas. | Sir W. Denison. |

3RD SUB-CLASS.—PULMONATA. *Cuvier*, 1817.ORDER 1.—INOPERCULATA. *Gray*, 1850.

SUB-ORDER 1.—GEOPHILA.

FAMILY 1.—HELICIDÆ.

GENUS.—HELIX. *Linnaeus*, 1758.

- | | | | |
|------------------|-------------------|----------------|----------------------|
| 1 H. acetabulum. | ? | Tahiti. | M. Robillard. |
| 2 H. achatina. | Gray. | Moulmein. | Mr. W. Theobald. |
| 3 H. acuta. | Lamarck. | Jamaica. | Sir W. Denison. |
| 4 H. Adansonii. | Webb & Bertholet. | Teneriffe. | M. Robillard. |
| 5 H. albolabris. | Say. | North America. | |
| 6 H. Alonensis. | Ferussac. | Spain. | |
| 7 H. alternata. | Say. | North America. | |
| 8 H. ampulla. | Benson. | a Manantoddy. | |
| | | b Anamallays. | Mr. H. R. P. Carter. |
| | | c „ | Sir W. Denison. |
| 9 H. angigyra. | Ziegler. | North Italy. | |
| 10 H. annulata. | Sowerby. | Philippines. | |

11 <i>H. anomala</i> .	Adams.	Jamaica.	Sir W. Denison.
12 <i>H. aperta</i> .	Born.	Dalmatia.	
13 <i>H. apex</i> .	Adams.	Jamaica.	„
14 <i>H. arborea</i> .	Say.	North America.	
15 <i>H. arbustorum</i> .	Linnaeus.	Britain.	
16 <i>H. artificiosa</i> .	Benson.	Tenasserim Valley.	Mr. W. Theobald.
17 <i>H. aspera</i> .	Ferussac.	Jamaica.	
18 <i>H. aspersa</i> .	Müller.	Britain.*	
19 <i>H. Bainbridgei</i> .	Pfeiffer.	Jamaica.	
20 <i>H. Bajadera</i> .	„	Bengal.	
21 <i>H. Barrakporensis</i> .	„	Barrakpore.	Mr. H. Blandford.
22 <i>H. Basileus</i> .	Benson.	<i>a</i> Anamallays.	Captain R. H. Beddome.
		<i>b</i> „	Mr. H. R. P. Carter.
23 <i>H. bidens</i> .	Chemnitz.	Germany, &c.	Sir W. Denison.
24 <i>H. bistrialis</i> .	Beck.	Madras.* * *	
25 <i>H. bolus</i> .	Benson.	Thayet Myo.	Mr. W. Theobald.
26 <i>H. Bombayana</i> .	Grateloup.	Poona.	
27 <i>H. Boothiana</i> .	Pfeiffer.	Cuba.	Sir W. Denison.
28 <i>H. cacuminifera</i> .	Benson.	Neilgherries.	
29 <i>H. cælatura</i> .	Ferussac.	Island of Reunion.	M. Robillard.
30 <i>H. Caldwelli</i> .	?	„ Maurice.	„
31 <i>H. Campbelli</i> .	Gray.	Norfolk Island.	Sir W. Denison*
32 <i>H. caperata</i> .	Montagu.	Dalmatia.	M. J. L. Laporte
33 <i>H. capitium</i> .	Benson.	Ava.	Mr. W. T. Blandford.
34 <i>H. Cara</i> .	Adams.	Jamaica.	
35 <i>H. cariosula</i> .	Michaud.	Algeria.	
36 <i>H. Carmelita</i> .	Ferussac.	Jamaica.	
37 <i>H. Carocolla</i> .	Linnaeus.	Mauritius ?	
38 <i>H. Carthusiana</i> .	Müller.	British Isles.	M. J. L. Laporte
39 <i>H. Cecillei</i> .	Philippi.	China.	
40 <i>H. cellaria</i> .	Müller.	Central Europe.	
41 <i>H. ceraria</i> ?	Benson.	Ceylon.	
42 <i>H. cespitum</i> (young.)	Drapernaud.	Bordeaux.	
43 <i>H. Chamissoi</i> .	Pfeiffer.	Sandwich Islands.	M. Robillard.
44 <i>H. cicatricosa</i> .	Müller.	China.	
45 <i>H. ciliata</i> .	Venez.	Switzerland.	Sir W. Denison.

46	<i>H. cinctella.</i>	Drapernaud.	Lombardy.	Sir W. Denison.
47	<i>H. cingulata.</i>	Studer.	„	„
48	<i>H. citrina.</i>	Linnaeus.	Moluccas.	
49	<i>H. climacterica.</i>	Benson.	East Frontier of Bengal.	Mr. W. Theobald.
50	<i>H. conspurcata.</i>	Drapernaud.	<i>a</i> Montpelier. <i>b</i> France & Spain.	Sir W. Denison.
51	<i>H. conula.</i>	?	Tahiti.	M. Robillard.
52	<i>H. convexa.</i>	Rafinesque.	<i>a</i> Ohio, N. America.	
	„ var. <i>fraterna.</i>	Say.	<i>b</i> „	
53	<i>H. Cookiana.</i>	Gmelin.	Jamaica.	
54	<i>H. Coreyrensis.</i>	Partsch.	Schumla.	Sir W. Denison.
55	<i>H. cornea.</i>	Drapernaud.	France.	
56	<i>H. cornu-militaire.</i>	Linnaeus.	Hab. ?	
57	<i>H. costulata.</i>	Ziegler.	Germany.	Sir W. Denison.
58	<i>H. crassicosata.</i>	Benson.	South India.	
59	<i>H. Cunninghami.</i>	Gray.	Darling Downs, Australia.	
60	<i>H. Cyclopax.</i>	Benson.	Darjeeling.	
61	<i>H. cysis.</i>	„	Neilgherries.	
62	<i>H. densa.</i>	Adams & Reeve.	Isld. of Daat, Borneo.	
63	<i>H. desertorum.</i>	Forskael.	Deserts of Egypt, &c.	
64	<i>H. detecta.</i>	Ferussac.	Bourbon.	
65	<i>H. diminuta.</i>	Adams.	Jamaica.	
66	<i>H. epistylulum.</i>	„	„	
67	<i>H. epistylodes.</i>	Ferussac.	„	
68	<i>H. ericetorum.</i>	Müller.	Europe.	Sir W. Denison.
69	<i>H. erronea.</i>	Albers.	Ceylon.	„
70	<i>H. excellens.</i>	Pfeiffer.	St. Domingo.	
71	<i>H. explanata.</i>	Müller.	Algeria and South of France.	Sir W. Denison.
72	<i>H. fabrefacta.</i>	?	Tahiti.	M. Robillard.
73	<i>H. fallaciosa.</i>	Ferussac.	<i>a</i> South India.* <i>b</i> Naggery Hills.***	
74	<i>H. fibula.</i>	Pfeiffer.	Philippines.	
75	<i>H. ficta.</i>	?	Tahiti.	M. Robillard.
76	<i>H. fidelis.</i>	Gray.	North America.	
77	<i>H. Fraseri.</i>	„	Clarence River, Australia.	Sir W. Denison.
78	<i>H. fruticum.</i>	Müller.	Germany, &c.	„
79	<i>H. fulva.</i>	„	Europe.	
80	<i>H. fusco-cincta.</i>	Adams.	Jamaica.	Sir W. Denison.

81	<i>H. fusco-labris.</i>	Adams.	Jamaica.	
82	<i>H. graminicola.</i>	„	„	Sir W. Denison.
83	<i>H. Guerini.</i>	Pfeiffer.	Neilgherries.	
84	<i>H. Gualteriana.</i>	Linnaeus.	Spain.	
85	<i>H. hæmastoma.</i>	„	Ceylon.*	
86	<i>H. hieroglyphicula.</i>	Michaud.	North Africa.	
87	<i>H. hispana.</i>	Linnaeus.	„ Italy.	
88	<i>H. hispida.</i>	„	Germany, &c.	Sir W. Denison.
89	<i>H. holoserica.</i>	Studer.	Central & S. Eur.	„
90	<i>H. honesta.</i>	Gould.	Moulmein.	Mr. W. Theobald.
91	<i>H. Huaheinensis.</i>	Pfeiffer.	Tahiti.	M. Robillard.
92	<i>H. humilis.</i>	Hutton.	Himalayas.	
93	<i>H. Huttoni.</i>	Pfeiffer.	Darjeeling.	
94	<i>H. Iloconensis.</i>	Sowerby.	Philippines.	
95	<i>H. immaculata.</i>	Adams & Reeve.	„	
96	<i>H. interrupta.</i>	Benson.	Calcutta.	Mr. W. Theobald.
97	<i>H. intorta.</i>	Sowerby.	Philippines.	
98	<i>H. intumescens.</i>	W. T. Blanford.	Mahabuleshwar.	Mr. W. T. Blanford.
99	<i>H. inversicolor.</i>	Ferussac.	Mauritius.	
100	<i>H. Jamaicensis.</i>	Chemnitz.	Jamaica.	Sir W. Denison.
101	<i>H. Jugosa.</i>	Mighels.	Sandwich Islands.	M. Robillard.
102	<i>H. Juliana.</i>	Gray.	Ceylon.	
103	<i>H. lactea.</i>	Müller.	Algiers.*	
104	<i>H. lævipes.</i>	„	Elephanta, Bombay.	
105	<i>H. lapicida.</i>	Linnaeus.	Britain, &c.	
106	<i>H. lauta.</i>	Lowe.	Toulon.	
107	<i>H. laxata.</i>	Ferussac.	Chili.	
108	<i>H. Layardi.</i>	Pfeiffer.	<i>a</i> South India.*	Sir W. Denison.
			<i>b</i> Anamallays.* *	Captain R. H. Beddome.
109	<i>H. Leprieurii.</i>	Petit.	Amazon.	
110	<i>H. leucostyla.</i>	Pfeiffer.	Maurice Island.	M. Robillard.
111	<i>H. ligulata.</i>	Ferussac.	<i>a</i> Bengal.*	
			<i>b</i> Trivelloor, Madras.* * *	
112	<i>H. limbata.</i>	Drapernaud.	Britain.	
113	<i>H. lineata.</i>	Say.	North America.	
114	<i>H. Luzonica.</i>	Sowerby.	Island of Luzon, Philippines.	

115	<i>H. MacMurrayi.</i>	Adams.	Jamaica.	
116	<i>H. Maderaspatana.</i>	Gray.	South India.* *	
117	<i>H. magnifica.</i>	Ferussac.	Madagascar.	Sir. H. Barkly.
118	<i>H. Mauritian.</i>	Pfeiffer.	Maurice Island.	M. Robillard.
119	<i>H. Mauritius.</i>	?	?	„
120	<i>H. melanostoma.</i>	Drapernaud.	Africa.	
121	<i>H. melanotragus.</i>	Born.	Ceylon.*	
122	<i>H. Merguensis ?</i>	Philippi.	Moulmein.	Mr. W. Theobald.
123	<i>H. metaformis.</i>	Ferussac.	Philippines.	
124	<i>H. mirabilis.</i>	„	„	Sir W. Denison.
125	<i>H. Moricandi.</i>	Sowerby.	„	
126	<i>H. munda.</i>	Adams.	Jamaica.	
127	<i>H. muralis.</i>	Müller.	Italy and Sicily.	Sir W. Denison.
128	<i>H. Naninoides.</i>	Benson.	Singapore.	
129	<i>H. nemoralis.</i>	Linnaeus.	<i>a</i> France.* <i>b</i> Britain.*	M. J. L. Laporte
130	<i>H. Niciensis.</i>	Ferussac.	Nice.	Sir W. Denison.
131	<i>H. Nicobarica.</i>	Chemnitz.	Nullamallays.	Captain R. H. Beddome*
132	<i>H. Nilagirica.</i>	Pfeiffer.	Neilgherries.	
133	<i>H. nitens.</i>	Michaud.	Austria, France, &c.	
134	<i>H. nobilis.</i>	Pfeiffer.	Singapore.	
135	<i>H. nummus.</i>	Ehrenberg.	Aden.	
136	<i>H. obvoluta.</i>	Müller.	N. & Central Europe.	Sir W. Denison.
137	<i>H. Orobia.</i>	Benson.	Darjeeling.	
138	<i>H. Oxytes.</i>	„	E. frontier of Bengal.	Mr. W. Theobald.
139	<i>H. patina.</i>	Adams.	Jamaica.	
140	<i>H. paupercula.</i>	Lowe.	Madeira, &c.	Sir W. Denison.
141	<i>H. pedina.</i>	Benson.	Bombay.	
142	<i>H. peliomphala.</i>	Pfeiffer.	Japan.*	
143	<i>H. peraffinis.</i>	Adams.	Jamaica.	Sir W. Denison.
144	<i>H. personata.</i>	Lamarck.	Germany.	„
145	<i>H. perspectiva.</i>	Say.	N. America.	Dr. Traill.
146	<i>H. philyrina.</i>	Mortillet.	Maurice Island.	M. Robillard.
147	<i>H. picturata.</i>	Adams.	Jamaica.	
148	<i>H. pila.</i>	„	„	
149	<i>H. Pisana.</i>	Müller.	Britain, &c.	
150	<i>H. planulata.</i>	Lamarck.	Philippines.	
151	<i>H. plectostoma.</i>	Benson.	N. Bengal.	Mr. W. Theobald.
152	<i>H. polychroa.</i>	Sowerby.	Philippines.	Sir W. Denison.

153	<i>H. pomatia.</i>	Linnaeus.	England.	M.J.L.Laporte
154	<i>H. propinqua.</i>	Pfeiffer.	Bombay.	
155	<i>H. pulchella</i>	Müller.	Europe.	
156	<i>H. pulcherrima</i>	Sowerby.	Philippines.	Sir W. Denison.
157	<i>H. pura.</i>	Alder.	Europe & America.*	
158	<i>H. quæsita.</i>	Deshayes.	Moluccas.	
159	<i>H. radiella.</i>	Pfeiffer.	Tahiti.	M. Robillard.
160	<i>H. Rawsonis.</i>	Barclay.	Maurice Island.	„
161	<i>H. regalis.</i>	Benson.	Borneo.	
162	<i>H. resplendens.</i>	Philippi.	Isld. of Daat, Borneo.*	
163	<i>H. Richmondiana.</i>	Pfeiffer.	Australia.	
164	<i>H. Rivolii.</i>	„	Ceylon.	
165	<i>H. Roissyana.</i>	Ferussac.	Philippines.	
166	<i>H. rotabilis.</i>	Reeve.	Australia.	
167	<i>H. rotatoria.</i>	Von dem Busch.	Irrawaddi.	Mr. W. Theobald.
168	<i>H. rotundata.</i>	Müller.	Britain, &c.	Sir W. Denison.
169	<i>H. rufescens.</i>	Pennant.	„	
170	<i>H. rugosiuscula.</i>	Michaud.	Pyrenees.	
171	<i>H. sagemon.</i>	Beck.	Cuba.	
172	<i>H. Schumacheriana.</i>	Pfeiffer.	Borneo.	
173	<i>H. scuta.</i>	?	Tahiti.	M. Robillard.
174	<i>H. semidecussata.</i>	Pfeiffer.	Mauritius.	
175	<i>H. semirugata.</i>	Beck.	<i>a</i> Carnatic.	
			<i>b</i> Nullahmalays.	Captain R. H. Beddome.
176	<i>H. sepulchralis.</i>	Ferussac.	Madagascar.	
177	<i>H. sericea.</i>	Draparnaud.	Britain, &c.	
178	<i>H. serpentina.</i>	Ferussac.	Toulon.	
179	<i>H. serrula.</i>	Benson.	Teria Ghaut.	Mr. W. Theobald
180	<i>H. similaris. Var.</i>	Ferussac.	<i>a</i> Ava.	Mr. W. T. Blanford.
			<i>b</i> Maurice Island.	M. Robillard.
			<i>c</i> „ „	„
			<i>d</i> Reunion „	„
181	<i>H. sincera.</i>	Adams.	Jamaica.	
182	<i>H. sinuata.</i>	Müller.	„	Sir W. Denison.
183	<i>H. Siquijorensis.</i>	Broderip.	Philippines.	
184	<i>H. Sirena.</i>	Beck.	„	
185	<i>H. solata.</i>	Benson.	Neilgherries.	
186	<i>H. soror.</i>	Ferussac.	Jamaica.	

187	<i>H. sphærica.</i>	Sowerby.	Philippines.	
188	<i>H. striatella.</i>	Anthony.	North America.	
189	<i>H. Studeriana.</i>	Ferussac.	Seychelle Islands.	
190	<i>H. subconica.</i>	Adams.	Jamaica.	
191	<i>H. tapeina.</i>	Benson.	E. frontier of Bengal.	Mr. W. Theobald.
192	<i>H. terrestris.</i>	Chemnitz.	S. of France, &c.	
193	<i>H. thyreus.</i>	Benson.	Neilgherries.	Sir W. Denison.
194	<i>H. thyroides.</i>	Say.	North America.	
195	<i>H. tiara.</i>	Mighels.	Sandwich Islands.	„
196	<i>H. tigrina.</i>	Christofori & Jan.	Lombardy.	
197	<i>H. Tranquebarica.</i>	Fabricius.	<i>a</i> Tranquebar. <i>b</i> Trivelloor, Madras.***	
198	<i>H. trochoides.</i>	Poiret.	Dalmatia.	
199	<i>H. tumida.</i>	Pfeiffer.	West Indies.	Sir W. Denison.
200	<i>H. umbilicata.</i>	Montagu.	Central & S. Europe.	„
201	<i>H. unidentata.</i>	Chemnitz.	Mauritius.	
202	<i>H. vermiculata.</i>	Müller.	South Europe.	
203	<i>H. vindobonensis.</i>	Ferussac.	Austria.	
204	<i>H. virgata.</i>	Montagu.	Bordeaux.	
205	<i>H. viridis.</i>	Deshayes.	<i>a</i> Madagascar.	
	„ var.	„	<i>b</i> St. Mary's Isld.	M. Robillard.
206	<i>H. vitellina.</i>	Pfeiffer.	Madras.***	
207	<i>H. vittata.</i>	Müller.	Ceylon.	
208	<i>H. Waltoni.</i>	Reeve.	„	
209	<i>H. Woodiana.</i>	Pfeiffer.	„	
210	<i>H. Zebuensis.</i>	Broderip.	Philippines.	
211	<i>H. zonata.</i>	Studer.	Piedmontese Alps.	Sir W. Denison.

GENUS.—BOYSIA. *Pfeiffer*, 1850.

1	<i>B. Bensoni.</i>	Pfeiffer.	Katiawar.
---	--------------------	-----------	-----------

GENUS.—ANOSTOMA. *Fischer*, 1807.

1	<i>A. Globulosum.</i>	Lamarck.	Brazil.
---	-----------------------	----------	---------

GENUS.—STREPTAXIS. *Gray*, 1837.

1	<i>S. Perrotteti.</i>	Petit.	Neilgherries.*	
2	<i>S. Petiti.</i>	Gould.	Burmah.	Mr. W. Theobald

GENUS.—ENNEA. *H. and A. Adams*, 1855.

1	<i>E. bicolor.</i>	Gould.	Foot of the Himalayas.	Mr. W. Theobald.
---	--------------------	--------	------------------------	------------------

2 E. Dunkeri.	Pfeiffer.	Port Natal.
3 E. Planti.	„	„

GENUS.—BULIMUS. *Scopoli*, 1786.

1 B. Abyssinicus.	Rüppell.	Abyssinia.	Sir W. Denison.
2 B. acutus.	Müller.	Bordeaux.	„
3 B. Adamsii.	Reeve.	E. coast of Borneo.	„
4 B. albizonatus.	„	Ceylon.	
5 B. atomatus.	Gray.	Ash Islds., Australia.	
6 B. atricallosus.	Gould.	Tavoy, Burmah.	Mr. W. Theobald.
7 B. auris-bovinæ.	Bruguière.	Feejee Islands.	Sir W. Denison.
8 B. auris-leporis.	„	Brazil.	
9 B. Bairdii.	Reeve.	New Caledonia.	
10 B. Bengalensis.	Lamarck.	Bengal.	
11 B. Bontinæ.	Chemnitz.	South India.	
12 B. calcareus.	Wagner.	Brazil.	
13 B. Calista.	Broderip.	Philippines.	
14 B. candelaris.	Pfeiffer.	Cashmere.	Mr. W. T. Blandford.
15 B. Ceylanicus.	„	Ceylon.	
16 B. Chloris.	Reeve.	Singapore.	
17 B. chrysalidiformis.	Sowerby.	Philippines.	
18 B. citrinus. var.	Bruguière.	Moluccas.	
<i>a</i> and <i>b</i> .			
19 B. cœlebs.	Benson.	Landour, &c.	
20 B. cœnopictus.	Hutton.	Bombay.	Mr. W. Theobald
21 B. Coquimbensis.	Sowerby.	Mountains of Coquimbo.	
22 B. Cuyoënsis.	Pfeiffer.	Philippines.	
23 B. dactylus.	Broderip.	„	
24 B. Daphnis.	„	„	
25 B. decollatus.	Bruguière.	Dalmatia.	
26 B. Dufresnii.	Leach.	Van Dieman's Land.	
27 B. eous.	Reeve.	Hindoostan.	
28 B. Fairbanki.	Pfeiffer.	Ahmednuggur.	
29 B. Faunus.	Broderip.	Philippines.	
30 B. fulguratus.	Jay.	Feejee Islands.	
31 B. Funkii.	Nyst.	Venezuela.	
32 B. gallina-sultana.	Lamarck.	Brazil.	
33 B. goniostoma.	Ferussac.	„	
34 B. Gossei.	Pfeiffer.	Jamaica.	

35	<i>B. gracilis.</i>	Hutton.	<i>a</i> Bundlecund, &c.	Sir W. Denison.
			<i>b</i> Island of Bombay,	
36	<i>B. Guadaloupensis.</i>	Bruguière.	West Indies.	
37	<i>B. Jayanus.</i>	Reeve.	Eastern Islands.	
38	<i>B. Jerdoni.</i>	Benson.	<i>a</i> The Dukhun.	Mr. W. T. Blandford.
			<i>b</i> Bombay, Dukhun, &c.	Sir W. Denison.
39	<i>B. latebricola.</i>	Benson.	Darjeeling.	Mr. H. Blandford.
40	<i>B. lignarius.</i>	Pfeiffer.	Philippines.	
41	<i>B. lubricus.</i>	Bruguière.	Britain.	Sir W. Denison.
42	<i>B. Lyonnetianus.</i>	Pallas.	Mauritius.	
43	<i>B. Malabaricus.</i>	Pfeiffer.	The Dukhun.	Mr. W. T. Blandford.
44	<i>B. miltocheilus.</i>	Reeve.	San Christoval.	
45	<i>B. mus.</i>	,	Philippines.	
46	<i>B. oblongus.</i>	Müller.	East coast of S. America.	
47	<i>B. obscurus.</i>	Drapernaud.	Britain.	
48	<i>B. octonoides.</i>	Adams.	Jamaica.	Sir W. Denison.
49	<i>B. ovoideus.</i>	Bruguière.	Philippines.	
50	<i>B. Peruvianus.</i>	„	Peru.	
51	<i>B. Pfeifferianus.</i>	Reeve.	Philippines.	
52	<i>B. phasianellus.</i>	Valenciennes.	Chili and Peru.	
53	<i>B. pictor.</i>	Broderip.	Penang.	
54	<i>B. planidens.</i>	Michelin.	Brazil.	
55	<i>B. pudicus.</i>	Deshayes.	„	
56	<i>B. pullus.</i>	Gray.	India.	Mr. W. Theobald.*
57	<i>B. punctatus.</i>	Anton.	<i>a</i> Bombay and Madras.***	
			<i>b</i> Nullahmallays.	Capt. R. H. Beddome.
58	<i>B. pythogaster.</i>	Ferussac.	Philippines.	
59	<i>B. Reevii.</i>	Cuming.	„	
60	<i>B. Regina.</i>	D'Orbigny.	Peru, &c.	
61	<i>B. rosaceus.</i>	King.	Brazil.	
62	<i>B. segregatus.</i>	Benson.	Simla.	Sir W. Denison.
63	<i>B. signatus.</i>	Wagner.	Brazil.	
64	<i>B. Sindicus.</i>	Benson.	Punjab.	Mr. W. Theobald
65	<i>B. suffusus.</i>	Reeve.	Hab ?	

66	<i>B. sylvanus.</i>	Broderip.	Philippines.	
67	<i>B. Taunaysii.</i>	D'Orbigny.	Brazil.	
68	<i>B. tenebricus.</i>	Reeve.	Sierra Leone.	M. Robillard.
69	<i>B. Ticaonicus.</i>	Broderip.	Island of Ticao.	
70	<i>B. tri-fasciatus.</i>	Chemnitz.	Ceylon.	
71	<i>B. tri-lineatus.</i>	Quoy and Gaimard.	New Holland.	
72	<i>B. Tupacii.</i>	D'Orbigny.	Bolivia.	
73	<i>B. Zebra.</i>	Müller.	South America.*	
74	<i>B. zonulatus.</i>	Pfeiffer.	Philippines.	

GENUS.—PARTULA. *Ferussac*, 1819.

1	<i>P. abbreviata.</i>	Pease.	Sandwich Islands.	Sir W. Denison
2	<i>P. affinis.</i>	"	"	"
3	<i>P. alternata.</i>	"	"	"
4	<i>P. bilineata.</i>	"	"	"
5	<i>P. clara.</i>	"	"	"
6	<i>P. compacta.</i>	"	"	"
7	<i>P. crassa.</i>	"	"	"
8	<i>P. crassilabrum.</i>	"	"	"
9	<i>P. elongata.</i>	"	"	"
10	<i>P. faba.</i>	Martyn.	"	" *
11	<i>P. Garrettii.</i>	Pease.	"	"
12	<i>P. gibba.</i>	Ferussac.	"	"
13	<i>P. globosa.</i>	Pease.	"	"
14	<i>P. gracilior.</i>	"	"	"
15	<i>P. Hebe.</i>	Pfeiffer.	"	"
16	<i>P. hyalina.</i>	Broderip.	"	"
17	<i>P. labiata.</i>	Pease.	"	"
18	<i>P. lignaria.</i>	"	"	"
19	<i>P. lineolata.</i>	"	"	"
20	<i>P. lugubris.</i>	"	"	"
21	<i>P. nucleola.</i>	"	"	"
22	<i>P. Otaheitana.</i>	Bruguère.	"	"
23	<i>P. producta.</i>	Pease.	"	"
24	<i>P. pulchra.</i>	"	"	"
25	<i>P. radiata.</i>	Gould.	"	"
26	<i>P. radiolata.</i>	Pfeiffer.	"	"
27	<i>P. recta.</i>	Pease.	"	"
28	<i>P. rosea.</i>	Broderip.	"	"
29	<i>P. rustica.</i>	Pease.	"	"
30	<i>P. simulans.</i>	"	"	"
31	<i>P. sinistrorsa.</i>	"	"	"

32	<i>P. solidula.</i>	Reeve.	Sandwich Islands.	Sir W. Denison.
33	<i>P. striolata.</i>	Pease.	"	"
34	<i>P. trilineata.</i>	"	"	"
35	<i>P. turricula.</i>	"	"	"
36	<i>P. umbilicata.</i>	"	"	"
37	<i>P. varia.</i>	Broderip.	"	"
38	<i>P. variabilis.</i>	Pease.	"	"
39	<i>P. virginia.</i>	"	"	"

GENUS.—ACHATINELLA. *Swainson, 1828.*

1	<i>A. abbreviata.</i>	Reeve.	Sandwich Islands.	Sir W. Denison.
2	<i>A. affinis.</i>	Newcomb.	"	"
3	<i>A. albolabris.</i>	"	"	"
4	<i>A. bacca.</i>	Reeve.	"	"
5	<i>A. Bulimoides.</i>	Swainson.	"	"
6	<i>A. castanea.</i>	Reeve.	"	"
7	<i>A. colorata.</i>	"	"	"
8	<i>A. cornea.</i>	Newcomb.	"	"
9	<i>A. crassa.</i>	"	"	"
10	<i>A. cylindrica</i> var B.	"	"	"
11	<i>A. decora</i> ?	Ferussac.	"	"
12	<i>A. fulgens.</i>	Newcomb.	"	"
13	<i>A. fumosa.</i>	"	"	"
14	<i>A. fusca.</i>	"	"	"
15	<i>A. gigantea.</i>	"	"	"
16	<i>A. glabra.</i>	"	"	"
	" var B. <i>elegans.</i>	"	"	"
17	<i>A. grana.</i>	"	"	"
18	<i>A. gravis.</i>	Ferussac.	"	"
19	<i>A. lugubris.</i>	Chemnitz.	"	"
	var B.	"	"	"
20	<i>A. marmorata.</i>	Gould.	"	"
21	<i>A. melanostoma.</i>	Newcomb.	"	"
22	<i>A. mighelsiana.</i>	Pfeiffer.	"	"
23	<i>A. nitida.</i>	Newcomb.	"	"
24	<i>A. nubilosa.</i>	Mighels.	"	"
25	<i>A. nucleola.</i>	Gould.	"	"
26	<i>A. plicata.</i>	Mighels.	"	"
27	<i>A. prasina.</i>	Reeve.	"	"
28	<i>A. radiata.</i>	Gould.	"	"
29	<i>A. recta.</i>	Newcomb.	"	"
30	<i>A. Redfieldi.</i>	"	"	"
31	<i>A. rosea.</i>	Swainson.	"	"

32	<i>A. rugosa.</i>	Newcomb.	Sandwich Islands.	Sir W. Denison.
33	<i>A. sanguinea.</i>	"	"	"
34	<i>A. simulans.</i>	Reeve.	"	"
35	<i>A. spirizona.</i>	Ferussac.	"	"
36	<i>A. splendida.</i>	Newcomb.	"	"
37	<i>A. straminea.</i>	Reeve.	"	"
38	<i>A. Swifti.</i>	Newcomb.	"	"
39	<i>A. taeniolata.</i>	Pfeiffer.	"	"
40	<i>A. tessellata.</i>	Newcomb.	"	"
41	<i>A. turgida.</i>	"	"	"
42	<i>A. turritella.</i>	Ferussac.	"	"
43	<i>A. variabilis.</i>	Newcomb.	"	"
44	<i>A. venusta.</i>	Mighels.	"	"
45	<i>A. virgulata.</i>	"	"	"
46	<i>A. vitrea.</i>	Newcomb.	"	"
47	<i>A. vulpina.</i>	Ferussac.	"	" *

GENUS.—SPIRAXIS. *C. B. Adams*, 1850.

1	<i>S. bicolor.</i>	Jay.	Sandwich Islands.	M. Robillard.
2	<i>S. Haughtoni.</i>	?	Andamans.	

GENUS.—ACHATINA. *Lamarck*, 1799.

1	<i>A. conifera.</i>	Reeve.	Island of Reunion.	
2	<i>A. crassilabris.</i>	Benson.	N.E. frontiers, Bengal	
3	<i>A. crassula.</i>	"	Darjeeling.	
4	<i>A. fulica.</i>	Ferussac.	Mauritius.	Mr. E. Blyth.*
5	<i>A. gemma.</i>	Benson.	Ceylon.	Dr. Traill.
6	<i>A. nitens.</i>	Gray.	"	
7	<i>A. octona.</i>	"	West Indies.	Sir W. Denison.
8	<i>A. orobia.</i>	?	Darjeeling.	
9	<i>A. panthera.</i>	Ferussac.	Madagascar.	M. Robillard.
10	<i>A. purpurea.</i>	Lamarck.	Cape Palmas, W. Africa.	
11	<i>A. tenuispira.</i>	Benson.	Darjeeling.	
12	<i>A. tornensis.</i>	W.T. Blanford.	W. Ghauts, India.	Mr. W.T. Blanford.
13	<i>A. variegata.</i>	Roissy.	Sierra Leone.	
14	<i>A. virginea.</i>	Lamarck.	Cuba, &c.	
15	<i>A. zebra.</i>	Lamarck.	Cape of Good Hope.	

GENUS.—OLEACINA. *Bolton*, 1798.

1	<i>O. leucozonias.</i>	Sowerby.	Jamaica.	
2	<i>O. nemorensis.</i>	Adams.	"	Sir W. Denison.
3	<i>O. Philippiana.</i>	Pfeiffer.	a "	"
	" var, elegans.	"	b "	"

4	<i>O. Philipsii.</i>	Adams.	Jamaica.	Sir W. Denison.
5	<i>O. procera.</i>	„	„	„
6	<i>O. propinqua.</i>	„	„	„
7	<i>O. similis.</i>	„	„	„
8	<i>O. venusta.</i>	Pfeiffer.	„	

GENUS.—PUPA. *Draparnaud*, 1805.

1	<i>P. avenacea.</i>	Bruguière.	Switzerland.	Sir W. Denison.
2	<i>P. contracta.</i>	Say.	Virginia, &c.	
3	<i>P. dolium.</i>	Draparnaud.	Switzerland.	„
4	<i>P. edentula.</i>	„	Britain.	„
5	<i>P. frumentum.</i>	„	Como.	„
6	<i>P. Marmorata.</i>	Pfeiffer.	Guadaloupe.	M. J. L. Laporte
7	<i>P. Mauritiana.</i>	?	Maurice Island.	M. Robillard.
8	<i>P. megacheilos.</i>	Jan.	Como.	Sir W. Denison.
9	<i>P. Mumia.</i>	Bruguière.	West Indies.	
10	<i>P. muscorum.</i>	Linnaeus.	Britain.	„
11	<i>P. obesa.</i>	?	Island of Maurice.	M. Robillard.
12	<i>P. ovata.</i>	Say.	North America.	
13	<i>P. quinquedentata.</i>	Born.	France, Spain, &c.	Sir W. Denison.
14	<i>P. secale.</i>	Draparnaud.	Britain.	„
15	<i>P. Sempronii.</i>	Charpentier.	Pays de Vaud.	„
16	<i>P. sulcata.</i>	Müller.	Maurice Island.	M. Robillard.
17	<i>P. umbilicata.</i>	Draparnaud.	Britain.	
18	<i>P. variabilis.</i>	„	Switzerland.	Sir W. Denison.

GENUS.—CYLINDRELLA. *Pfeiffer*, 1840.

1	<i>C. Agnesiana.</i>	Adams.	Jamaica.	
2	<i>C. alba.</i>	„	„	Sir W. Denison.
3	<i>C. Baquicana.</i>	Chitty.	„	
4	<i>C. brevis.</i>	Pfeiffer.	Ceylon.	Dr. Traill.
5	<i>C. cylindrus.</i>	Chemnitz.	Jamaica.	
6	<i>C. elongata.</i>	„	„	„
7	<i>C. gracilis.</i>	Wood.	„	Sir W. Denison.
8	<i>C. intermedia.</i>	?	„	„
9	<i>C. lata.</i>	Adams.	„	
10	<i>C. Maugeri.</i>	Wood.	„	„
11	<i>C. nobilior.</i>	Adams.	„	
12	<i>C. rosea.</i>	Pfeiffer.	<i>a</i> „	„
	„ var. <i>major.</i>		<i>b</i> „	
13	<i>C. sanguinea.</i>	„	„	Dr. Traill.
14	<i>C. seminuda.</i>	Adams.	„	
15	<i>C. subula.</i>	Ferussac.	„	Sir W. Denison.

16 C. tenella.	Adams.	Jamaica.	Sir W. Denison.
17 C. tricolor.	Pfeiffer.	„	
18 C. zonata.	Adams.	„	

GENUS.—MEGASPIRA. *Lea*, 1834.

1 M. elatior.	Spix.	Brazil.
---------------	-------	---------

GENUS.—BALEA. *Prideaux*, 1824.

1 B. perversa.	Linnæus.	Bordeaux.	M. J. L. Laporte
----------------	----------	-----------	------------------

GENUS.—CLAUSILIA. *Draparnaud*, 1805.

1 C. bidens.	Linnæus.	Italy.	
2 C. Bielzi.	Parreyss.	Hungary, &c.	Sir W. Denison.
3 C. Bogatensis.	Bielz.	Transylvania.	„
4 C. canescens.	Parreyss.	„	„
5 C. commutata.	Rossmässler.	Illyria.	„
6 C. concilians.	A. Schmidt.	Transylvania.	„
7 C. conspersa.	Parreyss.	Janino.	„
8 C. coregreensis.	Mousson.	Corfu.	„
9 C. diodon.	Studer.	Liyano.	
10 C. elata.	Ziegler.	Buccovina.	„
11 C. elegans.	Bielz.	Transylvania.	„
12 C. Fussiana.	„	Konigstein.	„
13 C. Jös.	Benson.	Darjeeling.	
14 C. labiata.	Montagu.	France and Italy.	„
15 C. lævissima.	Ziegler.	Dalmatia.	„
16 C. laminata.	Montagu.	England.	„
17 C. latestriata.	Bielz.	Transylvania.	„
18 C. loxostoma.	Benson.	Sylhet.	Mr. W. Theobald.
19 C. Madensis.	Fuss.	Transylvania.	Sir W. Denison.
20 C. maesta.	Ferussac.	Palestine.	„
21 C. marginata.	Ziegler.	Transylvania.	
22 C. Meschenderferi.	Bielz.	„	„
23 C. nigricans.	Pulteney.	England.	„
24 C. pagana.	Ziegler.	Turkey.	„
25 C. parvula.	Studer.	Switzerland.	„
26 C. Philippiana.	Pfeiffer.	Moulmein.	Mr. W. Theobald.
27 C. plicata.	Draparnaud.	Germany, &c.	Sir W. Denison.
28 C. plumbea.	Rossmässler.	Kronstadt.	
29 C. rubilabris.	Mousson.	Jamaica.	„
30 C. rugosa.	Draparnaud.	France.	M. J. L. Laporte
31 C. senilis.	Ziegler.	Corfu.	Sir W. Denison.

- | | | | | |
|----|---------------------------|-------------|--------------|-----------------|
| 32 | <i>C. straminicollis.</i> | Parreyss. | Wallachia. | Sir W. Denison. |
| 33 | <i>C. ventricosa.</i> | Draparnaud. | Switzerland. | „ |

GENUS.—VITRINA. *Draparnaud.*

- | | | | |
|---|---------------------|-----------|------------------|
| 1 | <i>V. gigas.</i> | Benson. | Sylhet.* |
| 2 | <i>V. major.</i> | Ferussac. | South of France. |
| 3 | <i>V. præstans.</i> | Gould. | Tavoy. |

GENUS.—SUCCINEA. *Draparnaud.*

- | | | | | |
|----|-------------------------|--------------|---------------------------------|-----------------|
| 1 | <i>S. avara.</i> | Say. | Massachusetts. | Sir W. Denison. |
| 2 | <i>S. campestris.</i> | „ | „ | „ |
| 3 | <i>S. crassiuscula.</i> | Benson. | Jaffna and India. | Dr. Traill.* |
| 4 | <i>S. daucina.</i> | Pfeiffer. | Calcutta. | Sir W. Denison. |
| 5 | <i>S. Girnarica.</i> | Theobald. | Girnar Hill, Katia-war. | |
| 6 | <i>S. humerosa.</i> | Gould. | Tahiti. | M. Robillard. |
| 7 | <i>S. labiata.</i> | ? | „ | „ |
| 8 | <i>S. Menkeana.</i> | Pfeiffer. | New Holland. | Sir W. Denison. |
| 9 | <i>S. obliqua.</i> | Say. | North America. | |
| 10 | <i>S. Pfeifferi.</i> | Rossmässler. | Bordeaux. | |
| 11 | <i>S. putris.</i> | Linnæus. | <i>a</i> „
<i>b</i> Britain. | |

FAMILY.—LIMACIDÆ.

GENUS.—LIMAX.

- | | | | |
|---|----------------------|--------|----------|
| 1 | <i>L. carinatus.</i> | Reeve. | Britain. |
|---|----------------------|--------|----------|

GENUS.—PARMACELLA. *Cuvier.*

- | | | | |
|---|-----------------------|--------|-------|
| 1 | <i>P. Deshayesii.</i> | Reeve. | Oran. |
|---|-----------------------|--------|-------|

FAMILY.—LIMNÆIDÆ.

TRIBE 1.—LIMNÆINÆ.

GENUS.—CHILINA. *Gray.*

- | | | | |
|---|-----------------|---|--------------------|
| 1 | <i>C. sp. ?</i> | ? | Chili, S. America. |
|---|-----------------|---|--------------------|

GENUS.—LIMNÆA. *Lamarck, 1799.*

- | | | | | |
|---|------------------------|-------------|--|-----------------|
| 1 | <i>L. acuminata.</i> | Lamarck. | <i>a</i> Calcutta.
<i>b</i> Streepermatoor.** | |
| 2 | <i>L. auricularia.</i> | Draparnaud. | Europe. | |
| 3 | <i>L. canalis.</i> | Villa. | Bordeaux. | |
| 4 | <i>L. columella.</i> | Say. | North America. | |
| 5 | <i>L. desidiosa.</i> | „ | „ | |
| 6 | <i>L. elodes.</i> | „ | Pensylvania.* | |
| 7 | <i>L. fusca.</i> | Pfeiffer. | Valencia. | |
| 8 | <i>L. glaber.</i> | Müller. | Britain. | |
| 9 | <i>L. humilis.</i> | Say. | North America. | Sir W. Denison. |

10	<i>L. minuta.</i>	Draparnaud.	France.	
11	<i>L. ovata.</i>	„	<i>a</i> Bordeaux.	
			<i>b</i> Tahiti.	M. Robillard.
12	<i>L. palustris.</i>	„	Britain.	
13	<i>L. peregra.</i>	„	France.	
14	<i>L. stagnalis.</i>	„	<i>a</i> Britain.	
			<i>b</i> Dalmatia.	M.J.L.Laporte
15	<i>L. umbrosa.</i>	Say.	North America. ?	
16	<i>L. umbilicata.</i>	„	„	

GENUS.—PHYSA. *Draparnaud*, 1801.

1	<i>P. acuta.</i>	Draparnaud.	Bordeaux.	
2	<i>P. ancillaria.</i>	Say.	North America.	
3	<i>P. elongata.</i>	„	„	
4	<i>P. fusca.</i>	Rossmässler.	Mazzaron.	
5	<i>P. heterostropha.</i>	Say.	North America.	Sir W. Denison.
6	<i>P. hypnorum.</i>	Linnæus.	Transylvania.	„

TRIBE.—ANCYLINÆ.

GENUS.—ANCYLUS. *Geoffroy*, 1767.

1	<i>A. fluviatilis.</i>	Müller.	Britain.	
2	<i>A. striatus.</i>	Dupuy.	Bordeaux.	

SUB-ORDER.—THALASSOPHILA.

FAMILY.—AMPULLACERIDÆ.

GENUS.—AMPULLACERA. *Quoy*, 1832.

1	<i>A. nux-avellana.</i>	Quoy & Gaimard.	New Holland.	
---	-------------------------	-----------------	--------------	--

GENUS.—AMPHIBOLA.

1	<i>A. Burmana.</i>	W.T. Blanford.	Pegu.	Mr. W.T. Blanford.
---	--------------------	----------------	-------	--------------------

FAMILY.—SIPHONARIIDÆ. *Gray*, 1840.

GENUS.—SIPHONARIA. *Sowerby*, 1824.

1	<i>S. amosa.</i>	?	Kingsmill Island.	M. Robillard.
2	<i>S. Diemensis. ?</i>	Quoy & Gaimard.	Van Dieman's Land.	

TRIBE.—PLANORBINÆ.

GENUS.—PLANORBIS. *Guetard*, 1756.

1	<i>P. armigerus.</i>	Say.	North America.	
2	<i>P. bicarinatus.</i>	„	<i>a</i> „	Sir W. Denison.
			<i>b</i> America.	
3	<i>P. bituberculatus.</i>	„	Massachusetts.	

4	<i>P. campanulatus.</i>	Say.	North America.	
5	<i>P. carinatus.</i>	Müller.	Britain.	
6	<i>P. complanatus.</i>	Lamarek.	Mæstricht.	Sir W. Denison.
7	<i>P. compressus.</i>	Benson.	Lower Bengal.	
8	<i>P. contortus.</i>	Müller.	Britain & France.	
9	<i>P. corneus.</i>	Draparnaud.	Bordeaux.	
10	<i>P. coromandus.</i>	?	Madras.	
11	<i>P. deflectus.</i>	Say.	North America.	
12	<i>P. dilatatus.</i>	Gould.	„	
13	<i>P. hispidus.</i>	Draparnaud.	Switzerland.	Sir W. Denison.
14	<i>P. janinensis.</i>	Mousson.	Jamaica.	„
15	<i>P. lentus.</i>	Say.	North America.	
16	<i>P. nitidus.</i>	Müller.	Dulendorf.	Sir W. Denison.
17	<i>P. parvus.</i>	Say.	North America.	
18	<i>P. Rossmässleri.</i>	Auerswald.	Leipzig.	
19	<i>P. spirorbis.</i>	Müller.	Britain.	
20	<i>P. trivolvus.</i>	Say.	Tennessee.	Sir W. Denison.
21	<i>P. virens.</i>	Adams.	America.	
22	<i>P. vortex.</i>	Müller.	Britain.	

FAMILY.—AURICULDIAE. *Risso*, 1828.

SUB-FAMILY 2.—MELAMPEA. *Pfeiffer*, 1853.

GENUS.—MELAMPUS. *Montfort*, 1810.

1	<i>M. caffer.</i>	Küster.	Tahiti.	M. Robillard.
2	<i>M. castaneus.</i>	Muhlfeld.	Sandwich Island.	„ *
3	<i>M. cinctus.</i>	Pease.	<i>a</i> Kingsmill Island.	„
			<i>b</i> „	Sir W. Denison.
4	<i>M. coffea.</i>	Linnæus.	America.	
5	<i>M. fasciatus.</i>	Deshayes.	<i>a</i> Tahiti.	„ *
			<i>b</i> Ceylon.	
	young.		<i>c</i> Labuan.	
6	<i>M. leuteus.</i>	Quoy & Gaimard.	Tahiti.	„
7	<i>M. parvulus.</i>	Nuttall.	Sandwich Islands.	M. Robillard.
8	<i>M. Philippi.</i>	Küster.	„	Sir W. Denison.
9	<i>M. pusillus.</i>	Gmelin.	Ceylon.	
10	<i>M. semiplicata.</i>	Pease.	Sandwich Islands.	„
11	<i>M. striatus.</i>	„	Tahiti.	„

SUB-FAMILY 3.—AURICULEA.

GENUS.—PYTHIA. *Bolten*, 1798.

1	<i>P. Borneensis.</i>	A. Adams.	Borneo.
2	<i>P. castanea.</i>	Lesson.	Philippines.

3	<i>P. leopardus.</i>	Reeve.	New Georgia.	
4	<i>P. plicata.</i>	Ferussac.	India, Jaffna, Ceylon.	
5	<i>P. striata.</i>	Reeve.	San Nicholas.	
6	<i>P. trigona.</i>	Troschel	<i>a</i> Isld. of Luzon.	
			<i>b</i> Arracan.	Mr. W. T. Blandford.

GENUS.—CASSIDULA. *Ferussac*, 1819.

1	<i>C. auris-felis.</i>	Bruguière.	<i>a</i> Arracan.	Mr. W. T. Blandford.
			<i>b</i> Bombay.	„
2	<i>C. mustelina.</i>	Deshayes.	New Zealand.	

GENUS.—AURICULA. *Lamarck*, 1799.

1	<i>A. auris-Judæ.</i>	Linnaeus.	Vizagapatam.	
2	<i>A. auris-Midæ.</i>	„	Malacca, &c.	
3	<i>A. fustis.</i>	Benson, M. S.	Bombay.	Mr. W. T. Blandford.
4	<i>A. Gangetica.</i>	Benson.	Delta of the Ganges.	„
5	<i>A. integra.</i>	Say.	America.	

GENUS.—ALEXIA. *Leach*, 1847.

1	<i>A. denticulata</i> ?	Montagu.	Britain.	
2	<i>A. microstoma</i> ?	Küster.	Dalmatia.	
3	<i>A. myosotis.</i>	Draparnaud.	France.	Sir W. Denison.

GENUS.—LEUCONIA. *Gray*, 1840.

1	<i>L. bidentata.</i>	Montagu.	Britain.	
---	----------------------	----------	----------	--

GENUS.—CARYCHIUM. *O. F. Müller*, 1774.

1	<i>C. exiguum.</i>	Say.	United States.	
---	--------------------	------	----------------	--

FAMILY.—PROSERPINACEA. *Gray*.GENUS.—PROSERPINA. *Gray*, 1840.

1	<i>P. nitida.</i>	Gray.	Jamaica.	Sir W. Denison.
---	-------------------	-------	----------	-----------------

PNEUMONOPOMA.

SUB-ORDER 1.—OPISTHOPTHALMA.

FAMILY 1.—ACICULACEA.

GENUS.—GEOMELANIA. *Pfeiffer*, 1845.

1	<i>G. minor.</i>	C. B. Adams.	Jamaica.	
---	------------------	--------------	----------	--

GENUS.—TRUNCATELLA. *Risso*, 1826.

1	<i>T. Ceylanica.</i>	Pfeiffer.	Ceylon.	
2	<i>T. Montagui.</i>	Lowe.	Southampton.	

FAMILY 2.—DIPLOMMATINACEA.

GENUS.—DIPLOMMATINA. *Benson*, 1849.

1	<i>D. Blanfordiana.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
2	<i>D. diplocheilus.</i>	„	Teria Ghaut.	Mr. W. Theobald.
3	<i>D. liricineta.</i>	W.T. Blanford.	Western Ghauts, near Bombay.	Mr. W.T. Blanford.
4	<i>D. pachycheilus.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
5	<i>D. pullula.</i>	„	„	„

SUB-ORDER 2.—ECTOPHTHALMA, 1852.

FAMILY 1.—CYCLOSTOMACEA.

SUB-FAMILY 1.—CYCLOTEA.

GENUS.—CYCLOTUS. *Guilding*, 1840.

1	<i>C. Deccanense.</i>	W.T. Blanford.	Western Ghauts.	Mr. W.T. Blanford.
2	<i>C. filocinctus.</i>	Benson.	Neilgherries.	Mr. H. Blanford
3	<i>C. Malabaricus.</i>	W. & H. Blanford.	Pykara, Neilgherries.	„
4	<i>C. suturalis.</i>	Sowerby.	Jamaica.	Sir W. Denison.
5	<i>C. variegatus.</i>	Swainson.	Ceylon.	

GENUS.—OPISTHOPORUS. *Benson*, 1855.

1	<i>O. biciliatus.</i>	Mousson.	Borneo.	Sir W. Denison.
2	<i>O. birostris.</i>	Pfeiffer.	Borneo & Sarawak.	„

GENUS.—PTEROCYCLOS. *Benson*, 1832.

1	<i>P. bilabiatus.</i>	Benson.	Salem, South India.	
2	<i>P. hispidus.</i>	Pearson.	Khasia Hills.	Mr. W. Theobald.
3	<i>P. rupestris.</i>	Benson.	<i>a</i> Cuttack, India.* <i>b</i> Nullahmallays.	Captain R. H. Beddome.
4	<i>P. tenuilabiatus. ?</i>	Metcalf.	Borneo.	

GENUS.—ALYCÆUS. *Gray*, 1850.

1	<i>A. Bembex.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
2	<i>A. exul.</i>	Blanford.	Neilgherries.	„
3	<i>A. Otiphorus.</i>	Benson.	Darjeeling.	„
4	<i>A. plectocheilus.</i>	„	„	„

5	<i>A. prosectus.</i>	Benson.	Teria Ghaut.	Mr. W. Theobald.
6	<i>A. stylifer.</i>	„	Darjeeling.	Mr. H. Blanford.
7	<i>A. Urnula.</i>	„	„	„

GENUS.—OPISTHOSTOMA. *Blanford*, 1864.

1	<i>O. macrostoma.</i>	S. N. Beddome.	Bramahmullays, S. Wynaud.	Captain R. H. Beddome.
---	-----------------------	----------------	------------------------------	------------------------

GENUS.—HYBOCYSTIS. *Benson*, 1859.

1	<i>H. grävada.</i>	Benson.	Moulmein.	Mr. W. Theobald.
---	--------------------	---------	-----------	------------------

SUB-FAMILY 2.—CYCLOPHOREA.

GENUS.—CYCLOPHORUS. *Montfort*, 1810.

1	<i>C. annulatus.</i>	Troschel.	<i>a</i> Ceylon.	
	„ small var.		<i>b</i> „	
2	<i>C. aquila.</i>	Sowerby.	Burmah.	
3	<i>C. Aurora.</i>	Benson.	Darjeeling.	
4	<i>C. Bensoni.</i>	Pfeiffer.	Assam.	
5	<i>C. Borneensis.</i>	Metcalf.	Borneo.	
6	<i>C. cœloconus.</i>	Benson.	Neilgherries.	
7	<i>C. cuspidatus.</i>	„	„	Mr. W. T. Blanford.
8	<i>C. excellens.</i>	Pfeiffer.	Moulmein.	Mr. W. Theobald.
9	<i>C. expansus.</i>	„	Pegu.	„
10	<i>C. fulguratus.</i>	„	Thayet Myo.	„
11	<i>C. Himalayanus.</i>	„	Darjeeling.	„
12	<i>C. Indicus.</i>	Deshayes.	Matheran, Bombay.	
13	<i>C. involvulus.</i>	Müller.	Midnapore.*	„
14	<i>C. patens.</i>	W. T. Blanford.	Pegu.	Mr. W. T. Blanford.
15	<i>C. Pearsoni.</i>	Benson.	Chittagong.	Mr. W. Theobald.
16	<i>C. perdix.</i>	Broderip, and Sowerby.	Singapore.	
17	<i>C. Phænotopicus.</i>	Benson.	Darjeeling.	
18	<i>C. pyrotrema.</i>	„	Rajmahal.	
19	<i>C. Scurra.</i>	„	Pegu.	Mr. W. T. Blanford.
20	<i>C. semisulcatus.</i>	Sowerby.	Malacca.	

21	<i>C. Siamensis.</i>	Sowerby.	Teria Ghat.	Mr. W. Theobald.
22	<i>C. stenomphalus.</i>	Pfeiffer.	Elephanta, Bombay.	
23	<i>C. stenostomus.</i>	Sowerby.	Neilgherries.*	
24	<i>C. Theobaldianus</i>	Benson.	Tenasserim.	
25	<i>C. tigrinus.</i>	Sowerby.	Philippines.	
26	<i>C. tuba.</i>	„	Malacca.	
27	<i>C. zebrinus.</i>	Benson.	Khasia Hills.	Mr. W. Theobald.

GENUS.—LEPTOPOMA. *Pfeiffer*, 1847.

1	<i>L. aspirans.</i>	Benson.	Tenasserim Valley.	Mr. W. Theobald.
2	<i>L. sericatum.</i>	Pfeiffer.	Island of Daat, Borneo.*	

GENUS.—DERMATOCERA. *H. and A. Adams.*

1	<i>D. vitrea.</i>	Lesson.	Island of Puppen, near Labuan.	
---	-------------------	---------	--------------------------------	--

SUB-FAMILY 3.—PUPINEA.

GENUS.—MEGALOMASTOMA. *Guilding*, 1840.

1	<i>M. funiculatum.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
---	------------------------	---------	-------------	------------------

GENUS.—CATAULUS. *Pfeiffer.*

1	<i>C. recurvatus.</i>	Pfeiffer.	Anamallays.	Capt. R. H. Beddome.*
---	-----------------------	-----------	-------------	-----------------------

GENUS.—ARINIA. *H. and A. Adams*, 1852.

1	<i>A. Nilgirica.</i>	Blanford.	Pykara, Neilgherries.	Mr. H. Blanford.
---	----------------------	-----------	-----------------------	------------------

GENUS.—PUPINA. *Vignard*, 1829.

1	<i>P. Ottonis.</i>	Dohrn.	Isld. of Mindanao.	
---	--------------------	--------	--------------------	--

SUB-FAMILY 4.—LICINEA.

GENUS.—CHOANOPOMA. *Pfeiffer*, 1847.

1	<i>C. decussatum.</i>	Lamarck.	Porto-rico.	
2	<i>C. fimbriatulum.</i>	Sowerby,	Jamaica.	Sir W. Denison.
3	<i>C. Lincina.</i>	Linnaeus.	„	„

GENUS.—CYCLOTOPSIS. *W. T. Blanford*, 1864.

1	<i>C. semistriatus.</i>	Sowerby.	Poonah.	Mr. W. T. Blanford.
2	<i>C. subdiscoidens.</i>	„	<i>a</i> Orissa.	
			<i>b</i> Nullahmallays	Capt. R. H. Beddome.

GENUS.—ADAMSIELLA. *Pfeiffer*, 1851.

1	<i>A. ignilabris.</i>	Adams.	Jamaica.	Sir W. Denison.
2	<i>A. monstrosa.</i>	C. B. Adams.	„	„
3	<i>A. pulchrior.</i>	„	„	„
4	<i>A. variabilis.</i>	„	„	„

SUB-FAMILY.—CYCLOSTOMEA.

GENUS.—OTOPOMA. *Gray*, 1850.

1	<i>O. Hinduorum.</i>	W. T. Blanford.	Kattiawar.	
2	<i>O. Listeri.</i>	Gray.	Mauritius.	M. Robillard.

GENUS.—CYCLOSTOMUS. *Montfort*, 1810.

1	<i>C. aplustre.</i>	Sowerby.	Madagascar.	
2	<i>C. articulatus.</i>	Gray.	Island of Rodrigues.	M. Robillard.
3	<i>C. Bronni.</i>	Adams.	Jamaica.	Sir W. Denison.
4	<i>C. costulatus.</i>	Ziegler.	Hermannstadt.	„
5	<i>C. elegans.</i>	Müller.	<i>a</i> Britain. <i>b</i> Bordeaux.	
6	<i>C. occlusus.</i>	Mörch.	Madagascar.	M. Robillard.
7	<i>C. retrosus.</i>	C. B. Adams.	Jamaica.	Sir W. Denison.
8	<i>C. tricarinatus.</i>	Müller.	Mauritius, very rare, never found alive.	M. Robillard.

GENUS.—TUDORA. *Gray*.

1	<i>T. armata.</i>	Adams.	Jamaica.	Sir W. Denison.
2	<i>T. columna.</i>	Wood.	„	„
3	<i>T. maritima.</i>	C. B. Adams.	„	„

SUB-FAMILY 7.—POMATIATEA. *Pfeiffer*.GENUS.—POMATIAS. *Studer*, 1789.

1	<i>P. Carthusianus.</i>	Dupuy.	Savoy.	Sir W. Denison.
2	<i>P. cinerascens.</i>	Rossmässler.	Italy.	„
3	<i>P. Himalayæ.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
4	<i>P. maculatus.</i>	Draparnaud.	<i>a</i> Pyrenees. <i>b</i> Verona.	Sir W. Denison.
5	<i>P. patulus.</i>	„	France.	„
6	<i>P. striolatus.</i>	Porro.	Genoa.	„
7	<i>P. tessellatus.</i>	Wiegmann.	Corfu.	„

GENUS.—HYDROCENA. *Parreyss*, 1843.

1	<i>H. robusta.</i>	?	Tahiti.	M. Robillard.
2	<i>H. Tahitensis.</i>	Pease.	„	„
3	<i>H. varia.</i>	?	„	„

GENUS.—OMPHALOTROPIS. *Pfeiffer*, 1851.

- | | | | | |
|---|--------------------|---|------------|---------------|
| 1 | <i>O. Layardi.</i> | ? | Hab. ? | M. Robillard. |
| 2 | <i>O. vario.</i> | ? | Mauritius. | „ |

FAMILY 2.—HELICINACEA.

SUB-FAMILY 1.—STOASTOMEA.

GENUS.—STOASTOMA. *C. A. Adams*, 1849.

- | | | | |
|---|----------------------|----------|--------------|
| 1 | <i>S. succineum.</i> | Sowerby. | South Spain. |
|---|----------------------|----------|--------------|

SUB-FAMILY 2.—HELICINEA.

GENUS.—TROCHATELLA. *Swainson*, 1840.

- | | | | |
|---|-------------------------|-------|----------|
| 1 | <i>T. pulchella.</i> | Gray. | Jamaica. |
| 2 | <i>T. Tankervillii.</i> | „ | „ |

GENUS.—LUCIDELLA. *Swainson*, 1840.

- | | | | | |
|---|--------------------|-----------|----------|-----------------|
| 1 | <i>L. aureola.</i> | Ferussac. | Jamaica. | Sir W. Denison. |
|---|--------------------|-----------|----------|-----------------|

GENUS.—HELICINA. *Lamarck*.

- | | | | | |
|----|-----------------------|------------|------------|-----------------|
| 1 | <i>H. Adamsiana.</i> | Pfeiffer. | Jamaica. | Sir W. Denison. |
| 2 | <i>H. albolabris.</i> | Jacquinet. | Tahiti. | „ |
| 3 | <i>H. costata.</i> | Gray. | Jamaica. | „ |
| 4 | <i>H. discoidea.</i> | ? | Tahiti. | M. Robillard. |
| 5 | <i>H. faba.</i> | ? | „ | „ |
| 6 | <i>H. maxima.</i> | Sowerby. | Jamaica. | Sir W. Denison. |
| 7 | <i>H. neritella.</i> | Lamarck. | Barbadoes. | |
| 8 | <i>H. pisum.</i> | Jacquinet. | Tahiti. | M. Robillard. |
| 9 | <i>H. rufescens.</i> | ? | „ | „ |
| 10 | <i>H. solida.</i> | ? | „ | „ |

GENUS.—ALCADIA. *Gray*, 1842.

- | | | | | |
|---|-------------------------|--------|----------|-----------------|
| 1 | <i>A. Brownei.</i> | Gray. | Jamaica. | Sir W. Denison. |
| 2 | <i>A. consanguinea.</i> | Adams. | „ | „ |
| 3 | <i>A. Hollandi.</i> | „ | „ | „ |
| 4 | <i>A. megastoma.</i> | „ | „ | „ |
| 5 | <i>A. palliata.</i> | „ | „ | „ |

SUB-FAMILY.—GEORISSEA.

GENUS.—GEORISSA. *W. T. Blanford*.

- | | | | | |
|---|------------------------|---------|------|------------------|
| 1 | <i>G. Frustrillum.</i> | Benson. | Ava. | Mr. W. Theobald. |
|---|------------------------|---------|------|------------------|

SUB-ORDER.—PROSOPHTHALMA.

FAMILY.—ASSIMINIIDÆ.

GENUS.—ASSIMINIA. *Leach*, 1816.

- | | | | |
|---|--------------------|---|----------|
| 1 | <i>A. faciata.</i> | ? | Hooghly. |
| 2 | <i>A. Grayana.</i> | ? | Britain. |

3	<i>A. miniata.</i>	Von Martens.	Singapore.	
4	<i>A. rotundata.</i>	Fairbank.	Bombay.	Mr. W. T. Blanford.
5	<i>A. rubella.</i>	W. T. Blanford.	Pegu.	"
6	<i>A. sub-conica.</i>	Leith.	Bombay.	"
7	<i>A. sulcata.</i>	Benson.	Banks of Hooghly.	

2D SUB-DIVISION.

CLASS.—CONCHIFERA. *Lamarck*, 1818.

ORDER 1.—PHOLADACEA. *Blainville*, 1818.

FAMILY 1.—PHOLADIDÆ. *Leach*, 1819.

SUB-FAMILY.—PHOLADINÆ. *H. and A. Adams*, 1855.

GENUS.—PHOLAS. *Linnaeus*, 1757.

- 1 *P. Bakeri* ? Deshayes. Madras.

GENUS.—DACTYLINA. *Gray*, 1847.

- 1 *D. dactylus.* Linnaeus. Britain.

GENUS.—BARNEA. *Leach*, 1826.

- 1 *B. parva.* Linnaeus. Britain.

GENUS.—PHOLADIDEA. *Turton*, 1819.

- 1 *P. papyracea.* Solander. Britain.

GENUS.—MARTESIA. *Leach*, 1847.

- 1 *M. striata.* Linnaeus. Burmah (probably) } Was cut out of
a log of Teak
at the Museum.

SUB-FAMILY 2.—TEREDININÆ. *H. and A. Adams*, 1855.

GENUS.—TEREDO. *Linnaeus*, 1757.

- 1 *T. corniformis.* Lamarck. Tropical Seas.
2 *T. navalis.* Linnaeus. European Seas.

FAMILY 2.—GASTROCHÆNIDÆ. *Gray*, 1840.

GENUS.—GASTROCHÆNA. *Lamarck*, 1818.

- 1 *G. modiolina.* Lamarck. Britain.

GENUS.—CLAVAGELLA. *Lamarck*, 1807.

- 1 *C. aperta.* Sowerby. Malta.

GENUS.—ASPERGILLUM. *Lamarck*, 1809.

- 1 *A. disjunctum.* Deshayes. Hab. ?

FAMILY 3.—SOLENIIDÆ. *Latreille, 1825.*SUB-FAMILY 1.—SOLENIINÆ. *H. and A. Adams.*GENUS.—SOLENI. *Linnaeus, 1757.*

- | | | | |
|---|---------------------|-----------|---------------|
| 1 | <i>S. corneus</i> ? | Lamarck. | Java. |
| 2 | <i>S. ensis.</i> | Linnaeus. | Britain, &c. |
| 3 | <i>S. siliqua.</i> | „ | „ * |
| 4 | <i>S. vagina.</i> | „ | Indian Seas.* |

SUB-FAMILY 2.—PHARINÆ. *H. and A. Adams.*GENUS.—PHARUS. *Leach, 1840.*

- | | | | |
|---|--------------------|-----------|----------|
| 1 | <i>P. legumen.</i> | Linnaeus. | Britain. |
|---|--------------------|-----------|----------|

GENUS.—CULTELLUS. *Schumacher, 1817.*

- | | | | | |
|---|----------------------|-----------|----------|-----------------|
| 1 | <i>C. cultellus.</i> | Linnaeus. | Ceylon. | Sir W. Denison. |
| 2 | <i>C. lacteus.</i> | Spengler. | Malacca. | |

GENUS.—MACHÆRA. *Gould, 1841.*

- | | | | |
|---|--------------------|-----------|---------------------------|
| 1 | <i>M. radiata.</i> | Linnaeus. | <i>a</i> Bay of Bengal. |
| | | | <i>b</i> Madras Coast.*** |

GENUS.—SOLECURTUS. *Blainville, 1824.*

- | | | | | |
|---|------------------------|-----------|---------|----------------|
| 1 | <i>S. strigilatus.</i> | Linnaeus. | Ceylon. | Sir W. Denison |
|---|------------------------|-----------|---------|----------------|

GENUS.—NOVACULINA. *Benson, 1830.*

- | | | | |
|---|----------------------|----------|-----------|
| 1 | <i>N. Gangetica.</i> | Benson. | Calcutta. |
| 2 | <i>N. olivacea.</i> | Metcalf. | Malacca. |

FAMILY 4.—GLYCIMERIDÆ. *Deshayes, 1839.*GENUS.—SAXICAVA. *Fleuriau de Bellevue, 1802.*

- | | | | |
|---|-------------------|-----------|----------|
| 1 | <i>S. rugosa.</i> | Linnaeus. | Britain. |
|---|-------------------|-----------|----------|

GENUS.—PANOPÆA. *Menard de la Groye, 1807.*

- | | | | |
|---|-----------------------|----------|-----------|
| 1 | <i>P. Aldrovandi,</i> | Lamarck. | Portugal. |
|---|-----------------------|----------|-----------|

GENUS.—GLYCIMERIS. *Lamarck, 1801.*

- | | | | |
|---|--------------------|-----------|-----------|
| 1 | <i>G. siliqua.</i> | Chemnitz. | America.* |
|---|--------------------|-----------|-----------|

FAMILY 5.—MYIDÆ. *Gray, 1839.*GENUS.—MYA. *Linnaeus, 1747.*

- | | | | |
|---|---------------------|-----------|------------------|
| 1 | <i>M. arenaria.</i> | Linnaeus. | European Ocean.* |
|---|---------------------|-----------|------------------|

FAMILY 6.—CORBULIDÆ. *Broderip, 1839.*GENUS.—CORBULA. *Bruguère, 1792.*

- | | | | |
|---|--------------------|----------|--------------|
| 1 | <i>C. nucleus.</i> | Lamarck. | Britain. |
| 2 | <i>C. polita.</i> | Hinds. | Philippines. |

FAMILY 7.—ANATINIDÆ. *D'Orbigny, 1845.*GENUS.—ANATINA. *Lamarck, 1809.*

- | | | | |
|---|---------------------|---------------|--------|
| 1 | <i>A. Cumingii.</i> | Valenciennes. | Hab. ? |
|---|---------------------|---------------|--------|

GENUS.—LYONSIA. *Turton*, 1822.

- 1 *L. norvegica*. Chemnitz. Britain.

GENUS.—THRACIA. *Leach*, 1824.

- 1 *T. villosiuscula* McGillivray. Britain.

GENUS.—NEÆRA. *Gray*, 1834.

- 1 *N. cuspidata*. Olivier. Britain.

GENUS.—PANDORA. *Bruguère*, 1792.

- 1 *P. obtusa*. Lamarck. Britain.

GENUS.—MYODORA. *Gray*, 1840.

- 1 *M. ovata*. Reeve. Moreton Bay.

GENUS.—MYOCHAMA. *Stutchbury*, 1830.

- 1 *M. transversa*. Adams. Moreton Bay.

GENUS.—CHAMOSTREA. *DeRoissy*, 1805.CLEIDOTHERUS. *Stutchbury*, 1829.

- 1 *C. albida*, Lamarck. Sydney.

ORDER 2.—VENERACEA. *Menke*, 1830.FAMILY 8.—MACTRIDÆ. *Gray*, 1840.SUB-FAMILY 1.—MACTRINÆ. *H. and A. Adams*.GENUS.—MACTRA. *Linnæus*, 1767.

- | | | | | |
|----|--------------------------|-----------|-----------------------|-----------------|
| 1 | <i>M. attenuata</i> . | Deshayes. | Madras. | |
| 2 | <i>M. decora</i> . | „ | Hab. ? | |
| 3 | <i>M. egena</i> ? | „ | „ | |
| 4 | <i>M. elliptica</i> . | Brown. | British Seas. | |
| 5 | <i>M. exoleta</i> . | Gray. | Cape Horn. | |
| 6 | <i>M. lævis</i> . | Chemnitz. | <i>a</i> Philippines. | |
| | | | <i>b</i> Madras.* | |
| 7 | <i>M. ornata</i> . | Gray. | Ceylon. | Sir W. Denison. |
| 8 | <i>M. plicataria</i> . | Linnæus. | Sumatra. | |
| 9 | <i>M. Reevesii</i> . | Gray. | Malacca. | |
| 10 | <i>M. solidissima</i> . | Chemnitz. | Massachusetts. | |
| 11 | <i>M. stultorum</i> . | Linnæus. | Britain. | |
| 12 | <i>M. subtruncata</i> . | Montagu. | „ | |
| 13 | <i>M. symmetrica</i> . | Deshayes. | Ceylon.* | |
| 14 | <i>M. transversa</i> . | „ | Singapore. | |
| 15 | <i>M. triangularis</i> . | Lamarck. | Hab. ? | |
| 16 | <i>M. truncata</i> . | Montagu. | Britain. | |
| 17 | <i>M. violacea</i> . | Chemnitz. | Malacca. | |

GENUS.—RANGIA. *Desmoulins*, 1832.

- 1 *R. cyrenoides*. Desmoulins. Lake Pontchartrain. M.J.L.Laporte

SUB-FAMILY 2.—LUTRARIINÆ. *H. and A. Adams*.GENUS.—LUTRARIA. *Lamarck*, 1799.

- 1 *L. oblonga*. Turton. Britain.

FAMILY 9.—TELLINIDÆ.

SUB-FAMILY 1.—TELLININÆ.

GENUS.—ASAPHIS. *Modeer*, 1793.

- 1 *A. rugosa*. Lamarck. Reunion Island. M. Robillard.

GENUS.—PSAMMOBIA. *Lamarck*, 1818.

- 1 *P. amethystus*. E. L. Layard. Ceylon. Sir W. Denison.
 2 *P. cærulescens*. Lamarck. „ „
 3 *P. Ferroensis*. Chemnitz. Britain.
 4 *P. Malaccana*. Reeve. Malacca.
 5 *P. occidents*. Chemnitz. Ceylon.* „
 6 *P. Tellinella*. Lamarck. Britain.
 7 *P. tripartita*. Deshayes. Aden.
 8 *P. vespertina*. Gmelin. Britain ?

GENUS.—SANGUINOLARIA. *Lamarck*, 1799.

- 1 *S. sanguinolenta*. Gmelin. Philippines.

GENUS.—SOLETELLINA. *Blainville*, 1824.

- 1 *S. diphos*. Linnæus. Malacca.*

SUB-GENUS.—PSAMMOTELLA. *Blainville*, 1826.

- 1 *P. Skinneri* ? Reeve. Ceylon.

GENUS.—TELLINA. *Linnæus*, 1758.

- 1 *T. capsoides*. Lamarck. Island of St. Pierre.
 2 *T. carnaria*. Linnæus. La Guayra. M.J.L.Laporte
 3 *T. crassa*. Pennant. Britain.
 4 *T. depressa*. Gmelin. Cayenne. „
 5 *T. donacina*. Linnæus. Britain.
 6 *T. foliacea*. „ Indian Ocean.
 7 *T. lingua-felis*. „ „ *
 8 *T. pisiformis*. Lamarck. Jamaica.
 9 *T. radiata*. Linnæus. The Antilles. „
 10 *T. rostrata*. „ Indian Ocean.*
 11 *T. solidula*. Pulteney. Britain.*
 12 *T. Spengleri*. Chemnitz. Malacca.
 13 *T. staurella*. Lamarck. New Holland.
 14 *T. subar*. ? Kingsmill Island. M. Robillard.

15	<i>T. tenuis.</i>	DaCosta.	Atlantic.	M.J.L.Laporte
16	<i>T. Tongana.</i>	Quoy.	Tonga Tabou.	
17	<i>T. unimaculata.</i>	Lamarck.	The Antilles.	„
18	<i>T. virgata.</i>	Linnæus.	<i>a</i> The Indian Ocean.*	
			<i>b</i> Ceylon.	Sir W. Denison.

GENUS.—LUCINOPSIS. *Forbes and Hanley, 1848.*

1	<i>L. undata.</i>	Pennant.	Britain.
---	-------------------	----------	----------

SUB-FAMILY.—DONACINÆ.

GENUS.—DONAX. *Linnæus, 1758.*

1	<i>D. anatinus.</i>	Lamarck.	British Seas.
2	<i>D. cuneata.</i>	Linnæus.	<i>a</i> Ceylon. <i>b</i> Madras.***
3	<i>D. deltoides.</i>	Lamarck.	Brisbane, Australia.
4	<i>D. denticulata.</i>	Linnæus.	West Indies.
5	<i>D. scortum.</i>	„	<i>a</i> Madras.*** <i>b</i> Cape of Good Hope.

GENUS.—IPHIGENIA. *Schumacker, 1817.*

1	<i>I. media.</i>	Shuttleworth.	West Indies.
---	------------------	---------------	--------------

GENUS.—CAPSA. *Lamarck, 1818.*

1	<i>C. deflorata.</i>	Linnæus.	Eastern Seas.
---	----------------------	----------	---------------

GENUS.—GALATEA. *Bruguière, 1792.*

1	<i>G. radiata.</i>	Lamarck.	Ceylon, &c.
---	--------------------	----------	-------------

SUB-FAMILY 3.—SCROBICULARIINÆ.

GENUS.—SCROBICULARIA. *Schumacher, 1817.*

1	<i>S. piperata.</i>	Gmelin.	Britain.
---	---------------------	---------	----------

GENUS.—AMPHIDESMA. *Lamarck, 1818.*

1	<i>A. scabra.</i>	Hanley.	Philippines.
---	-------------------	---------	--------------

GENUS.—CUMINGIA. *Sowerby, 1833.*

1	<i>C. eucharis.</i>	Reeve.	West Indies.
---	---------------------	--------	--------------

SUB-FAMILY 4.—PAPHIINÆ. *H. and A. Adams.*

GENUS.—MESODESMA. *Deshayes, 1830.*

1	<i>M. crassula.</i>	Deshayes.	Hab. ?
2	<i>M. glabrata.</i>	?	Island of Reunion. M. Robillard.
3	<i>M. nitida.</i>	Deshayes.	Hab. ?
4	<i>M. ovalis.</i>	„	New Zealand.
5	<i>M. striata.</i>	„	Hab. ?

FAMILY 10.—VENERIDÆ. *H. and A. Adams.*SUB-FAMILY 1.—VENERINÆ. *H. and A. Adams.*GENUS.—VENUS. *Linnæus, 1758.*

1	<i>V. alatus.</i>	Reeve.	Swan River.**	
2	<i>V. Columbiensis.</i>	Sowerby.	St. Elena.	
3	<i>V. crispata ?</i>	Deshayes.	Hab. ?	
4	<i>V. fasciata.</i>	DaCosta.	Britain.	
5	<i>V. Gnidia.</i>	Broderip and Sowerby.	San Blas, Mexico.	
6	<i>V. Isabellina.</i>	Philippi.	Sydney.*	Sir W. Denison.
7	<i>V. Lamarekii.</i>	Gray.	China.	
8	<i>V. Listeri.</i>	„	Philippines.	
9	<i>V. lyra ?</i>	Hanley.	Gulf of Guinea.	
10	<i>V. mercenaria.</i>	Linnæus.	North America.	
11	<i>V. ovata.</i>	Pennant.	W. Coast of Britain.	
12	<i>V. plicata.</i>	Gmelin.	West Africa.	
13	<i>V. puerpera.</i>	Linnæus.	Philippines.	
14	<i>V. reticulata.</i>	Sowerby.	Rogers' Straits.	Sir W. Denison.
15	<i>V. reticulata.</i>	Linnæus.	Philippines.	
16	<i>V. striatula.</i>	DaCosta.	Britain.	
17	<i>V. verrucosa.</i>	Linnæus.	„	

GENUS.—CYTHEREA. *Lamarck, 1805.*

18	<i>C. castanea.</i>	Lamarck.	Indian Ocean.*	
19	<i>C. creplini.</i>	Dunker.	Cannanore.	Mr. W. T. Blandford.
20	<i>C. impudica.</i>	Lamarck.	<i>a</i> India. <i>b</i> Labuan.*	
21	<i>C. morphina.</i>	„	Ceylon.**	
22	<i>C. ovum.</i>	Hanley.	Madras.*	

GENUS.—DIONE. *Gray, 1847.*

1	<i>D. aurantia.</i>	Gray.	Acapulco, South America.	
2	<i>D. chione.</i>	Linnæus.	Seas of Europe.	
3	<i>D. erycina.</i>	„	Ceylon.*	
4	<i>D. festiva.</i>	Sowerby.	Eastern Seas.	
5	<i>D. Hagenowi.</i>	Dunker.	Red Sea.	Sir H. Barclay.
6	<i>D. impar.</i>	Lamarck.	Swan River, Aus- tralia.	Sir W. Denison.
7	<i>D. rosea.</i>	Broderip and Sowerby.	Panama.	

GENUS.—MERCE. *Schumacher, 1817.*

1	<i>M. hians.</i>	Reeve.	Madras.*
2	<i>M. picta.</i>	Lamarek.	Indian Ocean.**
3	<i>M. seminuda.</i>	Philippi.	Moluccas.*
4	<i>M. scripta.</i>	Rumphius.	Indian Ocean.*
5	<i>M. Solandri.</i>	Gray.	Madras Coast.**
6	<i>M. truncata.</i>	Deshayes.	<i>a</i> Philippines. <i>b</i> Madras Coast.** <i>c</i> Vizagapatam.

GENUS.—CIRCE. *Schumacher, 1817.*

1	<i>C. castrensis.</i>	Linnæus.	Indian Ocean.
2	<i>C. divaricata.</i>	Chemnitz.	<i>a</i> Bombay. Mr.W.T.Blanford. <i>b</i> Indian Ocean.
3	<i>C. gibba.</i>	Lamarek.	„
4	<i>C. lentiginosa.</i>	Chemnitz.	Aden.
5	<i>C. pectinata.</i>	Linnæus.	Kingsmill Island. M. Robillard.
6	<i>C. scripta.</i>	„	Indian Ocean.*
7	<i>C. Sowerbyi.</i>	Deshayes.	Philippines.
8	<i>C. trimaculata.</i>	Lamarek.	Ceylon?* SirW.Denison.

SUB-FAMILY 2.—DOSINIINÆ.

GENUS.—DOSINIA. *Scopoli, 1777.*

1	<i>D. exoleta.</i>	Deshayes.	Britain.
2	<i>D. fibula.</i>	Reeve.	Pulicat.*
3	<i>D. laminata.</i>	„	Philippines.
4	<i>D. lineta.</i>	Deshayes.	Britain.
5	<i>D. Patagonica.</i>	Philippi.	Patagonia.
6	<i>D. penicillata?</i>	Reeve.	<i>a</i> Hab. ? <i>b</i> Malacca.

SUB-FAMILY 3.—TAPESINÆ.

GENUS.—TAPES. *Megerle, 1811.*

1	<i>T. aurea.</i>	Gmelin.	Constantinople. M. Robillard. <i>b</i> Britain.
2	<i>T. Bruguièri.</i>	Hauley.	Vizagapatam.
3	<i>T. decussata.</i>	Linnæus.	<i>a</i> Toulon. M. Robillard. <i>b</i> Britain. <i>c</i> Atlantic Ocean. M.J.L.Laporte
4	<i>T. literata.</i>	„	<i>a</i> W. Australia. SirW.Denison. <i>b</i> Indian Ocean.
5	<i>T. marmorata.</i>	Lamarek	Bombay.*
6	<i>T. pullastra.</i>	Montagu.	Britain.

7	<i>T. quadriradiata.</i>	Deshayes.	Ceylon ?	Sir W. Denison.
8	<i>T. radiata.</i>	Chemnitz.	Indian Ocean.	
9	<i>T. rotundata.</i>	Linnæus.	Ceylon.*	
10	<i>T. textrix.</i>	Chemnitz.	Malacca.*	
11	<i>T. virginea.</i>	Linnæus.	Britain.	

GENUS.—VENERUPIS. *Lamarck*, 1818.

1	<i>V. Irus.</i>	Linnæus.	Britain.	
---	-----------------	----------	----------	--

GENUS.—CYPRICARDIA. *Lamarck*, 1819.

1	<i>C. vellicata.</i>	Reeve.	Philippines.	
---	----------------------	--------	--------------	--

FAMILY 11.—PETRICOLIDÆ.

GENUS.—PETRICOLA. *Lamarck*, 1801.

1	<i>P. lithophaga.</i>	Retzius.	Mediterranean.	
---	-----------------------	----------	----------------	--

FAMILY 12.—GLAUCONOMYIDÆ.

GENUS.—GLAUCONOMA. *Gray*, 1828.

1	<i>G. rugosa.</i>	Hanléy.	Malacca.	
---	-------------------	---------	----------	--

FAMILY 13.—CYPRINIDÆ.

GENUS.—CYPRINA. *Lamarck*, 1812.

1	<i>C. islandica.</i>	Lamarck.	Britain.	
---	----------------------	----------	----------	--

FAMILY 14.—CYRENIDÆ.

GENUS.—CYRENA. *Lamarck*, 1806.

1	<i>C. Bengalensis.</i>	Deshayes.	Sunderbunds, Bengal.	Mr. W. T. Blanford.
2	<i>C. Ceylanica ?</i>	Chemnitz.	Rutnagherry.	„
3	<i>C. fuscata.</i>	Lamarck.	Moulmein.	
4	<i>C. Malaccensis.</i>	?	Malacca.	
5	<i>C. Sumatrensis.</i>	Sowerby.	Sumatra.*	

GENUS.—CYCLAS. *Bruguère*, 1792.

1	<i>C. cornea.</i>	Linnæus.	Britain.*	
2	<i>C. Linslayi</i>	?	America ?*	
3	<i>C. modesta.</i>	Pfeiffer.	„	
4	<i>C. nucleus.</i>	Normand.	Bordeaux.	M. J. L. Laporte
5	<i>C. ovalis.</i>	Stimpson.	„	„
6	<i>C. partumeia.</i>	Say.	America.*	
7	<i>C. similis.</i>	„	„ *	

GENUS.—PISIDIUM. *Pfeiffer*, 1821.

1	<i>P. dubium.</i>	Say.	America.	
2	<i>P. pusillum.</i>	Gmelin.	Britain.	

FAMILY 16.—CARDIIDÆ.

GENUS.—CARDIUM. *Linnæus*, 1758.

1	<i>C. alternatum.</i>	Sowerby.	Australia.	Sir W. Denison.
2	<i>C. cardissa.</i>	Linnæus.	Eastern Seas.	
3	<i>C. costatum.</i>	„	E. Coast of Africa.	
4	<i>C. echinatum.</i>	„	European Seas.	
5	<i>C. edule.</i>	„	„ *	
6	<i>C. elatum.</i>	Sowerby.	California.	
7	<i>C. enode.</i>	„	Ceylon.	
8	<i>C. fimbriatum.</i>	Wood.	China.	
9	<i>C. hemicardium.</i>	Linnæus.	Philippines.*	
10	<i>C. latum.</i>	Born.	„ *	
11	<i>C. lyratum.</i>	Sowerby.	„	
12	<i>C. multispinosum.</i>	„	China.	
13	<i>C. muticum.</i>	Reeve.	Ceylon.	
14	<i>C. nebulosum.</i>	„	„	„
15	<i>C. oxygonum.</i>	Sowerby.	China, &c.	
16	<i>C. Pennantii.</i>	Beck.	Exmouth, Devon.	
17	<i>C. pseudo-lima.</i>	Lamarck.	Zanzibar.	
18	<i>C. pygmeum.</i>	?	Britain.	
19	<i>C. rugosum.</i>	Lamarck.	Ceylon, &c.	
20	<i>C. rusticum.</i>	Linnæus.	Adriatic Sea.	
21	<i>C. tenuicostatum.</i>	Lamarck.	<i>a</i> New Holland.	Sir W. Denison.
			<i>b</i> Mauritius.	M. Robillard.
22	<i>C. tumoriferum.</i>	„	New Holland.	
23	<i>C. unedo.</i>	Linnæus.	<i>a</i> Rogers' Straits.	Sir W. Denison.
			<i>b</i> Ceylon, &c.	
24	<i>C. vertebratum.</i>	Jonas.	Australia.	

FAMILY 17.—ISOCARDIIDÆ.

GENUS.—ISOCARDIA. *Lamarck*, 1799.

1	<i>I. vulgaris.</i>	Reeve.	China.
---	---------------------	--------	--------

FAMILY 18.—CHAMIDÆ.

GENUS.—CHAMA. *Bruguère*, 1789.

1	<i>C. multisquamosa.</i>	Reeve.	Philippines.
---	--------------------------	--------	--------------

FAMILY 19.—TRIDACNIDÆ.

GENUS.—TRIDACNA. *Bruguère*, 1789.

1	<i>T. Cumingii.</i>	Reeve.	Andamans.	Lieut. McGoun.
2	<i>T. elongata.</i>	Lamarck.	<i>a</i> Australia.	Sir W. Denison.
			<i>b</i> Philippines.	

- | | | | | |
|---|---------------------|----------|--|-------------------|
| 3 | <i>T. gigas.</i> | Linnæus. | Indian and Pacific Seas. | Lieut. W. Norris. |
| 4 | <i>T. squamosa.</i> | Lamarck. | <i>a</i> Moluccas.
<i>b</i> Australia.* | Sir W. Denison. |

GENUS.—HIPPOPUS. *Lamarck*, 1799.

- | | | | |
|---|----------------------|----------|---------------|
| 1 | <i>H. maculatus.</i> | Linnæus. | Eastern Seas. |
|---|----------------------|----------|---------------|

ORDER 3.—LUCINACEA.

FAMILY 20.—LUCINIDÆ.

GENUS.—LUCINA. *Bruguière*, 1792.

- | | | | |
|---|------------------------|--------------------|------------------|
| 1 | <i>L. exasperata.</i> | Reeve. | Bay of Honduras. |
| 2 | <i>L. ferruginosa.</i> | Forbes and Hanley. | Britain. |
| 3 | <i>L. flexuosa.</i> | Donovan. | „ |
| 4 | <i>L. tigerina.</i> | Linnæus. | Bay of Honduras. |

GENUS.—CORBIS. *Cuvier*, 1817.

- | | | | |
|---|----------------------|----------|--------------|
| 1 | <i>C. fimbriata.</i> | Linnæus. | Philippines. |
|---|----------------------|----------|--------------|

FAMILY 21.—UNGULINIDÆ.

GENUS.—UNGULINA. *Daudin*, 1802.

- | | | | |
|---|--------------------|----------|---------------|
| 1 | <i>U. alba.</i> | Rang. | North Africa. |
| 2 | <i>U. oblonga.</i> | Lamarck. | „ |

FAMILY 22.—ERYCINIDÆ.

GENUS.—KELLIA. *Turton*, 1822.

- | | | | |
|---|------------------|---------|----------|
| 1 | <i>K. rubra.</i> | Turton. | Britain. |
|---|------------------|---------|----------|

GENUS.—GALEOMMA. *Turton*, 1825.

- | | | | |
|---|--------------------|-----------|--------------|
| 1 | <i>G. ambigua.</i> | Deshayes. | Philippines. |
|---|--------------------|-----------|--------------|

FAMILY 23.—SOLEMYADÆ. *Deshayes*.

GENUS.—SOLEMYA. *Lamarck*, 1818.

- | | | | |
|---|----------------------|----------|------------|
| 1 | <i>S. Australis.</i> | Lamarck. | Australia. |
|---|----------------------|----------|------------|

FAMILY 24.—CRASSATELLIDÆ. *Gray*.

GENUS.—CRASSINA. *Lamarck*, 1818.

- | | | | |
|---|----------------------|---------------|----------------|
| 1 | <i>C. compressa.</i> | Macgillivray. | Scotland. |
| 2 | <i>C. fusca.</i> | Poli. | Mediterranean. |
| 3 | <i>C. sulcata.</i> | DaCosta. | Britain. |

GENUS.—CRASSATELLA. *Lamarck*, 1799.

- | | | | |
|---|----------------------|----------|---------------------------|
| 1 | <i>C. Kingicola.</i> | Lamarck. | King Island, New Holland. |
| 2 | <i>C. rostrata.</i> | „ | Ceylon. |

GENUS.—CARDITA. *Bruguière*, 1789.

1	<i>C. antiquata</i> ?	Linnaeus.	Madras.	
2	<i>C. radula</i> .	Reeve.	Hab. ?	
3	<i>C. variegata</i> .	Bruguière.	Reunion.	M. Robillard.

FAMILY 25.—UNIONIDÆ.

SUB-FAMILY 1.—UNIONINÆ.

GENUS.—UNIO. *Retzius*, 1788.

1	<i>U. alatas</i> .	Lamarck.	Rocky River.	
2	<i>U. Anadontoides</i> .	Lea.	North America.	
3	<i>U. Arcæformis</i> .	„	Tennessee.	
4	<i>U. cariosa</i> .	Say.	North America.	
5	<i>U. cælatus</i> .	Conrad.	„	
6	<i>U. cæruleus</i> .	Lea.	<i>a</i> River Hooghly. <i>b</i> Sinde.	Mr. W.T. Blanford.
7	<i>U. circulus</i> .	„	Wabash.	
8	<i>U. complanatus</i> .	Deshayes.	Massachusetts.	
9	<i>U. compressus</i> .	Lea.	Hab. ?	
10	<i>U. Congaræus</i> .	„	South Carolina.	
11	<i>U. Conradicus</i> .	„	Hab. ?	
12	<i>U. crassidens</i> .	Lamarck.	North America.	
13	<i>U. Cunninghamii</i> .	?	Australia.	
14	<i>U. cylindricus</i> .	Say.	Wabash.	
15	<i>U. cyphius</i> .	Rafinesque.	„	
16	<i>U. donaciformis</i> .	Lea.	Ohio.	
17	<i>U. electrinus</i> .	Reeve.	„ Canal.	
18	<i>U. elegans</i> .	Lea.	North America.	
19	<i>U. flavidens</i> .	Benson.	Bengal.*	
20	<i>U. generosus</i> ?	Gould.	Pegu.	Mr. W.T. Blanford.
21	<i>U. gibbosa</i> .	Barnes.	India.	
22	<i>U. gibbosus</i> .	Rafinesque.	North America.	
23	<i>U. glans</i> .	Lea.	River Ohio.	
24	<i>U. gracilis</i> .	Barnes.	Ohio.	
25	<i>U. Grayana</i> .	Lea.	China.	
26	<i>U. Haysianus</i> .	„	Tennessee.	
27	<i>U. heterodon</i> .	„	Schuylkil Lake, North America.	
28	<i>U. hopetonensis</i> .	„	North America.	
29	<i>U. infucatus</i> .	Conrad.	Georgia.	
30	<i>U. intermedius</i> .	„	Tennessee.	

31	<i>U. interruptus.</i>	Rafinesque.	Tennessee.	M.J.L.Laporte
32	<i>U. irroratus.</i>	Lea.	North America.	
33	<i>U. lachrymosus.</i>	„	Ohio.	
34	<i>U. lanceolatus.</i>	„	Virginia.	
35	<i>U. ligamentinus.</i>	Lamarck.	Ohio.	
36	<i>U. littoralis.</i>	Cuvier.	Garonne.	M.J.L.Laporte
37	<i>U. luteolus.</i>	Lamarck.	Ohio.	
38	<i>U. maculatus.</i>	Conrad.	Carolina.	
39	<i>U. margaritifera.</i>	Linnaeus.	Hab. ?	
40	<i>U. marginalis.</i>	Lamarck.	<i>a</i> Bengal. <i>b</i> Madras.**	
41	<i>U. metanev.</i>	Rafinesque.	Ohio.	
42	<i>U. multiradiata.</i>	Lea.	„	
43	<i>U. occidens.</i>	„	Susquehanna.	
44	<i>U. ochraceus.</i>	Say.	New York.	
45	<i>U. parma.</i>	Benson.	Tenasserim.	
46	<i>U. patula.</i>	Lea.	Ohio.	
47	<i>U. planulatus.</i>	„	Hab. ?	
48	<i>U. pugio.</i>	Benson.	Pegu.	Mr. W.T. Blanford.
49	<i>U. pustulosus.</i>	Lea.	North America.	
50	<i>U. pyramidatus.</i>	„	„	
51	<i>U. Rangianus.</i>	„	Ohio River.	
52	<i>U. rectus.</i>	Lamarck.	Mississippi.	
53	<i>U. Requiemi.</i>	Michaud.	Garonne.	M.J.L.Laporte
54	<i>U. rotundatus.</i>	Lamarck.	Louisiana ?	
55	<i>U. rubiginosus.</i>	Lea.	Ohio.	
56	<i>U. Shepardianus.</i>	„	Georgia.	
57	<i>U. Shurtleffianus.</i>	„	Lower Nerbudda.	Mr. W.T. Blanford.
58	<i>U. simus.</i>	„	North America.	
59	<i>U. sinuatus.</i>	Lamarck.	Garonne.	
60	<i>U. Sowerbianus.</i>	Lea.	Tennessee.	
61	<i>U. splendidus.</i>	„	North America.	
62	<i>U. sulcatus.</i>	„	Ohio.	
63	<i>U. triangularis.</i>	Barnes.	„	
64	<i>U. triembolus.</i>	Benson.	Bengal.	Mr. W.T. Blanford.
65	<i>U. trigonus.</i>	Lea.	North America.	
66	<i>U. Troostensis.</i>	„	Tennessee.	
67	<i>U. tuberculatus.</i>	Barnes.	Salt River, North America.	
68	<i>U. valentinus.</i>	Rossmastri.	Albufera, Spain.	

- 69 *U. Wynegungaensis*. Lea. *a* Cortalai River.***
b River Godavery. Mr.W.T.Blanford.
 70 *U. sp ?* (near *lævirostris*.) Benson. Calcutta. „

GENUS.—MARGARITANA. *Schumacher*, 1817.

- 1 *M. rugosa*. Lea. North America.

SUB-GENUS.—ALASMODONTA. *Say*, 1820.

- 1 *A. marginata*. Say. Massachusetts.

GENUS.—ANODONTA. *Cuvier*, 1798.

- 1 *A. anatina*. Linnæus. Bordeaux. M.J.L.Laporte
 2 *A. cataracta*. Say. River Hudson, U. States.
 3 *A. Cumingii*. Lea. Malacca.
 4 *A. cygnea*. Linnæus. Bordeaux. M.J.L.Laporte.
 5 *A. fluviatilis*. Lea. North America.
 6 *A. Louisiana*. „ Erie Canal.
 7 *A. piscinalis*. Draparnaud. Gironde. M.J.L.Laporte.
 8 *A. trapezialis*. Lamarek. Hab. ?
 9 *A. undulata*. ? Westfeild.

GENUS.—PSEUDODON. *Gould*, 1844.

- 1 *P. inoscularis*. Gould. Hab. ?

SUB-FAMILY 3.—IRIDINÆ.

GENUS.—IRIDINA. *Lamarck*, 1819.

- 1 *I. McMoorkii*. Gould. Hab. ?

GENUS.—HYRIA. *Lamarck*, 1819.

- 1 *H. corrugata*. Lamarek. Hab. ?

GENUS.—CASTALIA. *Lamarck*, 1819.

- 1 *C. ambigua*. Sowerby. River Amazon.

FAMILY 26.—ÆTHERIIDÆ.

GENUS.—ÆTHERIA. *Lamarck*, 1808.

- 1 *Æ. semilunata*. Lamarek. West Africa.

FAMILY 27.—MYTILIDÆ.

GENUS.—MYTILUS. *Linnæus*, 1758.

- 1 *M. edulis*. Linnæus. *a* North Atlantic M.J.L.Laporte
 Shores.*
 „ (young.) „ *b* „ „
c Britain.

- | | | | |
|---|---------------------|----------|-----------------------|
| 2 | <i>M. latus.</i> | Lamarck. | <i>a</i> New Zealand. |
| | „ (young.) | „ | <i>b</i> Madras.** |
| 3 | <i>M. unguatus.</i> | Linnæus. | Chili. |

GENUS.—MODIOLA. *Lamarck*, 1799.

- | | | | |
|---|--------------------------|----------|---------------------------------|
| 1 | <i>M. arcuatula.</i> | Hanley. | Malacca. |
| 2 | <i>M. barbata.</i> | Lamarck. | Britain. |
| 3 | <i>M. emarginatus.</i> | Benson. | Calcutta. |
| 4 | <i>M. marmorata.</i> | Forbes. | Britain. |
| 5 | <i>M. Metcalfei.</i> | Hanley. | Island of Radock. M. Robillard. |
| 6 | <i>M. modiolus.</i> | Linnæus. | Britain. |
| 7 | <i>M. Philippinarum.</i> | Hanley. | Philippines.* |
| 8 | <i>M. plicatula.</i> | Lamarck. | United States.* |

GENUS.—LITHODOMUS. *Cuvier*, 1817.

- | | | | |
|---|-----------------------|-----------|--------------|
| 1 | <i>L. antillarum.</i> | Philippi. | West Indies. |
| 2 | <i>L. gracilis.</i> | „ | Malacca. |

FAMILY 28.—AVICULIDÆ.

GENUS.—AVICULA. *Lamarck*, 1799.

- | | | | |
|---|--------------------------|----------|--|
| 1 | <i>A. fucata.</i> | Gould. | Japan. |
| 2 | <i>A. margaritifera.</i> | Linnæus. | <i>a</i> Ceylon. |
| | | | <i>b</i> Isld. of Reunion. M. Robillard. |
| | | | <i>c</i> Port Blair, Andamans. Dr. Gamach. |
| | | | <i>d</i> Madras.* |

GENUS.—PERNA. *Bruguère*, 1792.

- | | | | |
|---|-----------------------|---|---------------------------------|
| 1 | <i>P. dentifera.</i> | ? | Isld. of Reunion. M. Robillard. |
| 2 | <i>P. Morillardi.</i> | ? | „ „ |

GENUS.—MALLEUS. *Lamarck*, 1799.

- | | | | |
|---|---------------------|----------|--------------|
| 1 | <i>M. anatinus.</i> | Lamarck. | Moluccas. |
| 2 | <i>M. vulgaris.</i> | Linnæus. | China Seas.* |

GENUS.—CRENATULA. *Lamarck*, 1802.

- | | | | |
|---|--------------------|----------|----------|
| 1 | <i>C. nigrina.</i> | Lamarck. | Red Sea. |
|---|--------------------|----------|----------|

GENUS.—PINNA. *Linnæus*, 1758.

- | | | | |
|---|---------------------|-----------|----------------------------------|
| 1 | <i>P. bicolor.</i> | Chemnitz. | Malacca. |
| 2 | <i>P. Japonica.</i> | Hanley. | Japan.* |
| 3 | <i>P. nigra.</i> | Chemnitz. | <i>a</i> South Seas, &c. |
| | | | <i>b</i> Tahiti. Sir W. Denison. |
| 4 | <i>P. Rumphii.</i> | Hanley. | Moluccas. |
| 5 | <i>P. saccata.</i> | Linnæus. | Sandwich Islds. |

ORDER 4.—PECTINACEA. *H. and A. Adams.*

FAMILY 1.—TRIGONIIDÆ.

GENUS.—TRIGONIA. *Bruguère, 1789.*

- 1 *T. margaratacea.* Lamarck. Tasmania.

FAMILY 2.—ARCIDÆ.

GENUS.—ARCA. *Lamarck, 1799.*

- | | | | |
|-------------------------|-----------|---|----------------|
| 1 <i>A. decussata.</i> | Reeve. | Tahiti. | Sir W. Denison |
| 2 <i>A. disparilis.</i> | „ | Malacca. | |
| 3 <i>A. fusca.</i> | Bruguère. | Singapore. | |
| 4 <i>A. gibbosa.</i> | Reeve. | Hab. ? | |
| 5 <i>A. granosa.</i> | Linnæus. | <i>a</i> Philippines.
<i>b</i> Madras. | |
| 6 <i>A. holoserica.</i> | Reeve. | Kingsmill Island. | M. Robillard. |
| 7 <i>A. inflata.</i> | „ | „ | |
| 8 <i>A. lactea.</i> | Linnæus. | <i>a</i> Britain.
<i>b</i> Dalmatia. | |
| 9 <i>A. pexata.</i> | Say. | Massachusetts. | |
| 10 <i>A. rhombea.</i> | Born. | Madras. | |
| 11 <i>A. tortuosa.</i> | Linnæus. | <i>a</i> Singapore.
<i>b</i> Madras. | |
| 12 <i>A. velata.</i> | Sowerby. | <i>a</i> Pacific Ocean.
<i>b</i> Madras. | |
| 13 <i>A. volucris.</i> | Reeve. | Malacca. | |

GENUS.—SCAPHULA. *Benson, 1834.*

- 1 *S. delta.* W.T. Blanford. Pegu. Mr. W.T. Blanford.

GENUS.—CUCULLÆA. *Lamarck.*

- 1 *C. concamerata.* Martini. Indian Ocean.

GENUS.—PECTUNCULUS. *Lamarck, 1801.*

- 1 *P. parcipectus.* Reeve. Hab. ?
2 *P. tenuicostatus.* „ *a* Australia.
b Madras.

FAMILY 3.—NUCULIDÆ.

GENUS.—NUCULA. *Lamarck, 1799.*

- 1 *N. nucleus.* Turton. Britain.
1 *N. radiata.* Hanley. „

GENUS.—LEDA. *Schumacher, 1817.*

- 1 *L. caudata.* Donovan. Britain.

FAMILY 4.—PECTENIDÆ.

GENUS.—PECTEN. *Bruguère*, 1789.

1	<i>P. asperrimus.</i>	Lamarck.	Australia.	
2	<i>P. ballota.</i>	?	New Caledonia.	M. Robillard.
3	<i>P. flabelloides.</i>	Reeve.	<i>a</i> Moluccas. <i>b</i> Madras.*	
4	<i>P. histrionicus.</i>	Gmelin.	Ceylon.	
5	<i>P. irradians.</i>	Lamarck.	Mediterranean.	
6	<i>P. Jacobæus.</i>	Linnæus.	<i>a</i> Mediterranean. <i>b</i> Atlantic.	M.J.L.Laporte
7	<i>P. maximus.</i>	„	<i>a</i> Britain. <i>b</i> Atlantic. ?	M.J.L.Laporte
8	<i>P. niveus.</i>	Macgillivray.	Scotland.	
9	<i>P. opercularis.</i>	Linnæus, var.	<i>a b & c</i> Britain, &c.*	
10	<i>P. pallium.</i>	„	Pacific&EasternSeas.	
11	<i>P. plica.</i>	„	Ceylon.*	
12	<i>P. pleuronectes.</i>	„	<i>a</i> China.* <i>b</i> Negapatam.*	
13	<i>P. radula.</i>	„	Philippines.	
14	<i>P. senatorius.</i>	Gmelin.	Moluccas, &c.*	
15	<i>P. Singaporinus.</i>	Sowerby.	Singapore.	
16	<i>P. tigrinus.</i>	Müller.	Britain.	
17	<i>P. Tranquebaricus.</i>	Gmelin.	Chikulcoody, N. of Pulicat.***	
18	<i>P. varius.</i>	Linnæus.	Seas of Europe.*	M.J.L.Laporte
19	<i>P. ventricosus.</i>	Sowerby.	St. Elena, W. Columbia.	
20	<i>P. ziczac.</i>	Linnæus.	Red Sea.	

GENUS.—LIMA. *Bruguère*, 1792.

1	<i>L. aperta.</i>	Sowerby.	Britain.	
2	<i>L. fragilis.</i>	Chemnitz.	Kingsmill Island.	M. Robillard.
3	<i>L. Loscombii.</i>	Leach.	Britain.	
4	<i>L. squamosa.</i>	Lamarck.	„	

GENUS.—PEDUM. *Bruguère*, 1792.

1	<i>P. spondyloideum.</i>	Bruguère.	Red Sea.	
---	--------------------------	-----------	----------	--

GENUS.—SPONDYLUS. *Lamarck*, 1809.

1	<i>S. unicolor.</i>	Sowerby	Hab. ?	
2	<i>S. sp. ?</i>	?	Cargados Island.	M. Robillard.

GENUS.—PLICATULA. *Lamarck*, 1801.

1	<i>P. ramosa.</i>	Reeve.	China.	
---	-------------------	--------	--------	--

FAMILY 5.—ANOMIIDÆ.

GENUS.—ANOMIA. *Linnæus*, 1767.

- 1 A. ? sp. ? Philippines.

GENUS.—PLACUNANOMIA. *Broderip*, 1832.

- 1 P. alope. Gray. California.

GENUS.—PLACUNA. *Lamarck*, 1799.

- 1 P. placenta. Linnæus. Indian Ocean.*

- 2 P. sella. Gmelin. ,,

FAMILY 6.—OSTREIDÆ.

GENUS.—VULSELLA. *Lamarck*, 1799.

- 1 V. spongiarum. Lamarck. S. Australia.

GENUS.—OSTREA. *Linnæus*, 1758.

- 1 O. edulis ? Linnæus. Hab. ?

- 2 O. rosacea. Deshayes. Africa.

CLASS V.—BRACHIOPODA. *Dumeril*, 1806.FAMILY 1.—TEREBRATULIDÆ. *D'Orbigny*.GENUS.—TEREBRATULA. *Lwyd*, 1698.

- 1 T. caput-serpentis. *Linnæus*. Britain.

FAMILY 3.—RHYNCHONELLIDÆ. *D'Orbigny*.GENUS.—RHYNCHONELLA. *Fischer*, 1809.

- 1 R. psittacea. Chemnitz. North Seas.

FAMILY 7.—CRANIADÆ. *D'Orbigny*.GENUS.—CRANIA. *Retzius*, 1781.

- 1 C. anomala. Müller. North Atlantic.

FAMILY 8.—ORBICULIDÆ. *D'Orbigny*.GENUS.—ORBICULA. *Cuvier*, 1798.

- 1 O. lamellosa. Broderip. Peru.

FAMILY 9.—LINGULIDÆ.

GENUS.—LINGULA. *Bruguère*, 1789.

- 1 L. anatina. Lamarck. Philippines.

ALPHABETICAL INDEX OF GENERA.

	<i>Page.</i>		<i>Page.</i>
ACHATINA.....	47	Cassis.....	13
Achatinella.....	46	Castalia.....	71
Acmæ.....	35	Cataulus.....	56
Adamsiella.....	57	Cemoria.....	34
Ætheria.....	71	Cerithidea.....	24
Alasmodonta.....	71	Cerithium.....	23
Alcadia.....	58	Chama.....	67
Alexia.....	53	Chamostrea.....	61
Alycæus.....	54	Chemnitzia.....	16
Amphibola.....	51	Chenopus.....	20
Amphidesma.....	63	Chilina.....	50
Ampullacera.....	51	Chiton.....	35
Ampullaria.....	28	Chitonellus.....	35
Anatina.....	60	Choanopoma.....	56
Ancillaria.....	10	Circe.....	65
Ancylus.....	51	Clanculus.....	33
Anodonta.....	71	Clausilia.....	49
Anomia.....	75	Clavagella.....	59
Anostoma.....	42	Cleodora.....	2
Aplustrum.....	35	Columbella.....	12
Aplysia.....	36	Concholepas.....	9
Arca.....	73	Conus.....	16
Argonauta.....	1	Corbis.....	68
Arinia.....	56	Corbula.....	60
Asaphis.....	62	Crania.....	75
Aspergillum.....	59	Crassatella.....	68
Assiminia.....	58	Crassina.....	68
Atys.....	35	Cremnobates.....	26
Auricula.....	53	Crenatula.....	72
Avicula.....	72	Crepidula.....	29
		Crucibulum.....	29
BALEA.....	49	Cucullæa.....	73
Bankivia.....	33	Cultellus.....	60
Barnea.....	59	Cumingia.....	63
Bithynia.....	28	Cyclas.....	66
Boysia.....	42	Cyclophorus.....	55
Buccinum.....	6	Cyclostomus.....	57
Bulimus.....	43	Cyclotopsis.....	56
Bulla.....	35	Cyclotus.....	54
Bullæa.....	36	Cylindrella.....	48
Bullia.....	6	Cyllene.....	6
		Cymbium.....	11
CÆCUM.....	28	Cypræa.....	20
Calyptræa.....	29	Cypriocardia.....	66
Cancellaria.....	23	Cyprina.....	66
Capsa.....	63	Cyrena.....	66
Cardita.....	69	Cyrtulus.....	4
Cardium.....	67	Cytherca.....	64
Carinaria.....	2		
Carychium.....	53	DACTYLINA.....	59
Cassidaria.....	13	Delphinula.....	32
Cassidula.....	53	Dentalium.....	34

	Page.		Page.
Dermatocera.....	56	Lithodomus.....	72
Diacria.....	2	Littorina.....	25
Dione.....	64	Loligo.....	1
Diplommatina.....	54	Lucidella.....	58
Dolabella.....	36	Lucina.....	68
Dolium.....	13	Lucinopsis.....	63
Donax.....	63	Lutraria.....	62
Dosinia.....	65	Lyonsia.....	61
 EBURNA.....	7	 MACHLERA.....	60
Elenehus.....	33	Mactra.....	61
Emarginula.....	34	Magilus.....	9
Ennea.....	42	Malleus.....	72
Erato.....	12	Margarita.....	33
Eulina.....	16	Margaritana.....	71
 FASCIOLARIA.....	10	 Marginella.....	12
Ficula.....	13	Martesia.....	59
Fissurella.....	34	Megalomastoma.....	56
Fusus.....	3	Megaspira.....	49
 GADINEA.....	34	 Melampus.....	52
Galatea.....	63	Melania.....	24
Galeomma.....	68	Melanopsis.....	25
Gastrochæna.....	59	Meroë.....	65
Geomelania.....	53	Mesodesma.....	63
Georissa.....	58	Mitra.....	11
Glauconoma.....	66	Modiola.....	72
Glycimeris.....	60	Monoceros.....	9
 HALIOTIS.....	33	 Monodonta.....	33
Haminea.....	35	Monoptygma.....	16
Harpa.....	12	Morula.....	9
Helicina.....	58	Murex.....	2
Helix.....	36	Mya.....	60
Hipponyx.....	29	Myochama.....	61
Hippopus.....	68	Myodora.....	61
Hyalæa.....	2	Mytilus.....	71
Hybocistis.....	55	 NARICA.....	29
Hydatina.....	35	Nassa.....	7
Hydrocena.....	57	Natica.....	14
Hyria.....	71	Nautilus.....	1
 IANTHINA.....	2	 Navicella.....	31
Iphiginea.....	63	Neæra.....	61
Iridina.....	71	Nerita.....	30
Isocardia.....	67	Neritina.....	30
 KELLIA.....	68	 Neritopsis.....	29
 LACUNA.....	26	 Novaculina.....	60
Leda.....	73	Nucula.....	73
Leptoconchus.....	9	 OCTOPUS.....	1
Leptopoma.....	56	Odostomia.....	16
Leptoxis.....	25	Oleacina.....	47
Leuconia.....	53	Oliva.....	9
Lima.....	74	Omphalotropis.....	58
Limax.....	50	Oniscia.....	13
Limnæa.....	50	Opisthoporus.....	54
Lingula.....	72	Opisthostoma.....	55
		Orbicula.....	75
		Ostrea.....	75
		Otopoma.....	57
		Ovulum.....	23

	<i>Page.</i>		<i>Page.</i>
PALUDINA.....	27	Scalaria.....	15
Paludomus.....	27	Scaphula.....	73
Pandora.....	61	Scrobicularia.....	63
Panopæa.....	60	Sigaretus.....	15
Parmacella.....	50	Siliquaria.....	29
Parmophorus.....	34	Siphonaria.....	51
Partula.....	45	Solarium.....	16
Patella.....	34	Solecurtus.....	60
Pecten.....	74	Solemya.....	68
Pectunculus.....	73	Solen.....	60
Pedum.....	74	Soletellina.....	62
Perna.....	72	Spiraxis.....	47
Persona.....	5	Spirula.....	1
Petricola.....	66	Spondylus.....	74
Pharus.....	60	Stoastoma.....	58
Phasianella.....	31	Stomatella.....	33
Pholadidea.....	59	Streptaxis.....	42
Pholas.....	59	Strombus.....	18
Phorus.....	29	Struthiolaria.....	20
Phos.....	6	Stylifer.....	16
Physa.....	51	Succinea.....	50
Pileopsis.....	29	TAPES.....	65
Pinna.....	72	Tectura.....	34
Pirena.....	25	Telescopium.....	24
Pisidium.....	66	Tellina.....	62
Placuna.....	75	Terebellum.....	20
Placunanomia.....	75	Terebra.....	15
Planaxis.....	26	Terebratula.....	75
Planorbis.....	51	Teredo.....	59
Pleurobranchus.....	36	Thracia.....	61
Pleurotoma.....	4	Tornatella.....	35
Plicatula.....	74	Trichotropis.....	23
Pomatias.....	57	Tridacna.....	67
Proserpina.....	53	Trigonia.....	73
Psammobia.....	62	Triton.....	4
Psammotella.....	62	Trochatella.....	58
Pseudodon.....	71	Trochiscus.....	33
Pterocera.....	19	Trochita.....	29
Pterocyclos.....	54	Trochus.....	32
Pupa.....	48	Truncatella.....	53
Pupina.....	56	Tudora.....	57
Purpura.....	7	Turbinella.....	10
Pusionella.....	15	Turbo.....	31
Pyramidella.....	15	Turritella.....	28
Pyrula.....	4	UMBRELLA.....	36
Pythia.....	52	Ungulina.....	68
QUOYIA.....	27	Unio.....	69
RANELLA.....	5	VALVATA.....	28
Rangia.....	8	Velutina.....	14
Rhynchonella.....	75	Venerupis.....	66
Ricinula.....	8	Venus.....	64
Ringicula.....	16	Vermetus.....	29
Rissoa.....	27	Vertagus.....	24
Rostellaria.....	20	Vitrina.....	50
Rotella.....	32	Voluta.....	11
SANGUINOLARIA.....	62	Vulsella.....	75
Saxicava.....	60	ZIZYPHINUS.....	33

ERRATA.

Page 52, *for* Ariculdæ *read* Ariculidæ.

„ 65 „ Meræ „ Meroë.

„ 68 *opposite* 1 G. Ambigua *Black mark.*

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00591 8743